



Spare Parts for Ovens & Combi Ovens



Spare parts suitable for

MARENO

2018

Find the complete and up-to-date range of products in our GEV Webshop



heating elements

immersion heating elements

3 hole flange ø57.5mm



GEV No.	415021	Ref. No.	1037305500 110349 MA1037305500
description	heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 343mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 294mm thermostat sleeve not clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M5 3 hole flange		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC50, MLC503, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		
spare parts for	415021		
	GEV No.	510409	Ref. No. 1036504200 LA70045010 LAR70045010 R70045010
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
accessories for	415021		
	GEV No.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

with round flange ø57.5mm



GEV No.	415849	Ref. No.	R65020420 R65020421
description	heating element 15000W 230V heating circuits 3 mounting ø 57.5mm L 530mm W 45mm H 30mm round flange connection M4 immersion heater tube ø 8.5mm connection length 15mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 272mm thermostat sleeve eccentric, clinging		
For models:	ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC40M, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P		
spare parts for	415849		
	GEV No.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			



GEV No.	415848	Ref. No.	R65020350
description	heating element 7500W 230V heating circuits 3 mounting ø 57.5mm L 365mm W 36mm H 50mm round flange connection M4 immersion heater tube ø 8.5mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 270mm thermostat sleeve eccentric, clinging		
For models:	EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, ME061D, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, MEC24H, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P		
accessories for	415848		
	GEV No.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

heating elements for convection



GEV No.	415828	Ref. No.	LAR65011310
description	heating element 15000W 230V heating circuits 3 ID ø 388mm ED ø 408mm L 428mm H 132mm L1 20mm W1 105mm H1 114mm H2 18mm flange length 140mm flange width 25mm hole distance 126mm connection M4 connection length 65mm tube ø 8.5mm convection heating element hole ø 6.3mm rectangular flange		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, MACE10M, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M...(Other models you can see in the webshop)		



GEV No.	418197	Ref. No.	LAR65011250
description	heating element 15000W 230V heating circuits 3 ID ø 512mm ED ø 530mm L 545mm H 130mm L1 15mm W1 105mm H1 25mm H2 105mm flange length 142mm flange width 25mm hole distance 126mm connection M4 connection length 68mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, ME102D, ME102M, ME102P, ME102T, ME202D, ME202M, ME202P, ME202T, MEC24H, MEC40M, MEMENT20D, MEMENT20P, MEMENT40D, MEMENT40P, MEVT20D, MEVT20P, MEVT40D, MEVT40P		

			
1			
GEV No.	415966	Ref. No.	1037300200 1037300400 4330700 MA1037300200 MA4330700
description	heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, OFOE60M, SNA12, SNA16, SNA20, SNAC12, SNAC16, SNAC20, SNG08, SNG12, SNG16, SNG20, SVAC16, SVAC20, SVCG08, SVCG12, SVCG16, SVCG20, SVCG8		
spare parts for	415966		
	GEV No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		
accessories for	415966		
	GEV No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

			
1			
GEV No.	415251	Ref. No.	65010200 7800400 LA65010200 LAR65010200 MA7800400
description	heating element 2500W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 242mm H 35mm L1 46mm W1 31mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	AC, AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, AU04, AU05, AU08, AU10, AU20, EAR612PA, EAR612PP, EAR612PS, EAR613PA, EAR613PP, EAR613PS, EAR614PA, EAR614PP, EAR614PS, EAR615PA, EAR615PP, EAR615PS, EAR616PA, EAR616PP, EAR616PS, EAR617PA, EAR617PP..(Other models you can see in the webshop)		
spare parts for	415251		
	GEV No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

			
1			
GEV No.	415845	Ref. No.	R65010320
description	heating element 3150W 230V heating circuits 3 ID ø 201mm ED ø 215mm L 272mm H 35mm L1 57mm W1 60mm H1 8mm H2 27mm flange length 95mm flange width 22mm hole distance 77mm connection male faston 6.3mm connection length 20mm tube ø 6.5mm convection heating element hole ø 6mm rectangular flange		
For models:	CVE004H, CVE004M, MACE04M, MVE042P, VE004M, VE004X		

			
1			
GEV No.	415855	Ref. No.	R65010450
description	heating element 3900W 230V heating circuits 3 ID ø 176mm ED ø 244mm L 282mm H 43mm L1 38mm W1 61mm H1 13mm H2 30mm flange length 92mm flange width 22mm hole distance 78mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 6.3mm rectangular flange		
For models:	CVE104H, CVE104M, VE104M, VE104X		

			
1			
GEV No.	418196	Ref. No.	R65011530
description	heating element 6000W 230V heating circuits 3 ID ø 215mm ED ø 228mm L 266mm H 78mm L1 38mm W1 102mm H1 10mm H2 68mm flange length 142mm flange width 25mm hole distance 57mm connection M4 connection length 66mm tube ø 6.3mm convection heating element hole ø 6mm rectangular flange		
For models:	MACE05M, MVE051P		

			
1			
GEV No.	415871	Ref. No.	R65011520
description	heating element 6000W 230V heating circuits 3 ID ø 217mm ED ø 230mm L 267mm H 75mm L1 38mm W1 103mm H1 65mm H2 10mm flange length 140mm flange width 23mm hole distance 67mm connection M4 connection length 25mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
For models:	CVE105H, CVE105M, MVE042P, VE105M, VE105X		

			
1			
GEV No.	415993	Ref. No.	R65010680
description	heating element 7200W 230V heating circuits 3 ID ø 215mm ED ø 230mm L 270mm H 78mm L1 30mm W1 102mm H1 10mm H2 68mm flange length 140mm flange width 22mm hole distance 63mm connection M4 connection length 65mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	FE105M, FE105X, PE040M, PE040X		




1

GEV No.	415829	Ref. No.	R65011540
description	heating element 7500W 230V heating circuits 3 ID ø 248mm ED ø 260mm L 287mm H 88mm L1 20mm W1 105mm H1 23mm H2 65mm flange length 142mm flange width 25mm hole distance 64mm connection M4 connection length 78mm convection heating element hole ø 5mm rectangular flange		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, MACE07M, ME061D, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, VE106M, VE106P, VE106X		
accessories for	415829		
	GEV No.	531270	Ref. No. —
gasket L 141mm W 22mm D1 ø 10mm D2 ø 9mm 9 holes graphite thickness 1mm suitable for UNOX			

			
1			
GEV No.	415827	Ref. No.	R65011210
description	heating element 9000W 230V heating circuits 3 ID ø 508mm ED ø 526mm L 550mm H 122mm L1 24mm W1 105mm H1 26mm H2 96mm flange length 140mm flange width 25mm hole distance 126mm connection M4 connection length 68mm tube ø 9mm convection heating element hole ø 6.3mm rectangular flange		
For models:	ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, VE210M, VE210P, VE210X, VE220M, VE220P, VE220X		

			
1			
GEV No.	415737	Ref. No.	R65010180
description	heating element 2500W 230V heating circuits 1 L 655mm W 120mm L1 30mm L2 625mm W2 90mm flange length 70mm flange width 22mm hole distance 56mm connection length 100mm connection M4 tube ø 6.3mm hole ø 5.5mm W1 30mm rectangular flange convection heating element windings 2		
For models:	FE110M, FE110X, PE080M, PE080X		

			
1			
GEV No.	415998	Ref. No.	5152100 MA5152100
description	heating element 3000W 400V heating circuits 1 L 513mm W 120mm L1 33mm L2 480mm W2 100mm flange length 50mm flange width 26mm connection M4 tube ø 8.5mm hole ø 6mm W1 20mm compression flange convection heating element		
For models:	CON10E, CON10EP, CON201E, CON201EP, CSM102E, CSM102EP, CSM10E, CSM10EP, CSM201E, CSM201EP		

			
1			
GEV No.	415736	Ref. No.	R65010390
description	heating element 3500W 230V heating circuits 1 L 655mm W 125mm L1 30mm L2 625mm W2 88mm flange length 70mm flange width 22mm hole distance 56mm connection length 97mm connection M4 tube ø 6.25mm hole ø 5mm W1 30mm rectangular flange convection heating element windings 2 mounting distance 58mm		
For models:	FE210M		


accessories

washers

			
1			
GEV No.	560112	Ref. No.	15830499 MA15830499
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
For models:	BR707E, BR707EI, BR707G, BR707GI, BR94E, BR94EI, BR94G, BR94GI, BR96E, BR96EI, BR96G, BR96GI, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9SB4E, BR9SB4EI, BR9SB4G, BR9SB4GI, EPC74E, EPC74G, PC12C4E, PC12C4G, PC12C9E, PC12C9G, PC74E, PC74G, PC76E, PC76G, PC78E, PC78G, PC94E, PC94G, PC96E, PC96G, PC98E, PC98G, PD707G, PI707E, PI707G, SER15, SER15A, SER18, SER18A, SER21		


sealing washers

fibre gaskets




GEV No.	510404	Ref. No.	CR0682770
description	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		
For models:	NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A		

O-rings



GEV No.	505092	Ref. No.	2604100 BN0119472130 MA2604100
description	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		
For models:	CS102E, CS102EP, CS10E, CS10EP, CS6E, CS6EP, FV4E, FV4E1, P915E, P1707E, P176E5, P196E5, P198E10, P198E15, P19S8E10		



GEV No.	510408	Ref. No.	200820 BN0118462630
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

energy regulators

EGO

1-circuit



GEV No.	380015	Ref. No.	1037035310 1037110113 426710 65080250 MA1037110113
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	CFVE60, CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CP704E, CP92E, CP92E2, CP94E, CP94E2, CP95B2E, CP95B2E2, CP95B4E, CP95B4E2, CPE60, CRE6220, CRE6230, CRE6320, CRE6330, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CWE42, CWE62, FC10E, FC10G, FC20E...(Other models you can see in the webshop)		

thermostats

control and safety thermostats

EGO

control thermostats


55.10/19_ series




GEV No.	390067	Ref. No.	27097700
description	thermostat t.max. 266°C temperature range 65-266°C 1-pole 1NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° probe material SS		



GEV No.	390068	Ref. No.	2709700 2709714
description	thermostat t.max. 269°C temperature range 55-269°C 1-pole 1CO 16A probe ø 3.1mm probe L 219mm capillary pipe 1280mm capillary pipe isolated 1270mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		




GEV No.	375201	Ref. No.	2992900 MA2992900
description	thermostat t.max. 270°C temperature range 50-270°C 1-pole 1CO 16A probe ø 3mm probe L 219mm capillary pipe 3000mm capillary pipe isolated 2500mm gland nut M10x1 shaft L 23mm shaft position upper rotation 270° probe material SS		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		



GEV No.	375216	Ref. No.	LA65070210 LAR65070210
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 228mm capillary pipe 1300mm capillary pipe isolated 1150mm gland nut shaft L 23mm shaft position upper rotation 318°		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME106M, ME106X, ME110M...(Other models you can see in the webshop)		



GEV No.	375184	Ref. No.	1037102300 MA1037102300
description	thermostat t.max. 298°C temperature range 55-294°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 350mm gland nut shaft L 23mm shaft position upper probe material SS		
For models:	BR707E, BR707EI, BR78EF, BR78EI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR94E, BR94EI, BR94G, BR94GI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9S8EF, BR9S8EI, BR9S8GF, BR9S8GI, BR9SB4E, BR9SB4EI, BR9SB4G, BR9SB4GI, CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS...(Other models you can see in the webshop)		



GEV No.	375667	Ref. No.	R65070360
description	thermostat t.max. 300°C temperature range 68-300°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		



GEV No.	375945	Ref. No.	CR0734520
description	thermostat t.max. 470°C temperature range 90-470°C 1-pole 1NO 16A probe ø 3.9mm probe L 163mm capillary pipe 870mm capillary pipe isolated 600mm shaft ø 4.5x6mm shaft L 23mm shaft position upper rotation 270°		
For models:	NCT78E, NCT7FE8E, NCT98E, NCT98E2, NCT9FE8E, NCT9FE8E2		

			
GEV No.	375332	Ref. No.	MA1037118000
description	thermostat t.max. 55°C temperature range fixed 55°C 1-pole 1CO 16A probe ø 9/15mm probe L 22mm capillary pipe 1500mm capillary pipe isolated 800mm gland nut		

			
GEV No.	375219	Ref. No.	R65070100
description	thermostat t.max. 55°C temperature range fixed 55°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 850mm gland nut shaft Lmm shaft position probe material SS		
For models:	EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M, MG106M, MG106X, MG110M, MG110X, MG120M, MG120X, MG201M, MG202M, MG210M, MG210X, MG220M, MG220X, MGC20X		
accessories for	375219		
	GEV No.	550148	Ref. No. —
gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone			

			
GEV No.	375215	Ref. No.	R65070165
description	thermostat t.max. 65°C temperature range fixed 65°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm shaft position		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M...(Other models you can see in the webshop)		


			
GEV No.	375217	Ref. No.	R65070240
description	thermostat t.max. 70°C temperature range fixed 70°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm shaft position probe material SS		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M...(Other models you can see in the webshop)		

55.13_ series


			
GEV No.	375505	Ref. No.	643800 MA643800
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	BR94E, BR94EI, BR94G, BR94GI, BR96G, BR96GI, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9SB4E, BR9SB4EI		



55.34_ series



GEV No.	375183	Ref. No.	1037100600 MA1037100600
description	thermostat t.max. 298°C temperature range 50-298°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40C, FTE60B, FTE60BR, FTE60C		



GEV No.	375192	Ref. No.	1309100 1309115 MA1309115
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	BF78E, BF98E, BIE40, BIE40B, BIE60, BIE60B, BR707E, BR707EI, BR94E, BR94EI, BR96E, BR96EI, BR9M4E, BR9M4EI, BR9M6E, BR9M6EI, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, C12FEP9G, C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, C7FE12G, C7FE8E, C7FE8EC, C7FE8G, C9F4E, C9F6E, C9FE12G, C9FE6GS, C9FE8E, C9FE8EC, C9FE8G, C9V2E, C9V4E, CFE70, CWE42, CWE422, CWE62, CWE622, EC74EVG, EC78EVG, EC7FE8E, EFT74ELVG, EFT74ERVG... (Other models you can see in the webshop)		



GEV No.	375412	Ref. No.	1037035200 1732000 BN6A044600 MA1037035200 MA1732000 No More Available
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	BIE40, BIE60, BRE40, BRE40G, FT74E, FT74ER, FT74ERL, FT77E, FT77EC, FT77ERL, FTE100B, FTE100BR, FTE100CRL, FTE40B, FTE40C, FTE60B, FTE60BR, FTE60C		

safety thermostats

55.32_ series




GEV No.	375394	Ref. No.	2613300 MA2613300
description	safety thermostat switch-off temp. 135°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 73mm capillary pipe 1490mm capillary pipe isolated 1350mm gland nut M9x1 probe SS		
For models:	CS4E, CS4EP, FV4E, FV4E1		




GEV No.	375208	Ref. No.	2865100 MA2865100
description	safety thermostat switch-off temp. 139°C 3-pole 2x20/1x0.5A probe ø 6mm probe L 77mm capillary pipe 890mm capillary pipe isolated-mm gland nut M9x1 probe SS		
For models:	CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

E-G-O




GEV No.	375668	Ref. No.	R65070020
description	safety thermostat switch-off temp. 140°C 3-pole 20A probe ø 6mm probe L 88mm capillary pipe 890mm capillary pipe isolated 800mm gland nut		
For models:	AC, AU04, AU05, AU08, AU10, AU20		

E-G-O




GEV No.	375209	Ref. No.	1037305000
description	safety thermostat switch-off temp. 140°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC50, MLC503, MLC65, MLC653, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		

E-G-O



GEV No.	390159	Ref. No.	R65070080 R65070081
description	safety thermostat switch-off temp. 150°C 1-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe		
For models:	EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M...(Other models you can see in the webshop)		

E-G-O



GEV No.	375206	Ref. No.	2864714 MA2864714
description	safety thermostat switch-off temp. 325°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 900mm capillary pipe isolated 700mm gland nut M10x1 probe SS		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10G, CS4E, CS4EP, CS6E, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CS- M10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CS- M6EP, CSM6G, CSM6GP...(Other models you can see in the webshop)		

E-G-O



GEV No.	375220	Ref. No.	R65070050
description	safety thermostat switch-off temp. 330°C 3-pole 20A probe ø 11mm probe L 18.5mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		

E-G-O



GEV No.	375291	Ref. No.	R65070060
description	safety thermostat switch-off temp. 344°C 1-pole 20A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe		
For models:	FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, PE040M, PE040X, PE080M, PE080X, PG040M, PG040X, PG080M, PG080X		

E·G·O



1

GEV No.	375455	Ref. No.	R65070070
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106M...(Other models you can see in the webshop)		

E·G·O



1

GEV No.	375163	Ref. No.	1475513
description	safety thermostat switch-off temp. 350°C 3-pole 0.5A probe ø 6mm probe L 79mm capillary pipe 3000mm capillary pipe isolated 2800mm gland nut probe SS		
For models:	F9V4EC, F9V4ECR, FT74E, FT74ER, FT74ERL, FT77E, FT77EC		

E·G·O




1

GEV No.	375684	Ref. No.	LA65070350 LAR65070350
description	safety thermostat switch-off temp. 360°C 1-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D...(Other models you can see in the webshop)		

control thermostats with operation switch

55.34_ series

E·G·O



1

GEV No.	375140	Ref. No.	21351299 CR0688650
description	thermostat t.max. 650°C temperature range 50°C/50-600°C/70-650°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position left rotation 318° outer switch 2NO		
For models:	NV94E, NV98E, NV9FE8E, V9F4E, V9V2E, V9V4E		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats



1

GEV No.	390006	Ref. No.	120501	
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°			
accessories for	390006			
	GEV No.	110100	Ref. No.	450315
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black			
	GEV No.	110105	Ref. No.	—
	rosette knob ø 42mm ø 56mm zero mark			

accessories

gland nut accessories

bolts with slot



1

GEV No.	520244	Ref. No.	1570200 MA1570200
description	bolt with slot thread M10x1 Qty 10 pcs nickel-plated brass		



1

GEV No.	520243	Ref. No.	CR0500550	
description	bolt with slot thread M9x1 Qty 10 pcs nickel-plated brass			
accessories for	520243			
	GEV No.	510591	Ref. No.	—
washer with slot ED ø 8.8mm slit width 1.2mm Qty 10				
	GEV No.	510592	Ref. No.	—
gasket ø 8x8.7mm Qty 10 pcs slotted silicone				

connecting bows

			
1			
GEV No.	550060	Ref. No.	1037003300 1037033300 1988500 1998500 921200 MA1988500 MA921200
description	connecting bow long for thermostat Qty 1 pcs		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B9SB2E, B9SB2G, B9SB4E, B9SB4G, B9V2E, B9V2G, B9V4E, B9V4G, BIE40, BIE40B, BIE60, BIE60B, BM74E, BM77E, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M...(Other models you can see in the webshop)		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

			
1			
GEV No.	347791	Ref. No.	4640500 MA4640500
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
For models:	B124E, CRE6220, CRE6230, CRE6320, CRE6330, CSP6220, CSP6230, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143DNF, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN, EF70MP, EF72DNF, EF72MNF, F140DF, F140DI, F140DN, F140DP, F14DFG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, HF140DPF, IR13C, IR13CC, IR13CV, IR13M, IR13MC, IR13MV, IR13V, IR17C...(Other models you can see in the webshop)		



1

GEV No.	301003	Ref. No.	0109015 211101.99
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AFC14, AFC14V, AFC7, AFC7V, AFPC214, AFPC214P, AFPC214V, AFR1143P, AFR14, AFR14V, AFR214P, AFR214PV, AFR7, AFR7P, AFR7PV, AFR7V, AFRC214, AFRC214V, AFRV14, AFRV14A, AFRV14V, AFRV7, AFRV7A, AFRV7V, C9F6E, C9FE6GS, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143MNI, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN... (Other models you can see in the webshop)		
accessories for	301003		
	GEV No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

GEV No.	301017	Ref. No.	211102.99 MA21110299
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, SER15, SER15A, SER18, SER18A, SER21		
accessories for	301017		
	GEV No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

blank



1

GEV No.	347706	Ref. No.	R65260510
description	momentary rocker switch mounting measurements 30x22mm black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65 with cover cap		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, PE040M, PE040X, PE080M, PE080X, PG040M, PG040X, PG080M... (Other models you can see in the webshop)		
accessories for	347706		
	GEV No.	301036	Ref. No. —
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

			
1			
GEV No.	345982	Ref. No.	4640400 MA4640400
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	F140DF, F140DI, F140DN, F140DP, F14DFG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, IR13C, IR13CC, IR13CV, IR13M, IR13MC, IR13MV, IR13V, IR17C, IR17CC, IR17CV, IR17M, IR17MC, IR17MV, IR17V, NF140DF, NF140DFN, NF140DN, NF140DNI, NF140DNN, NF140DP, NF140DPN, NF140DPP, NF143DNF, NF143DNI, NF143DNP, NF14DNG, NF70DF, NF70DI, NF70DN, NF70DP, NF72DNF, NF72DNI, NF72DNN, NF7DFG, NF7DNG, SPAR16, SPAR20, SPRG12...(Other models you can see in the webshop)		
accessories for	345982		
	GEV No.	301036	Ref. No. —
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

labelled

				
1				
GEV No.	301200	Ref. No.	R65260050	
description	rocker switch mounting measurements 30x22mm black 2NO 230V 16A 0-1 connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap			
For models:	AC, AU04, AU05, AU08, AU10, AU20, EC106M, EC110M, EC210M, EM106M, EM110M, EM210M, EV006M, EV106M, EV110M, EV210M, FE105X, FG105X, FG110X, FG210X, GC106M, GC110M, GC210M, GM106M, GM110M, GM210M, GV106M, GV110M, GV210M, PE040X, PG040X, PG080X			
accessories for	301200			
	GEV No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

with symbol



1

GEV No.	301228	Ref. No.	R65260210
description	rocker switch mounting measurements 30x22mm black 2CO 250V 16A I-II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	FE105X, FG105X, FG110X, FG210X, PE040X, PG040X, PG080X		
accessories for	301228		
	GEV No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

ø16mm

			
GEV No.	301172	Ref. No.	R65260610
description	momentary push switch mounting ø 16mm black 1NO 250V 16A connection male faston 6.3mm protection IP40 ambient temperature max. 150°C		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		

			
GEV No.	346287 ¹	Ref. No.	R65260480
description	momentary push switch mounting ø 16mm red 1NO 250V 3A illuminated connection male faston 2.8mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P		

¹illuminated

			
GEV No.	301227	Ref. No.	R65260120 R65260600
description	push switch mounting ø 16mm black 1NO 250V 16A connection male faston 6.3mm protection IP40 ambient temperature max. 150°C		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MEC40M, MG061M, MG101M, MG102M, MG201M, MG202M		

ø25mm

			
GEV No.	345038	Ref. No.	CR0410290
description	momentary push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	CFG70, CFG70M, NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM		



1

GEV No.	345039	Ref. No.	1037115000 CR0410310 MACR0410310
description	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		
For models:	CFG70, CFG70M, EF140DF, EF140DN, EF140DP, EF143DNF, EF70DF, EF70DN, EF70DP, EF72DNF, F140DF, F140DI, F140DN, F140DP, F14D-FG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FR92G22T, FR94G22T, FS140F, FS140FI, FS140FN, FS140L...(Other models you can see in the webshop)		
accessories for	345039		
	GEV No.	345001	Ref. No. —
momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65			

microswitches

lever actuated

			
1			
GEV No.	345254	Ref. No.	1037111300 1037304200 MA1037111300 MA1037304200
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 120°C mounting distance 22mm actuating force: 60g lever length 58mm		
For models:	BR78EF, BR78EI, BR78GF, BR78GI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9S8EF, BR9S8EI, BR9S8GF, BR9S8GI, DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN, EF140MP, EF143DNF, EF143MNI, EF70DF, EF70DN, EF70DP, EF70MB, EF70MC, EF70MF, EF70MI, EF70MN, EF70MP, EF72DNF, EF72MNF, EF74E10VG...(Other models you can see in the webshop)		

roller-lever actuated

microswitches

			
1			
GEV No.	345276	Ref. No.	SIR0108059
description	microswitch with handle with a switch 250V 16A 1CO connection F6.3 L 33mm L1 28mm ambient temperature max. 125°C mounting distance 22.2mm actuating force: 190g black		

pin-plunger actuated

M10

			
1			
GEV No.	345032	Ref. No.	1267300 MA1267300 R65260540
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	BR94G, BR94GI, BR9M4G, BR9M4GI, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X...(Other models you can see in the webshop)		

M12



1

GEV No.	345350	Ref. No.	R65260530	
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g			
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, VE004M, VE004X, VE104M, VE104X, VE105M, VE105X, VG105M, VG105X			
accessories for	345350			
	GEV No.	345351	Ref. No.	—
nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs				

system switches (ROLD)

			
1			
GEV No.	345131	Ref. No.	190140
description	element holder mounting measurements 28.5x28.5mm grey single element holder		



1

GEV No.	345133	Ref. No.	450321
description	push button ø 23mm grey		


cam switches

4-position



1

GEV No.	300103	Ref. No.	501400 MA501400
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	C9F4E, C9F6E, C9V2E, C9V4E		



1

GEV No.	300104	Ref. No.	1037100500 790700 MA790700
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	CP704E, CP92E, CP94E, CP9SB2E, CP9SB4E, CPE40, CPE402, CPE60, CPE602, FP1E		


7-position



1

GEV No.	300106	Ref. No.	1937800 21131099 MA1937800
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		
For models:	C74EC, C78EC, C78EQC, C7FE8E, C7FE8EC, C7FE8EQ, C94E, C94EC, C98E, C98EC, C9FE8E, C9FE8EC, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2		


4 operating positions



1

GEV No.	300010	Ref. No.	2709600 MA2709600 R65080010
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	EC106M, EC110M, EC210M, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, PE040M, PE040X, PE080M, PE080X, PG040M, PG040X, PG080M, PG080X		

5 operating positions



1

GEV No.	347191	Ref. No.	R65080020
description	cam switch 5 operating positions 9NO sequence 1-0-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME061M, ME101M, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M, MG106M...(Other models you can see in the webshop)		

operation switches



GEV No.	300080	Ref. No.	1037033200 218111 65085010 710300 LAR65085010 MA218111 MA710300
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
For models:	B9SB2E, B9SB2G, B9SB4E, B9SB4G, B9V2E, B9V2G, B9V4E, B9V4G, BIE40, BIE40B, BIE60, BIE60B, BM74E, BM77E, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BR912GFM, BR912GIM, BR94G, BR94GI, BR96G, BR96GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSE40M, C7011EFE, C7011EFQ...(Other models you can see in the webshop)		
accessories for	300080		
	GEV No.	551456	Ref. No. —
gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white			



GEV No.	300200	Ref. No.	1037313200 65260030 LAR65260030 MA1037313200
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, BME40DM, BME40DMB, BME40M, BME60DM, BME60DMB, BME60M, BME80M, BR707E, BR707EI, BR78EF, BR78EI, BR912EFM, BR912EIM, BR912GFM, BR912GIM, BR94E, BR94EI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR98GF, BR98GFM...(Other models you can see in the webshop)		


touch sensitive light switches



GEV No.	346388	Ref. No.	R65260750
description	touch sensitive light switch 1NOVA for combi-steamer L 47mm W 20mm H 30mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		

magnetic switches

36x13mm



GEV No.	345335	Ref. No.	5169100 MA5169100
description	magnetic switch L 36mm W 13mm 1NO 250V 0.04A P max. 10W connection cable cable length 960mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
accessories for	345335		
	GEV No.	519049	Ref. No. —
magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm			





37x16mm



GEV No.	347790	Ref. No.	LAR65265100
description	magnetic switch L 37mm W 16mm 1NO 250V connection cable cable length 1960mm 10W with magnet nominal 0.04A		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D...(Other models you can see in the webshop)		

65x20mm



GEV No.	345116	Ref. No.	120348 BN161801
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
accessories for	345116		
	GEV No.	345399	Ref. No. —
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

miscellaneous




GEV No.	401961	Ref. No.	R66110300
description	magnetic switch door contact		
For models:	GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061M, ME061P, ME061T, ME101M, ME101P, ME101T, ME102M, ME102P, ME102T, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061M, MG061P, MG061T, MG101M, MG101P...(Other models you can see in the webshop)		

accessories

magnets



GEV No.	691178	Ref. No.	1334900 MA1334900
description	magnet ø 22mm Lmm H 7mm Wmm ED ø 22mm M5		



GEV No.	345336	Ref. No.	5169200 BN3108890 MA5169200
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

encoders and potentiometers



GEV No.	401338	Ref. No.	R65301450
description	encoder		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061D, ME061P, ME061T, ME101D, ME101P, ME101T, ME102D, ME102P, ME102T, ME201D, ME201P, ME201T, ME202D, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061P, MG061T, MG101D, MG101P, MG101T, MG102D, MG102P, MG102T, MG201D, MG201P...(Other models you can see in the webshop)		



GEV No.	403835	Ref. No.	LA65302500
description	encoder rotation 360° shaft ø 6x4.6mm shaft L 26mm for combi-steamer cable length 600mm SS		

			
1			
GEV No.	403084	Ref. No.	LA65301941 LAR65301940
description	encoder shaft L 18mm cable length 200mm shaft 6x4.6mm		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø 6mm (type SQ-20)

			
1			
GEV No.	359803	Ref. No.	130704
description	indicator light lens green Qty 1 pcs ø 6mm		

ø12mm (type SDY-3)

			
1			
GEV No.	359262	Ref. No.	130711 BN6A001438
description	indicator light housings mounting measurements ø12mm green round Qty 1 pcs		

			
1			
GEV No.	359261	Ref. No.	130710
description	indicator light housings mounting measurements ø12mm red round Qty 1 pcs		

indicator lamps for socket type SRZ / SDK / SDY / SFK

			
1			
GEV No.	359132	Ref. No.	1037303400
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC50, MLC503, MLC65, MLC653, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P		

indicator lights (complete)

ø 6mm

			
1			
GEV No.	359004	Ref. No.	2998600 MA2998600
description	indicator light ø 6mm 230V green cable length 400mm temp.-resist. 106°C		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP		

			
1			
GEV No.	359005	Ref. No.	2998700 MA2998700
description	indicator light ø 6mm 230V yellow cable length 400mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP		

			
1			
GEV No.	359284	Ref. No.	2959600 MA2959600
description	indicator light ø 6mm 24V green cable length 150mm		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS4E, CS4EP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
1			
GEV No.	359285	Ref. No.	2959700 MA2959700
description	indicator light ø 6mm 24V yellow cable length 150mm		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS4E, CS4EP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
1			
GEV No.	359031	Ref. No.	130157
description	indicator light ø 6mm 230V green		

ø10mm

with screw socket



1

GEV No.	359378	Ref. No.	1037300800 1037300810 MA1037300810
description	indicator light ø 10mm 230V green connection male faston 6.3mm socket screw base		
For models:	B9SB2E, B9SB4E, B9V2E, B9V4E, BIE40, BIE40B, BIE60, BIE60B, BM74E, BM77E, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSE40M, BSEI40M, CB3, CB5, CD24, CFE60, CFE60P, CFE70, CFG60, CFG61, CFG61D, CFG61L, CFG61P, CFVE60, CPE40, CPE402, CPE60, CPE602, CWE42, CWE422, CWE62, CWE622, F9V2E, F9V2E2, F9V2ER...(Other models you can see in the webshop)		



1

GEV No.	359379	Ref. No.	CR0587500
description	indicator light ø 10mm 230V yellow connection male faston 6.3mm socket screw base		
For models:	EF74E10VG, EF74E12, NB74E, NB78E, NBR78EF, NBR78EI, NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NC74E2, NC74EC, NC74EQC, NC78E2, NC78EC, NC78EQC, NC7FE8E, NC7FE8E2, NC7FE8EQ, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2, NCT78E, NCT7FE8E, NCT98E, NCT98E2, NCT9FE8E, NCT9FE8E2, NF74E10, NF74E15, NF76E10, NF78E15, NF94E10, NF94E15, NF94E22, NF94E222, NF96E10, NF98E15, NF98E22...(Other models you can see in the webshop)		

with plug-in socket



1

GEV No.	359140	Ref. No.	1037300900 1037300910 MA1037300910
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B124E, B74E, B78E, B94E, B98E, B9SB2E, B9SB4E, B9V2E, B9V4E, BF78E, BF98E, BIE40, BIE40B, BIE60, BIE60B, BM74E, BM77E, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM...(Other models you can see in the webshop)		

ø12mm

with screw socket



1


GEV No.	359027	Ref. No.	R65270230
description	indicator light ø 12mm 250V green connection male faston 6.3mm		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, ME106M, ME106X, ME110M...(Other models you can see in the webshop)		



1

GEV No.	359290	Ref. No.	R65270220
description	indicator light ø 12mm 400V yellow connection male faston 6.3mm		
For models:	AC, AU04, AU05, AU08, AU10, AU20, CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M...(Other models you can see in the webshop)		

ø12.5mm



1

GEV No.	359998	Ref. No.	MA21016099
description	indicator light ø 12.5mm 230V red connection male faston 6.3mm		

ø13mm

with plug-in socket



1

GEV No.	359142	Ref. No.	1819800 21016199 MA1819800 MA21016199
description	indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	B9SB2E, B9SB4E, B9V2E, B9V4E, B9VP2E, B9VP4E, BM74E, BM77E, BR707E, BR707EI, C7011E, C7011EFE, C7011EFEQ, C704E, C707E, C707EFE, C707EFEQ, C9F4E, C9F6E, C9V2E, C9V4E, F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL, FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G, FR74E, FR74E10, FR77E, FR77E10, FR92E10, FR92E13, FR92E132, FR92E22, FR94E10, FR94E13, FR94E132, FR94E22, FR9P2E10, FR9P4E10...(Other models you can see in the webshop)		

			
1			
GEV No.	359143	Ref. No.	1819900 21016299 MA1819900 MA21016299
description	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		
For models:	B9SB2E, B9SB4E, B9V2E, B9V4E, B9VP2E, B9VP4E, BM74E, BM77E, BR707E, BR707EI, C7011EFE, C7011EFEQ, C707EFE, C707EFEQ, C9F4E, C9F6E, C9V2E, C9V4E, CP704E, CP92E, CP94E, CP9SB2E, CP9SB4E, F9V2E, F9V2ER, F9V4E, F9V4EC, F9V4ECR, F9V4ER, F9V4ERL, FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G, FP1E, FR74E, FR74E10, FR77E, FR77E10, FR92E10, FR92E13, FR92E132, FR92E22, FR94E10, FR94E13, FR94E132...(Other models you can see in the webshop)		

ø16mm

with plug-in socket

			
1			
GEV No.	359788	Ref. No.	R65270160
description	indicator light ø 16mm 230V green connection male faston 6.3mm		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		

			
1			
GEV No.	359789	Ref. No.	R65270150
description	indicator light ø 16mm 230V yellow connection male faston 6.3mm		
For models:	MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M		

screw-on/push-on fit

light bulbs

for ovens

			
1			
GEV No.	359612	Ref. No.	2861900 MA2861900
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

halogen lamp

for socket E14 / E27

			
1			
GEV No.	359728	Ref. No.	4625800 MA4625800
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	F140DF, F140DI, F140DN, F140DP, F143, F70DF, F70DI, F70DN, F70DP, F72, F7DFG, F7DNG, FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FS140F, FS140FI, FS140FN, FS140I, FS140N, FS140NG, FS140NI, FS140NN, FS140P, FS140PN, FS140PP, FS143F, FS143FI, FS143N, FS143NF, FS143NI...(Other models you can see in the webshop)		

for socket G4 / G6.35 / G9

			
1	500°C		
GEV No.	359599	Ref. No.	LA65270020 LAR65270020
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105X, FG105X, FG110X, FG210X, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D...(Other models you can see in the webshop)		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

GEV No.	359718	Ref. No.	1037300100 1037317000 MA1037300100 MA1037317000
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, OCFE60, OCFGE61, OFOE60M		
spare parts for	359718		
	GEV No.	359701	Ref. No. —
lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			
	GEV No.	359740	Ref. No. —
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT			

55x70mm



1

GEV No.	359375	Ref. No.	R65270510
description	lamp socket complete version socket E14 mounting measurements 55x70mm		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		

55x100mm



1

GEV No.	101372	Ref. No.	2862100 MA2862100
description	oven lamp complete L 100mm W 55mm 230V 25W socket E14 rectangular temp.-resist. 300°C connection male faston 6.3mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

spare parts for	101372	GEV No.	359612	Ref. No.	2861900 MA2861900
					
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips					

GEV No.	359698	Ref. No.	—
			
lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			

GEV No.	359714	Ref. No.	—
			
gasket silicone L 140mm W 75mm for bulb socket			

GEV No.	359715	Ref. No.	—
			
lamp glass L 110mm W 65mm thickness 5mm			

GEV No.	359716	Ref. No.	—
			
frame for bulb socket			

lamps

light bulbs



1

GEV No.	359612	Ref. No.	2861900 MA2861900
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

halogen lamps

for socket E14 / E27



1

GEV No.	359728	Ref. No.	4625800 MA4625800
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	F140DF, F140DI, F140DN, F140DP, F143, F70DF, F70DI, F70DN, F70DP, F72, F7DFG, F7DNG, FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, FS140F, FS140FI, FS140FN, FS140I, FS140N, FS140NG, FS140NI, FS140NN, FS140P, FS140PN, FS140PP, FS143F, FS143FI, FS143N, FS143NF, FS143NI...(Other models you can see in the webshop)		

for socket G4 / G6.35 / G9



1

GEV No.	359599	Ref. No.	LA65270020 LAR65270020
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105X, FG105X, FG110X, FG210X, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D...(Other models you can see in the webshop)		

timers

programme timers




1

GEV No.	403577	Ref. No.	LAR65090220 LAR65095000
description	gear motor CDC 4901F1 engines 1 chambers 1 operation time 20s 230V 50Hz shaft ø 6x4.6mm shaft L 24mm		
For models:	ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME106P, ME110P, ME120P, ME201P, ME201T, ME202P, ME202T, ME210P, ME220P, MEC24H, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MEVT06P, MEVT10P, MEVT20P, MEVT21P, MEVT40P, MG061P, MG061T, MG101P, MG101T, MG102P, MG102T, MG106P, MG110P, MG120P, MG201P, MG201T, MG202P, MG202T, MG210P, MG220P, MGC24H, MGC40H, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, MGVT06P, MGVT10P...(Other models you can see in the webshop)		

			
1			
GEV No.	360752	Ref. No.	R65090190
description	timer CDC 4902F1 engines 1 chambers 2 operation time 8min 230V shaft ømm shaft Lmm		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, MACE04M, MACE05M, MACE07M...(Other models you can see in the webshop)		

			
1			
GEV No.	360332	Ref. No.	2971200 MA2971200
description	timer FIBER P25 engines 1 chambers 1 operation time 60s 230V shaft ømm shaft Lmm manuf. no. P255J01H191 motor type M51BJ0R6400		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CS102E, CS102EP, CS102G, CS102GP		
spare parts for	360332		
	GEV No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

			
1			
GEV No.	350038	Ref. No.	R65090020
description	timer FIBER P34 engines 1 chambers 2 operation time 144min 230V shaft ø 6x4.6mm shaft L 20mm manuf. no. P345J02N765 motor type M51BJ0L6400 impulse electric		
For models:	EC106M, EC110M, EC210M, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, PE040M, PE040X, PE080M, PE080X, PG040M, PG040X, PG080M, PG080X		
spare parts for	350038		
	GEV No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

mechanical timers

			
1			
GEV No.	350003	Ref. No.	2709900 2812300 MA2709900
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
For models:	FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G		
accessories for	350003		
	GEV No.	110366	Ref. No. —
	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	GEV No.	111199	Ref. No. —
	dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm		

			
1			
GEV No.	350049	Ref. No.	1037103400 MA1037103400
description	timer M2 with bell 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
For models:	SPE60M, SPW60M		
accessories for	350049		
	GEV No.	110366	Ref. No. —
	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	GEV No.	111205	Ref. No. —
	dial plate graduation 30min permanent position yes rotation 30-300° ø 60mm		

			
1			
GEV No.	350040	Ref. No.	3100640
description	timer M2 with bell 2-pole operation time 60min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350040		
	GEV No.	110366	Ref. No. —
	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		

Table continues overleaf

accessories for		350040		
	GEV No.	111202	Ref. No.	—
	dial plate graduation 60min permanent position yes rotation 0-300° ø 60mm timers knob ø 45mm with permanent position			

audible timers

			
1			
GEV No.	350036	Ref. No.	1031006400 2600200 MA1031006400
description	audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm		
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, FV4E, FV4E1, OCFE60, OCFGE61, OFOE60M		

alarm devices

buzzer boards


			
1			
GEV No.	350078	Ref. No.	2864400 MA2864400
description	buzzer board		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD, CS102E, CS102EP, CS102G, CS102GP, CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G		


			
1			
GEV No.	350079	Ref. No.	5152000 MA5152000
description	buzzer board		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

			
1			
GEV No.	400143	Ref. No.	R65300670
description	buzzer board		
For models:	ME106P, ME110P, ME120P, ME210P, ME220P, MG106P, MG110P, MG120P, MG210P, MG220P, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

buzzers

			
1			
GEV No.	350055	Ref. No.	R65330040
description	buzzer 12VDC connection cable 200mm PCB buzzer 20dB		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, ME106P, ME110P, ME120P, ME210P, ME220P, MEC24H, MG106P, MG110P, MG120P, MG210P, MG220P, MGC24H, MGC40H, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

			
1			
GEV No.	350086	Ref. No.	R65301440 RA919008
description	buzzer 12VDC connection cable 200mm PCB buzzer 20dB		
For models:	DP018T, DP112T, DPC20T, DPC40T, DX018T, DX110T, DX112T, DXC20T, DXC40T, GMT06D, GMT20D, GVT06D, GVT20D, MDP112T, MDPC20T, MDPC40T, MDX112T, MDXC20T, MDXC40T, ME061D, ME061P, ME061T, ME101D, ME101P, ME101T, ME102D, ME102P, ME102T, ME201D, ME201P, ME201T, ME202D, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P...(Other models you can see in the webshop)		

			
1			
GEV No.	350223	Ref. No.	LA65302450
description	buzzer 12VDC connection coded PCB buzzer 20dB		

			
1			
GEV No.	350050	Ref. No.	R65330010
description	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		
For models:	CVE004M, CVE104M, CVE105M, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, MACE04M, MACE05M, MACE07M...(Other models you can see in the webshop)		

contactors

LOVATO

power contactors



1

GEV No.	380083	Ref. No.	120444
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4.2kW main contacts 3NO auxiliary contacts 1NC connection screw connection type BF0901A230		

MOELLER/EATON

power contactors



1

GEV No.	380550	Ref. No.	R65140550
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILM9 01		
For models:	GMT06D, GVT06D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MVE042P, MVE051P		
accessories for	380550		
	GEV No.	380555	Ref. No. —
	auxiliary contact contacts 2NO/2NC AC15 16A for contactors DILEM connection screw type DILA-XHI22		
	GEV No.	380556	Ref. No. —
	auxiliary contact contacts 4NO AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI40		
	GEV No.	380557	Ref. No. —
	auxiliary contact contacts 4NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI04		
	GEV No.	380558	Ref. No. —
	auxiliary contact contacts 3NO/1NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI31		
	GEV No.	380559	Ref. No. —
	auxiliary contact contacts 1NO/3NC AC15 16A for contactors DILM 7-32 connection screw type DILA-XHI13		
	GEV No.	380568	Ref. No. —
	RC circuit suitable for DILM 9-12 rated 110-240V		



1

GEV No.	381005	Ref. No.	R65140560
description	power contactor resistive load 35A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type DILM 17-01		
For models:	MACE10M, MACE20M, MEMT10D, MEMT10P, MEVT10D, MEVT10P		

overload switches



1

GEV No.	381006	Ref. No.	R65160420
description	overload switch connection screw setting range 1-1.6A type ZB12		
For models:	MACE10M, MACE20M, MEMT10D, MEVT10D		

auxiliary contacts



1

GEV No.	380565	Ref. No.	R65140600
description	auxiliary contact contacts 1NO/1NC AC15 10A for contactors DIL 17-32 connection screw type DILM 32-CHI11-S		
For models:	MEMT10D, MEMT10P, MEVT10D, MEVT10P		

SIEMENS

power contactors



1			
GEV No.	380645	Ref. No.	R65140240
description	power contactor 230VAC with auxiliary contacts		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, ME-C40M, PE080M, PE080X, VE110M, VE110X, VE120M, VE120P, VE120X, VE210M, VE210P, VE210X, VE220M, VE220P, VE220X		



2			
GEV No.	381387	Ref. No.	CM187301 MACM187301
description	power contactor resistive load 22A 230VAC (AC3/400V) 4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT2016-1AP01		



1			
GEV No.	380652	Ref. No.	LA65140380 LAR65140380
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 3RT10-16-1AP02		
For models:	GMT20D, GVT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MENT20D, MENT20P, MENT21D, MENT21P, MENT40D, MENT40P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T...(Other models you can see in the webshop)		



1			
GEV No.	380389	Ref. No.	1037104800 21450299 21453199 CM187300 MACM187300
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		
For models:	AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF-70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, BR707E, BR707EI, BR78EF, BR78EI, BR912EFM, BR912EIM, BR94E, BR94EI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR9M4E, BR9M4EI, BR9M6E, BR9M6EI, BR-9S8EF, BR9S8EI, BR9SB4E, BR9SB4EI, CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CP704E, CP92E, CP92E2, CP94E, CP94E2, CP9SB2E...(Other models you can see in the webshop)		



1			
GEV No.	380390	Ref. No.	21407999 21452399 21453599 CM187400 CM187401 MACM187400 MACM187401
description	power contactor resistive load 40A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-24-1AL20 50/60Hz		
For models:	BR78EF, BR78EI, BR912EFM, BR912EIM, BR94E, BR94EI, BR98EF, BR98EFM, BR98EI, BR98EIM, BR9M4E, BR9M4EI, BR9M6E, BR9M6EI, BR9S8EF, BR9S8EI, BR9SB4E, BR9SB4EI, CON102E, CON102EP, CON10E, CON10EP, CON201E, CON201EP, CS10E, CS10EP, F74E12, F78E12, F94E12, F94E18, F94E18K, F98E12, F98E18, F98E18K, F9S4E12, F9S4E18, F9S4E18K, F9S8E12, F9S8E18, F9S8E18K, FC7E, FR92E13, FR92E132, FR92E13T, FR92E13T2, FR92E22, FR92E22T, FR94E13, FR94E132, FR94E13T...(Other models you can see in the webshop)		



1

GEV No.	380646	Ref. No.	R65140400
description	power contactor resistive load 40A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-25-1AL20		
For models:	ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P		

auxiliary contacts



1

GEV No.	380653	Ref. No.	R65140420
description	auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT101 connection screw connection type 3RH1911-1FA11		
For models:	ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T		



1

GEV No.	380647	Ref. No.	R65140430
description	auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT102 3 RT103 connection screw connection type 3RH1921-1EA11 resistive load 10A AC-12 10A		
For models:	ME101D, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P		

overload switches



1

GEV No.	380655	Ref. No.	R65160150
description	overload switch setting range 0.25-0.4A		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		



1

GEV No.	380656	Ref. No.	R65160100 R65160110
description	overload switch setting range 0.63-1A		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EM110H, EM110P, EM210H, EM210P, EV110H, EV110P, EV210H, EV210P, ME106M, ME106P, ME106X, ME110P, ME110X, ME120P, ME120X, ME210P, ME210X, ME220P, ME220X, MEC24H, MG106M, MG106P, MG106X, VE105M, VE105X, VE106M, VE106P, VE106X, VE110X, VE120P, VE120X, VE210P, VE210X, VE220P, VE220X, VG105M, VG105X, VG106M, VG106P, VG106X		



1

GEV No.	380659	Ref. No.	R65160570
description	overload switch setting range 0.7-1A connection screw type 3RU1116-0JB0 (AC3/400V) 0.25kW		
For models:	ME101P, ME101T, ME102P, ME102T, ME201P, ME201T, ME202P, ME202T, MEMENT20P, MEMENT21P, MEMENT40P, MEVT20P, MEVT21P, MEVT40P		



1

GEV No.	380661	Ref. No.	LA65160620 LAR65160620
description	overload switch setting range 1.4-2.0A connection screw type 3RU1116-1BB0 (AC3/400V) 0.75kW		
For models:	ME101D, ME101M, ME101P, ME101T, ME201D, ME201M, ME201P, ME201T, MEMENT21D, MEMENT21P, MEVT21D, MEVT21P, MG101P, MG101T, MG201P, MG201T, MG202P, MG202T, MGMT21P, MGMT40P, MGMT21P, MGMT40P		



1

GEV No.	380657	Ref. No.	R65160120
description	overload switch setting range 1.8-2.5A		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110X, FG210X, GM110H, GM110P, GM210H, GM210P, GV110H, GV110P, GV210H, GV210P, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG110M, MG110X, MG120P, MG120X...(Other models you can see in the webshop)		



2

GEV No.	381002	Ref. No.	R65160580
description	overload switch setting range 1.8-2.5A		

motor protection circuit breakers



1

GEV No.	382000	Ref. No.	R65160590
description	motor protection circuit breaker type 3RU1116-1EBO setting range 2.8-4A (AC3/400V) 1.5kW		
For models:	GMT20D, GVT20D, MG101D, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P		

miscellaneous

kits



1

GEV No.	381158	Ref. No.	R65160130
description	overload switch kit		
For models:	FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, PG080M, PG080X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X, VG220M, VG220P...(Other models you can see in the web-shop)		
spare parts for	381158		
	GEV No.	380652	Ref. No.
			LA65140380 LAR65140380 R65140380
	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 3RT10-16-1AP02		
	GEV No.	380660	Ref. No.
			—
	base		
	GEV No.	381071	Ref. No.
			—
	overload switch setting range 3.5-5A		

power contactors



1


GEV No.	380654	Ref. No.	R65140150 R65140170
description	power contactor 230V with auxiliary contacts		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

relays

power relays

with DIN rail mounting

lateral



1

GEV No.	380336	Ref. No.	R65170100
description	power relays FINDER 230VAC 16A 2NO connection male faston 6.3mm DIN rail manuf. no. 62.82.8.230.0308		
For models:	CVE004H, CVE104H, MVE042P, MVE051P, MVG051P		
accessories for	380336		
	GEV No.	380703	Ref. No. —
adapter for flange mounting suitable for Finder relay 62 series.			
	GEV No.	380811	Ref. No. —
adapter with bracket mounting suitable for Finder relay 62 series.			
	GEV No.	380954	Ref. No. —
adapter hole distance 54mm bracket mounting suitable for Finder relay 62 series. L 41mm W 39mm H 49mm			
	GEV No.	381003	Ref. No. —
adapter for DIN rail mounting suitable for Finder relay 62 series.			
	GEV No.	381039	Ref. No. —
adapter for DIN rail mounting suitable for Finder relay 62 series.			



1

GEV No.	380379	Ref. No.	890029 SIRA890029 SIRRA890029
description	power relays SCHACK 230VAC 25A 2CO connection male faston 6.3mm DIN rail manuf. no. RM809730		


with flange mounting



1

GEV No.	380131	Ref. No.	120459
description	power relays Italiana Relè 230VAC 16A 3CO connection male faston 6.3mm screw mounting manuf. no. B2-3-230AC		

with bracket mounting



1


GEV No.	380815	Ref. No.	CR0687240
description	power relays 230VAC 16A 2NO connection male faston 6.3mm flange dimensions 36x38x68mm		



1


GEV No.	380139	Ref. No.	CR0413170
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	FB110F, FB110N, FB110P, FB140F, FB140FN, FB140N, FB140NN, FB140P, FB140PF, FB140PN, FB140PP, FB143NI, FB55F, FB55N, FB55P, FB70F, FB70N, FB70P, FB72F, FB72N, FB72NF, FB72P, SPAR16, SPAR20, SPRG12, SPRG16, SPRG20, SVAR16, SVAR20, SVRG12, SVRG16, SVRG20		

with male contacts
female contact 2.0mm



GEV No.	380382	Ref. No.	2998400 MA2998400
description	power relays 16A 1CO plug-in connection 250V connection 2mm		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP		
accessories for	380382		
	GEV No.	380341	Ref. No. 2998500
	GEV No.	380378	Ref. No. —
	GEV No.	380384	Ref. No. —
	GEV No.	380399	Ref. No. —

plug-in/print relays




GEV No.	380333	Ref. No.	R65170050
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75		
For models:	ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MG061M, MG101M, MG102M, MG106M, MG106X, MG110M, MG110X, MG120M, MG120X, MG201M, MG202M, MG210M, MG210X, MG220M, MG220X, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, VE106M, VE106X, VE110M, VE110X, VE120M, VE120X, VE210M...(Other models you can see in the webshop)		
accessories for	380333		
	GEV No.	380340	Ref. No. 5151400 MA5151400
	GEV No.	380505	Ref. No. —
	GEV No.	381181	Ref. No. —



GEV No.	380331	Ref. No.	51513.00 MA5151300
description	print relay 24VAC 1CO at 250V 10A connection pins raster size 5mm		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CP9A15GD, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
accessories for	380331		
	GEV No.	380340	Ref. No. 5151400 MA5151400
	GEV No.	380505	Ref. No. —
	GEV No.	381181	Ref. No. —

relay sockets




GEV No.	380341	Ref. No.	2998500
description	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD		
accessories for	380341		
	GEV No.	380804	Ref. No. —



1

GEV No.	380638	Ref. No.	2609500 MA2609500
description	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		
For models:	CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G, FV4E, FV4E1, HF140DPF, NF140DF, NF140DFN, NF140DN, NF140DNI, NF140DNN, NF140DP, NF140DPN, NF140DPP, NF143DNF, NF143DNI, NF143DNP, NF14DNG, NF70DF, NF70DI, NF70DN, NF70DP, NF72DNF, NF72DNI, NF72DNN, NF7DFG, NF7DNG, NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A, SPAR16, SPAR20, SPRG12, SPRG16, SPRG20, SVAR16, SVAR20, SVRG12, SVRG16...(Other models you can see in the webshop)		



2

GEV No.	380340	Ref. No.	5151400 MA5151400
description	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CP9A15GD, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

level relays

GICAR



1

GEV No.	401224	Ref. No.	R65120010
description	level relay 230V connection F6.3 type RL30/3ES/F/G		
For models:	EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, ME061M, ME101M, ME102D, ME102M, ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME201M, ME202M, ME210M, ME210X, ME220M, ME220X, MEC40M, MG061M, MG101M, MG102M, MG106M, MG106X, MG110M, MG110X, MG120M, MG120X, MG201M, MG202M, MG210M, MG210X, MG220M, MG220X, MGC20X		

time relays

time relays



1

GEV No.	381421	Ref. No.	R65090450
description	time relay CROUZET EMAR7 88 829 117 time range 0.1s-20h 240VAC 5A NO connection grip connection		
For models:	CVG105H, CVG105M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102D, ME102M, ME201M, ME202M, MEC40M, MG061M, MG101M, MG102M, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG201M, MG202M, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VG105M, VG105X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X...(Other models you can see in the webshop)		



1

GEV No.	380489	Ref. No.	LA65090480 LAR65090480
description	time relay CROUZET MUR1-88826105 time range 0.1s-100h 24-240VAC/24VDC 8A mounting measurements DIN railmm 1CO connection grip connection		
For models:	EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, MVE042P		



1

GEV No.	380329	Ref. No.	R65090460	
description	time relay FIBER 85.02.8.240 time range 0.05s - 100h 230-240VAC 10A mounting measurements 20.6x27.7mm 2CO connection 2.0			
For models:	ME106M, ME106X, ME110M, ME110X, ME120M, ME120X, ME210M, ME210X, ME220M, ME220X, MG106M, MG106X, MG110M, MG110X, MG120M, MG120X, MG210M, MG210X, MG220M, MG220X			
accessories for	380329			
	GEV No.	380378	Ref. No.	—
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72			
	GEV No.	380803	Ref. No.	—
	relay socket 2-pole dimensions 76.2x27x86.1mm 250V voltage AC 10A FINDER manuf. no. 94.92.3			



transformers

open transformers

with clamp terminal



GEV No.	401152	Ref. No.	5153000 MA5153000
description	transformer primary 230/400V secondary 12V 100VA		
For models:	CP9A15GD, CSM102G, CSM102GP, CSM10G, CSM10GP, CSM6E, CSM6EP, CSM6G, CSM6GP		



GEV No.	401153	Ref. No.	5153100 MA5153100
description	transformer primary 230/400V secondary 12V 160VA		
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CSM102E, CSM102EP, CSM10E, CSM10EP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP		

toroidal core transformers



GEV No.	401151	Ref. No.	5159300 MA5159300
description	transformer primary 230V secondary 12V 20VA		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

encapsulated transformers

with screw connection



GEV No.	400127	Ref. No.	LA65180430 LAR65180430
description	transformer primary 230VAC secondary 12VAC 40VA secondary 3.2A H 63mm L 75mm W 78mm connection 2-wire connection systems 50/60Hz moulded		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FG110X, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M+SC, GV210P, GVT20D, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME110P, ME110X, ME120P...(Other models you can see in the webshop)		

PMA



GEV No.	401340	Ref. No.	R65180770
description	transformer primary 220/240V secondary 24V 50VA secondary 2.1A connection screw 50/60Hz		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		



GEV No.	400125	Ref. No.	R65180410
description	transformer primary 220-240V secondary 12V 16VA secondary 12V/0.3A/1AA connection screw 50Hz		
For models:	EM106P, EM110P, EM210P, EV106P, EV110P, EV210P, GM106P, GM110P, GM210P, GV106P, GV110P, GV210P, ME106P, ME110P, ME120P, ME210P, ME220P, MG106P, MG110P, MG120P, MG210P, MG220P, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

			
1			
GEV No.	400126	Ref. No.	LA65180420 LAR65180420
description	transformer primary 230VAC secondary 12VAC 20VA secondary 2.1A connection screw 50Hz		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105X, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME106P, ME106X, ME201P, ME201T, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D...(Other models you can see in the webshop)		

			
1			
GEV No.	379054	Ref. No.	24706.00 MA2470600
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	SER15, SER15A, SER18, SER18A, SER21		

electronic controllers

ELIWELL

universal controllers

built-in version

			
1			
GEV No.	379563	Ref. No.	2959300 MA2959300
description	electronic controller ELIWELL type ICPlus902 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 relay CO-8A(4) defr. funct. no -55 up to +150°C display 3½ digits TempIn1 yes 8A		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CON6E, CON6EP, CON6G, CON6GP, CP9A15GD, CS4E, CS4EP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
accessories for	379563		
	GEV No.	379053	Ref. No.
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		

accessories for	379563		
	GEV No.	379064	Ref. No.
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	GEV No.	379161	Ref. No.
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	GEV No.	379782	Ref. No.
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

SHANGFANG

accessories

			
1			
GEV No.	379054	Ref. No.	24706.00 MA2470600
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	SER15, SER15A, SER18, SER18A, SER21		

probes

universal probes

temperature probes

			
1			
GEV No.	379130 ¹	Ref. No.	R65325000
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 3-wire resistance at 0°C 100Ohm		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM106H, EM106P, EM110H, EM110P, EM210H, EM210P, EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GM106H, GM106P, GM110H, GM110P, GM210H, GM210P, GMT06D, GMT20D, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P, GVT06D, GVT20D, ME061D, ME061P, ME061T, ME101D, ME101P, ME101T, ME102P, ME102T, ME106P, ME110P, ME120P, ME201D, ME201P, ME201T, ME202D, ME202P, ME202T, ME210P...(Other models you can see in the webshop)		

¹3-wire

			
1			
GEV No.	379050 ¹	Ref. No.	R65325010
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
For models:	ME201D, ME202D, ME220P, MEC24H, MEMT21D, MEMT21P, MEMT40D, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG201D, MG202D, MG220P, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGVT21D, MGVT21P, MGVT40D, MGVT40P		

¹3-wire

			
GEV No.	379064	Ref. No.	23745.00 MA2374500
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
For models:	BR120, BR160, EF140DF, EF140DN, EF140DP, EF143DNF, EF70DF, EF70DN, EF70DP, EF72DNF, F140DF, F140DI, F140DN, F140DP, F14DFG, F14DNG, F70DF, F70DI, F70DN, F70DP, F7DFG, F7DNG, IR13C, IR13CC, IR13CV, IR13M, IR13MC, IR13MV, IR13V, IR17C, IR17CC, IR17CV, IR17M, IR17MC, IR17MV, IR17V, NF140DF, NF140DFN, NF140DN, NF140DNI, NF140DNN, NF140DP, NF140DPN, NF140DPP, NF143DNF, NF143DNI, NF143DNP, NF14DNG, NF70DF, NF70DI...(Other models you can see in the webshop)		

			
GEV No.	381363	Ref. No.	LAR65320220
description	temperature probe thermocouple K (NiCr-Ni) probe -50 up to 1150°C cable -50 up to +180°C cable length 1.5m thread M10x1 adapter length 93mm adapter ø 6mm cable colours silver/yellow probe L 90/14mm probe ø 6/3mm		

producer-specific probes

probes

				
GEV No.	379143	Ref. No.	R65325020	
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C connection 2-wire thread probe ø3-6x90mm cable length 5m			
For models:	ME220P, MG220P, MGC40H, VE220P, VG220P			
spare parts for	379143			
	GEV No.	100909	Ref. No.	LA62060223 LAR62060223
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	101286	Ref. No.	961500 LA62070023 LAR62070023
olive ID ø 6mm Qty 1 pcs				

core probes

			
GEV No.	379134	Ref. No.	R65320900
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø4x100mm thread cable length 1m handle ø 15mm handle length 83mm		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110H, EM110M+SC, EM110P, EM210H, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110H, EV110M+SC, EV110P, EV210H, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110H, GM110M+SC, GM110P, GM210H, GM210M+SC, GM210P, GV106H, GV106M+SC, GV106P, GV110H, GV110M+SC, GV110P, GV210H, GV210M+SC, GV210P, ME061M, ME101M, ME102M, ME106P, ME106X, ME110P, ME110X, ME120P, ME120X...(Other models you can see in the webshop)		

			
GEV No.	379132	Ref. No.	2912400 LAR65320180
description	core temperature probe Pt100 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread 1/8" cable length 2.5m handle ø 9mm handle length 85mm		
For models:	CS10E, CS10EP, CS10G, CS6E, CS6EP, CS6G		

			
GEV No.	379510	Ref. No.	LA65321102 LAR65321100
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 6-pin connector probe ø3.5x90mm thread cable length 1.1m handle ømm handle length 90mm		
For models:	ME061T, ME101T, ME102T, ME201T, ME202T, MG061T, MG101T, MG102T, MG201T, MG202T		



			
GEV No.	379773 ¹	Ref. No.	R65321120
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x90mm thread cable length 1.1m handle ømm handle length 90mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061D, ME061P, ME101D, ME101P, ME102D, ME102P, ME201D, ME201P, ME202D, ME202P, MENT06D, MENT06P, MENT10D, MENT10P, MENT20D, MENT20P, MENT21D, MENT21P, MENT40D, MENT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061P, MG101D, MG101P, MG102D, MG102P, MG201D, MG201P, MG202D, MG202P, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P...(Other models you can see in the webshop)		

¹multipoint probe

accessories

plugs/bushes

			
GEV No.	378016	Ref. No.	R65320920
description	female connector 4-pole		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110H, EM110M+SC, EM110P, EM210H, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110H, EV110M+SC, EV110P, EV210H, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110H, GM110M+SC, GM110P, GM210H, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M+SC, GV106P, GV110H, GV110M+SC, GV110P, GV210H, GV210M+SC, GV210P, GVT06D, GVT20D, ME061D, ME061M, ME061P, ME101D, ME101M...(Other models you can see in the webshop)		




miscellaneous






electronics


frequency converters



PCBs



1



GEV No.	401591	Ref. No.	R65301410 R65301420 R65301460
description	keypad PCB combi-steamer ME061T complete		
For models:	ME061T, ME101T, ME102T, ME201T, ME202T, MG061T, MG101T, MG102T, MG201T, MG202T		
spare parts for	401591		
	GEV No.	350086	Ref. No. R65301440 RA919008
buzzer 12VDC connection cable 200mm PCB buzzer 20dB			
	GEV No.	401338	Ref. No. R65301450
encoder			

1




GEV No.	400140	Ref. No.	R65300500
description	keypad PCB combi-steamer ME106M with keypad		
For models:	ME106M, ME110M, ME120M, ME210M, MG106M, MG110M, MG120M, MG210M, MG220M, VE106M, VE110M, VE120M, VE210M, VE220M, VG106M, VG110M, VG120M, VG210M, VG220M		

1



GEV No.	401661	Ref. No.	R65301800 R65301810 R65301820
description	keypad PCB combi-steamer MVE04 kit		
For models:	MVE042P, MVE051P, MVG051P		

1



GEV No.	403829	Ref. No.	LAR65302100
description	keypad PCB for combi-steamer L 437mm W 103mm		

1



GEV No.	403823	Ref. No.	LA65302240 LAR65302240
description	keypad PCB for combi-steamer L 443mm W 83mm		

1




GEV No.	400142	Ref. No.	R65300570
description	keypad PCB L 100mm W 95mm buttons 8		
For models:	ME106X, ME110X, ME120X, ME210X, ME220M, ME220X, MG106X, MG110X, MG120X, MG210X, MG220X, VE106X, VE110X, VE120X, VE210X, VE220X, VG106X, VG110X, VG120X, VG210X, VG220X		

1



GEV No.	400150	Ref. No.	R65300830
description	main PCB		
For models:	CVE004H, CVE104H, CVE105H, CVG105H		

1



GEV No.	403824	Ref. No.	LA65302250 LAR65302250
description	main PCB for combi-steamer L 250mm W 103mm		


			
1			
GEV No.	401333	Ref. No.	R65300490
description	PCB		
For models:	EM010M+SC, EM106M+SC, EM110M+SC, EM210M+SC, EV106M+SC, EV110M+SC, EV210M+SC, GM106M+SC, GM110M+SC, GM210M+SC, GV106M+SC, GV110M+SC, GV210M+SC, ME061M, ME101M, ME102M, ME201M, ME202M, MG061M, MG101M, MG102M, MG201M, MG202M, MGC20X		

			
1			
GEV No.	401341	Ref. No.	R63130020
description	PCB		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		

			
1			
GEV No.	402825	Ref. No.	R65301480
description	PCB combi-steamer GEMT L 130mm W 86mm new edition level control steam generator EVCO		
For models:	GMT06D, GMT20D, ME061D, ME061P, ME101D, ME101P, ME102D, ME102P, ME201D, ME201P, ME202D, ME202P, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MG061D, MG061P, MG101D, MG101P, MG102D, MG102P, MG201D, MG201P, MG202D, MG202P, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P		

			
1			
GEV No.	403668	Ref. No.	LA65302530 LAR65302530
description	PCB combi-steamer NABOO L 103mm W 85mm suitable for LAINOX		

			
1			
GEV No.	400152	Ref. No.	R65300850
description	PCB core temperature		
For models:	CVE004H, CVE104H, CVE105H, CVG105H		

			
1			
GEV No.	403828	Ref. No.	LA65301950 LAR65301950
description	PCB for combi-steamer L 85mm W 42mm		

			
1			
GEV No.	402972	Ref. No.	011AD1600001 0509630R BN011AD1600001 CR0509630R
description	relay PCB L 69mm W 59mm		
For models:	V94E, V98E		

solenoid valves

solenoid valves (water)

ELBI

straight



1

GEV No.	373021	Ref. No.	R65110040 R65115000
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm output 1x 4.7l/min DN10 ELBI		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG106M, MG106P, MG106X, MG110M...(Other models you can see in the webshop)		
spare parts for	373021		
	GEV No.	370467	Ref. No. —
solenoid valve filter suitable for ELBI			
	GEV No.	371263	Ref. No. —
reducer ELBI flow rate 4.7l/min pressure range 0 up to 10bar tolerance ±15/25% grey			



1

GEV No.	373017	Ref. No.	R65110010
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
For models:	EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, ME106M...(Other models you can see in the webshop)		
spare parts for	373017		
	GEV No.	370467	Ref. No. —
solenoid valve filter suitable for ELBI			



1

GEV No.	370360	Ref. No.	R65115040
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm output 0.25l/min t.max. 90°C ELBI plastic flow regulating valve outlet white flow regulating valve inlet clear		
For models:	EC110M, EC210M, EV110M, EV110M+SC, EV210M, EV210M+SC, GC110M, GC210M, GV110M, GV110M+SC, GV210M, GV210M+SC, VE106M, VE106P, VE106X, VE110M, VE110X, VE210M, VE210P, VE210X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG210M, VG210P, VG210X		



1

GEV No.	370359	Ref. No.	R65115050
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input 5.5l/min t.max. 90°C ELBI plastic flow regulating valve inlet yellow output A 5.5l/min output B 2l/min output A brown output B white		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		



1

GEV No.	370361	Ref. No.	R65115060
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm plastic output A 0.25l/min		
For models:	VE120M, VE120P, VE120X, VE220M, VE220P, VE220X, VG120M, VG120P, VG120X, VG220M, VG220P, VG220X		

spare parts and accessories

reducers

outlet side



1

GEV No.	371060	Ref. No.	LA65110520 LAR65110520
description	reducer ELBI flow rate 0.25l/min pressure range 0 up to 10bar tolerance ±15/25% green		
For models:	MGVT10D, MGVT10P		

RPE			
JOHN GUEST			
			
1			
GEV No.	374032 ¹	Ref. No.	R65110230
description	solenoid valve double straight 230VAC inlet 3/4" outlet 10mm DN10 plastic output A w/t membrane (constantly open)		
For models:	GVT06D, GVT20D, ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME201P, ME201T, ME202P, ME202T, MEMENT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG061P, MG061T, MG101P, MG101T, MG102P, MG102T, MG201P, MG201T, MG202P, MG202T, MGMT06P, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT40P, MVE042P, MVE051P, MVG051P		

¹cylindrical outlet

			
1			
GEV No.	370768 ¹	Ref. No.	LA65110200 LAR65110200
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input/min output/min DN10 t.max. 90°C duty cycle 100% RPE		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME101D, ME101M, ME102D, ME102M, ME201D, ME201M, ME202D, ME202M, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061M, MG101D, MG101M, MG102D, MG102M, MG201D, MG201M...(Other models you can see in the webshop)		

¹cylindrical outlet

reducers			
outlet side			
			
1			
GEV No.	371269	Ref. No.	LA65110500 LAR65110500 R65110420
description	reducer flow rate 0.07-0.14l/min brown		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, EV106H, EV106P, EV110H, GMT06D, GV106H, GV106P, MACE04M, MACE05M, MACE07M, MACG05M, ME202D, ME202M, ME202P, MEMENT06D, MEMENT06P, MEMENT40D, MEMENT40P, MEVT06D, MEVT06P, MEVT40D, MEVT40P, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT40D, MGMT40P, MGVT40D, MGVT40P, MVE042P, MVE051P, MVG051P, VE004M, VE004X, VE104M, VE104X		

solenoid valves with reducers			
2-fold			
			
1			
GEV No.	374031	Ref. No.	R65110210
description	solenoid valve double straight 230VAC inlet 3/4 outlet JG 10 input 10-12l/min t.max. 90°C RPE plastic flow regulating valve inlet white + outlet reducer red		
For models:	GMT06D, GMT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M...(Other models you can see in the webshop)		

3-fold			
			
1			
GEV No.	374014 ¹	Ref. No.	LAR65110280
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 10mm input 10-12l/min RPE plastic flow regulating valve inlet white flow regulating valve outlet A red/green flow regulating valve outlet B red/green flow regulating valve outlet C red/green		

¹cylindrical outlet

			
1			
GEV No.	374033	Ref. No.	LAR65110240
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 10mm input 10-12l/min t.max. 90°C RPE plastic flow regulating valve inlet white output B w/t membrane (constantly open)		
For models:	ME061T, ME101T, ME102T, ME201T, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG102T, MG201T, MG202T, MGMT40P, MGVT21D, MGVT21P, MGVT40D		

TP



GEV No.	370017	Ref. No.	2709000 MA2709000
---------	--------	----------	----------------------

description solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar

For models: B124E, CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CRE6220, CRE6230, CRE6320, CRE6330, CS102E, CS102EP, FC10E, FC10G, FC20E, FC20G, FC5E, FC5G, FC7E, FC7G, SBA, SBAC, SNA12, SNA16, SNA20, SNAC12, SNAC16, SNAC20, SNG08, SNG12, SNG16, SNG20, SVAC, SVAC12, SVAC16, SVAC20, SVCG, SVCG08, SVCG12, SVCG16, SVCG20, SVCG8

accessories for 370017

	GEV No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	GEV No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	GEV No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	GEV No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	GEV No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				

accessories for 370017				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				



1

GEV No.	370029	Ref. No.	2956900	
description	solenoid valve single straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
For models:	CON201E, CON201EP, CON201G, CON201GP, CON202E, CON202EP, CON202G, CON202GP, CS4E, CS4EP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, CSM6E, CSM6EP, CSM6G, CSM6GP			
spare parts for	370029			
	GEV No.	371035	Ref. No.	—
solenoid coil 24VAC				
accessories for	370029			
	GEV No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	GEV No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	GEV No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	GEV No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	GEV No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				

Table continues overleaf

accessories for 370029				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				



tp
tecnologie per elettrodomestici

1

GEV No.	370019	Ref. No.	120142
description	solenoid valve double angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP plastic		
spare parts for	370019		
	GEV No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370019		
	GEV No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance $\pm 15\%$		
	GEV No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$		
	GEV No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance $\pm 15\%$		
	GEV No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance $\pm 15\%$		
	GEV No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$		

accessories for 370019				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance $\pm 15\%$				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				



1

GEV No.	370109	Ref. No.	5151500 MA5151500	
description solenoid valve double angled 24VAC inlet 3/4" outlet 11.5mm DN10 t.max. 90°C TP plastic flow regulating valve inlet white				
For models: CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP				
spare parts for 370109				
	GEV No.	371035	Ref. No.	—
solenoid coil 24VAC				

Table continues overleaf

accessories for 370109				
	GEV No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance $\pm 15\%$				
	GEV No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$				
	GEV No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance $\pm 15\%$				
	GEV No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance $\pm 15\%$				
	GEV No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance $\pm 15\%$				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				





1

GEV No.	370015	Ref. No.	1037308800	
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP			
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, MLC50, MLC503, MLC65, MLC653, MLS30, MLS303, MLS30P, MLS30P3, MLS31, MLS313, MLS31P3, MLS35, MLS353, MPLS30P			
accessories for	370015			
	GEV No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	GEV No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	GEV No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	GEV No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	GEV No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				

Table continues overleaf

accessories for	370015			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

spare parts and accessories

reducers

outlet side



1

GEV No.	691081	Ref. No.	R65110410
description	reducer flow rate 0.25l/min green tolerance ±25%		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EV110P, EV210H, EV210P, GV110H, GV110P, GV210H, GV210P, VE105M, VE105X, VG105M, VG105X		

various



1

GEV No.	370363	Ref. No.	R65110260
description	solenoid valve single straight cable length 600mm suitable for LAINOX		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

ball valves electric



1

GEV No.	401190	Ref. No.	R65110560
description	ball valve inlet 3/4" IT outlet 3/4" IT IP42 230V L 68mm 50/60Hz closed off-current mode of operation electric connection cable 300mm 3.5W duty cycle 50%		

pressure switches

for gas equipment



1

GEV No.	541051	Ref. No.	5151000 MA5151000
description	pressure control ø 45mm pressure range adjustable 10-50mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	CON102G, CON102GP, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CP9A15GD, CSM102G, CSM102GP, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP		



1

GEV No.	541073	Ref. No.	LA63070010 LAR63070010
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	CVG105H, CVG105M, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG106M...(Other models you can see in the webshop)		

for steam control



1

GEV No.	541074	Ref. No.	LAR63070050
description	pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51bar connection 1/8" pressure connection 1/8"		
For models:	EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P, GVT06D, GVT20D, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVE042P, MVE051P, MVE051P, MVE051P, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

electrodes

			
1			
GEV No.	401154	Ref. No.	2911600
description	level electrode 1/4" total length 126mm probe L 100mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS6G, CSM6G, CSM6GP		

			
1			
GEV No.	401162	Ref. No.	2916100
description	level electrode 1/4" total length 129mm probe L 103mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS4E, CS4EP, CS6E, CS6EP, CSM6E, CSM6EP		

			
1			
GEV No.	401155	Ref. No.	2911700
description	level electrode 1/4" total length 133mm probe L 106mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS6G, CSM6G, CSM6GP		

			
1			
GEV No.	401163	Ref. No.	2916200
description	level electrode 1/4" total length 136mm probe L 110mm insulated probe length 27mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS4E, CS4EP, CS6E, CS6EP, CSM6E, CSM6EP		

			
1			
GEV No.	401164	Ref. No.	2899600
description	level electrode 1/4" total length 147mm probe L 120mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS10E, CS10EP, CSM10E, CSM10EP		

			
1			
GEV No.	401158	Ref. No.	2908200
description	level electrode 1/4" total length 162mm probe L 134mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102E, CS102EP, CS10G, CSM102E, CSM102EP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP		

			
1			
GEV No.	401165	Ref. No.	2899800
description	level electrode 1/4" total length 165mm probe L 138mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS10E, CS10EP, CSM10E, CSM10EP		

			
1			
GEV No.	401160	Ref. No.	2908100
description	level electrode 1/4" total length 186mm probe L 158mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102E, CS102EP, CS102G, CS102GP, CS10G, CSM102G, CSM102GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP		

			
1			
GEV No.	401159	Ref. No.	2987000
description	level electrode 1/4" total length 187mm probe L 160mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102G, CS102GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10G, CSM10GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202G, CSM202GP		

			
1			
GEV No.	401161	Ref. No.	2927500 MA2927500
description	level electrode 1/4" total length 210mm probe L 184mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	CS102G, CS102GP, CSM102G, CSM102GP, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202G, CSM202GP		

			
1			
GEV No.	400130	Ref. No.	R65320010
description	level electrode M14x1.25 total length 220mm probe L 194mm insulated probe length 26mm connection male faston 6.3mm ø 2.5mm		
For models:	EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, ME061D, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P...(Other models you can see in the webshop)		

fans

axial fans

ebm-papst



1

GEV No.	601030 ¹	Ref. No.	LA65060050 LAR65060050
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P...(Other models you can see in the webshop)		
accessories for	601030		
	GEV No.	550898	Ref. No. —
connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	GEV No.	692497	Ref. No. —
guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm			

¹with ball bearings

1

GEV No.	601038 ¹	Ref. No.	CM250700 MACM250700
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 12W bearing ball bearing manuf. no. 8556N metal connection cable 300mm ebm-papst fan wheel ø 75mm temp.-resist. 90°C airflow 50m³/h		
For models:	F94E18K, F94G22K, F98E18K, F98G22K, F9S4E18K, F9S4G22K, F9S8E18K, F9S8G22K		
accessories for	601038		
	GEV No.	691102	Ref. No. —
guard ø 75mm mounting distance 71mm for axial fan 80mm			

¹with ball bearings

import



1


GEV No.	601080 ¹	Ref. No.	CM303000 MACM303000
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	CT78EC, CT7FE8EC, CT98EC, CT9FE8EC, NCT78E, NCT7FE8E, NCT98E, NCT98E2, NCT9FE8E, NCT9FE8E2, NF94G23K, NF98G23K		
accessories for	601080		
	GEV No.	550898	Ref. No. —
connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	GEV No.	692519	Ref. No. —
guard L 120mm W 120mm plastic			

¹with ball bearings

1

GEV No.	601081 ¹	Ref. No.	R65060010
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 14/13.5W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MVE042P, MVE051P, MVG051P, VE105M, VE105X, VE106M, VE106P, VE106X, VE110M, VE110X, VE120M, VE120P, VE120X, VE210M, VE210P, VE210X...(Other models you can see in the webshop)		
accessories for	601081		
	GEV No.	691102	Ref. No. —
guard ø 75mm mounting distance 71mm for axial fan 80mm			

¹with ball bearings

1

GEV No.	602151	Ref. No.	R65060060
description	axial fan L 172mm W 150mm H 51mm 220-240V 50-60Hz manuf. no. AA1752HB-AW connection cable length 3000mm ADDA suitable for combi-steamer fan wheel ø 140mm 0.27/0.23A		
For models:	ME101M, ME101P, ME101T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT40D, MEMENT40P, MEVT40D, MEVT40P, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT40D, MGMT40P, MGVT40D, MGVT40P		

hot air motors




1

GEV No.	550857	Ref. No.	LA58003870 LAR58003870
description	counterflange for fan motor ED ø 50mm int. ø 1 25mm int. ø 2 16mm thickness 6mm brass		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMENT06D, MEMENT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		




1

GEV No.	550859	Ref. No.	LA58003850 LAR58003850
description	counterflange for fan motor ED ø 60mm int. ø 1 34mm int. ø 2 25mm thickness 6mm brass		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		


1

GEV No.	500656	Ref. No.	LAR65040520	
description	fan motor 200-240/415V 3 phase 50/60Hz 0.15/0.55kW 900/1400rpm speeds 2 L1 150mm L2 50mm L3 48mm D1 ø 24mm D2 ø 20mm M12L IT 2.3/1.3-1.2/0.7A at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 3042D4050			
For models:	ME101P, ME101T, ME201P, ME201T			
spare parts for	500656			
	GEV No.	511172	Ref. No.	LA70020050 LAR70020050 R70020050
shaft sealing ID ø 24mm ED ø 29mm thickness 3mm				


1

GEV No.	500671	Ref. No.	R65040071
description	fan motor 200-240V 1 phase 50/60Hz 0.11kW 2760/3320rpm speeds 1 L1 130mm L2 55mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET at 50Hz 2760rpm at 60Hz 3320rpm		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, VE105M, VE105X, VG105M, VG105X		


1

GEV No.	500134	Ref. No.	R65040021	
description	fan motor 200-240V 1 phase 50/60Hz 0.25HP 1400/1700rpm speeds 1 L1 115mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1A suitable capacitor 5µF/400V at 50Hz 1400rpm at 60Hz 1700rpm type 1060.1950			
For models:	ME106M, MG106M, VE106M, VG106M			
accessories for	500134			
	GEV No.	380659	Ref. No.	R65160570
overload switch setting range 0.7-1A connection screw type 3RU1116-0JB0 (AC3/400V) 0.25kW				


1

GEV No.	500135	Ref. No.	R65040031
description	fan motor 200-240V 1 phase 50Hz 0.185/0.55kW 900/1400rpm speeds 2 L1 195mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 3.6/2A suitable capacitor 16µF-450V/12.5µF-450V at 50Hz 900/1400rpm type 1063D2250		
For models:	FG110X, FG210X, GM110H, GM110P, GM210H, GM210P, GV110H, GV110P, GV210H, GV210P, MG102P, MG102T, MG110P, MG110X, MG120P, MG120X, MG210P, MG210X, MG220P, MG220X, MGC24H, MGC40H, MGMT10P, MGMT20P, MGMT21P, MGVT10P, MGVT20P, MGVT21P, PG080X, VG110P, VG110X, VG120P, VG120X, VG210P, VG210X, VG220P, VG220X		
accessories for	500135		
	GEV No.	550682	Ref. No. —
	hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		

1

GEV No.	601046	Ref. No.	R65040061
description	fan motor 220/380V 3 phase 50/60Hz 0.75kW 1350/1650rpm speeds 1 L1 185mm L2 42mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.9/3.3A Cos(φ) 0.83 at 50Hz 200-240/346-415V at 60Hz 200-277/346-480V at 50Hz 1350rpm at 60Hz 1650rpm type ST80/4 no. 661512		
For models:	EC110M, EC210M, EM010M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE110M, FE210M, ME102D, ME102M, ME110M, ME120M, ME202D, ME202M, ME210M, ME220M, MEC40M, MEMT10D, MEMT20D, MEMT21D, MEMT40D, MEVT10D, MEVT20D, MEVT21D, MEVT40D, PE080M, VE110M, VE120M, VE210M, VE220M		


1

GEV No.	500662	Ref. No.	R65041000
description	fan motor 220-240V 1 phase 50/60Hz 0.12kW 2800/3200rpm speeds 1 L1 85mm L2 7mm L3 47mm L4 12mm D1 ø 8/6mm D2 ø 12mm M5R ET 1.6A power input 0.25W suitable capacitor 5µF/400V		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		




1

GEV No.	501587	Ref. No.	R65040051
description	fan motor 220-240V 1 phase 50/60Hz 0.55kW 1400/1700rpm L1 190mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 3.6A type 1063A2250		
For models:	EM110H, EM110P, EM210H, EM210P, EV110H, EV110P, EV210H, EV210P, ME102P, ME102T, ME110P, ME110X, ME120P, ME120X, ME202P, ME202T, ME210P, ME210X, ME220P, ME220X, MEC24H, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MEVT10P, MEVT20P, MEVT21P, MEVT40P, VE110X, VE120P, VE120X, VE210P, VE210X, VE220P, VE220X		


1

GEV No.	500136	Ref. No.	R65040041
description	fan motor 220-240V 1 phase 50/60Hz 0.55kW 1400rpm speeds 1 L1 190mm L2 47mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 3.6A suitable capacitor 16µF/450V Cos(φ) 0.9 at 50Hz 1400rpm at 60Hz 1700rpm type 1063/4M		
For models:	FG110M, FG210M, GC110M, GC210M, GM110M, GM110M+SC, GM210M, GM210M+SC, GMT20D, GV110M, GV110M+SC, GV210M, GV210M+SC, GVT20D, MG102D, MG102M, MG110M, MG120M, MG210M, MG220M, MGC20X, MGMT10D, MGMT20D, MGMT21D, MGVT10D, MGVT20D, MGVT21D, PG080M, VG110M, VG120M, VG210M, VG220M		
accessories for	500136		
	GEV No.	511172	Ref. No. LA70020050 LAR70020050 R70020050
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		


1

GEV No.	500661	Ref. No.	R65040431
description	fan motor 220-240V 1 phase 50Hz 0.03/0.2kW 0.05/0.25HP 1400/2700rpm speeds 2 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1.6/0.6A suitable capacitor 10µF/450 V at 50Hz 1400/2700rpm type 1057D1901		
For models:	ME061P, ME061T, MEMT06P, MEVT06P, MG061P, MGMT06P, MGVT06P		


1

GEV No.	500133	Ref. No.	R65040011
description	fan motor 220-240V 1 phase 50Hz 0.1/0.25HP 900/1400rpm speeds 2 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1/0.6A suitable capacitor 5µF/450V at 50Hz 900/1400rpm at 60Hz 1100/1700rpm type 1061.1950		
For models:	ME106P, ME106X, MG106P, MG106X, VE106P, VE106X, VG106P, VG106X		

1

GEV No.	601043	Ref. No.	R65040260
description	fan motor 220-240V 1 phase 50Hz 0.37/0.07kW 0.1/0.5HP 1400/2700rpm speeds 2 L1 123mm L2 107mm L3 15mm D1 ø 15mm D2 ø 12mm M10L ET 2/0.7A suitable capacitor 20µF/250V at 50Hz 1400/2700rpm type 1057		
For models:	FE105M, FE105X, FG105M, FG105X, PE040M, PE040X, PG040M, PG040X		
accessories for	601043		
		GEV No.	365019
	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		





1

GEV No.	500658	Ref. No.	LAR65040530
description	fan motor 230/400V 3 phase 50/60Hz 0.55kW 1400/1700rpm speeds 1 L1 145mm L2 47mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 2.6-2.3/1.5-1.3A (at 50-60Hz)A Cos(φ) 0.73 at 50Hz 200-240/415V at 60Hz 200-240/480V at 50Hz 1400rpm at 60Hz 1700rpm		
For models:	MACE10M, MACE20M, ME101D, ME101M, ME201D, ME201M		
spare parts for	500658		
		GEV No.	511172
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		
		GEV No.	551476
	Image not available		


accessories for 500658

	GEV No.	560449	Ref. No.	LA58004000 LAR58004000 R58004000
hexagonal screw thread M12x1.5 L thread L 22mm bore ø 6.3mm WS 19 total length 30mm				
	GEV No.	601244	Ref. No.	LA75400440 LAR75400440 R75400440
fan wheel D1 ø 350mm H1 114mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 45mm				


1

GEV No.	500659	Ref. No.	LAR65040550
description	fan motor 230V 1 phase 50/60Hz 0.55kW 1400/1700rpm speeds 1 L1 150mm L2 52mm L3 45mm D1 ø 24mm D2 ø 20mm M12L IT 3A suitable capacitor 20µF/450V Cos(φ) 0.9 at 50Hz 1400rpm at 60Hz 1700rpm type 3042A2350		
For models:	GMT20D, GVT20D, MACG10M, MACG20M, MG101D, MG101M, MG201D, MG201M, MG202D, MG202M, MGMT40D, MGMT40D		
spare parts for	500659		
		GEV No.	511172
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		

1

GEV No.	500657	Ref. No.	R65040540
description	fan motor 230V 1 phase 50Hz 0.15/0.55kW 900/1400rpm speeds 2 L1 150mm L2 45mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.3/3.0A suitable capacitor 20/10µF Cos(φ) 0.98 at 50Hz 900/1400rpm at 60Hz 1100/1700rpm 4P/6P type LM/FB 100L no. 472986		
For models:	MG101P, MG101T, MG201P, MG201T, MG202P, MG202T, MGMT40P, MGMT40P		
spare parts for	500657		
		GEV No.	511172
	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		

			
1			
GEV No.	500663	Ref. No.	R65040421
description	fan motor 230V 1 phase 50Hz 0.18kW 0.25HP 2800rpm speeds 1 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 1.6A suitable capacitor 10µF/400V Cos(φ) 0.95 at 50Hz 2800rpm type 1057C2401		
For models:	GMT06D, GVT06D, MACE07M, MACG07M, ME061D, ME061M, MEMT06D, MEVT06D, MG061D, MG061M, MGMT06D, MGMT06D		

1

GEV No.	500680	Ref. No.	LAR65040420	
description	fan motor 230V 1 phase 50Hz 0.37kW 2800rpm speeds 1 L1 121mm L2 77mm L3 31mm D1 ø 16mm D2 ø 11mm 2.5A Cos(f) 0.95 at 50Hz 230V at 50Hz 2800rpm type 1057.2155			
For models:	EC106M, EM106M, EM106M+SC, EV006M, EV106M, EV106M+SC, GC106M, GM106M, GM106M+SC, GV106M, GV106M+SC			
accessories for	500680			
	GEV No.	601060	Ref. No.	R75400130
	fan wheel D1 ø 180mm H1 60mm blades 16 D2 ø 11mm D3 ø 16mm H2 30mm			

			
1			
GEV No.	501566	Ref. No.	LAR65040600
description	fan motor 230V 3 phase 50Hz 0.25kW 2700rpm L1 122mm L2 77mm L3 30mm D1 ø 15mm D2 ø 8mm M10 1.5A type FIR no. 1057.2650		

			
1			
GEV No.	602150	Ref. No.	LA75400550
description	fan wheel blades 12 D1 ø 325mm D2 ø 19.5mm D3 ø 23mm H1 130mm H2 42mm H3 87mm		

			
1			
GEV No.	602148	Ref. No.	LA75400471 LAR75400471
description	fan wheel blades 12 D1 ø 350mm D2 ø 19.5mm D3 ø 23mm H1 118mm H2 50mm		

			
1			
GEV No.	601067	Ref. No.	R75400040
description	fan wheel D1 ø 150mm H1 38mm blades 36 D2 ø 6mm D3 ø 6mm H2 14mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		

			
1			
GEV No.	601353	Ref. No.	R75400510
description	fan wheel D1 ø 150mm H1 50mm blades 36 D2 ø 8mm D3 ø 6/8mm H2 26mm		
For models:	MACE04M, MVE042P		

			
1			
GEV No.	601068	Ref. No.	R75400080
description	fan wheel D1 ø 160mm H1 70mm blades 16 D2 ø 12mm D3 ø 16mm H2 29mm		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, VE105M, VE105X, VG105M, VG105X		



1

GEV No.	601060	Ref. No.	R75400130
description	fan wheel D1 ø 180mm H1 60mm blades 16 D2 ø 11mm D3 ø 16mm H2 30mm		
For models:	FE105M, FE105X, FG105M, FG105X, PE040M, PE040X, PG040M, PG040X		



1

GEV No.	601246	Ref. No.	R75400410
description	fan wheel D1 ø 180mm H1 77mm blades 12 D2 ø 8mm D3 ø 6mm H2 25.5mm		
For models:	MACE05M, MACG05M, MVE051P, MVG051P		



1

GEV No.	601243	Ref. No.	R75400400
description	fan wheel D1 ø 220mm H1 78mm blades 12 D2 ø 11mm D3 ø 16mm H2 29mm		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MGMT06D, MGMT06P, MGVT06D, MGVT06P		



1

GEV No.	601064	Ref. No.	R75400230
description	fan wheel D1 ø 220mm H1 78mm blades 20 D2 ø 11.5mm D3 ø 16.5mm H2 30mm		
For models:	ME106M, ME106P, ME106X, MG106M, MG106P, MG106X, VE106M, VE106P, VE106X, VG106M, VG106P, VG106X		



1

GEV No.	601065	Ref. No.	R75400290
description	fan wheel D1 ø 300mm H1 120mm blades 20 D2 ø 19.5mm D3 ø 23mm H2 46mm		
For models:	EC110M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EV110H, EV110M, EV110M+SC, EV110P, GC110M, GM110H, GM110M, GM110M+SC, GM110P, GV110H, GV110M, GV110M+SC, GV110P, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MGC20X, VE110M, VE110X, VE120M, VE120P, VE120X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X		



1

GEV No.	601244	Ref. No.	LA75400440 LAR75400440
description	fan wheel D1 ø 350mm H1 114mm blades 12 D2 ø 19.5mm D3 ø 23mm H2 45mm		
For models:	GMT20D, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T...(Other models you can see in the webshop)		

			
1			
GEV No.	601066	Ref. No.	R75400380
description	fan wheel D1 350mm H1 120mm blades 24 D2 19.5mm D3 23.5mm H2 45mm		
For models:	EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, GC210M, GM210H, GM210M, GM210M+SC, GM210P, GV210H, GV210M, GV210M+SC, GV210P, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC24H, MGC40H, VE210M, VE210P, VE210X, VE220M, VE220P, VE220X, VG210M, VG210P, VG210X, VG220M, VG220P, VG220X		

			
1			
GEV No.	514039	Ref. No.	5103414
description	fan wheel D1 350mm H1 190mm blades 16 D2 12mm D3 23.5mm H2 47mm		
For models:	CON202E, CON202EP, CON202G, CON202GP, CSM202E, CSM202EP, CSM202G, CSM202GP		

			
1			
GEV No.	550855	Ref. No.	R58005510
description	flange for fan motor ED 35mm int. 22mm int. 8mm thickness 8mm brass		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		

			
1			
GEV No.	550856	Ref. No.	LA58003860 LAR58003860
description	flange for fan motor ED 50mm int. 19.5mm int. 16mm thickness 3mm brass		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		

			
1			
GEV No.	550858	Ref. No.	LA58003840 LAR58003840
description	flange for fan motor ED 60mm int. 28.5mm int. 25mm thickness 4mm brass		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

			
1			
GEV No.	550860	Ref. No.	R58005500
description	flange for gasket ED 35mm int. 22mm int. 9mm thickness 8mm brass		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		

			
1			
GEV No.	560449	Ref. No.	LA58004000 LAR58004000
description	hexagonal screw thread M12x1.5 L thread L 22mm bore 6.3mm WS 19 total length 30mm		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

			
1			
GEV No.	500639	Ref. No.	R65040101
description	motor kit 220/240V 1 phase 50/60Hz 0.25kW type K48210		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		
spare parts for	500639		
	GEV No.	511170	Ref. No. R70020010
	GEV No.	550855	Ref. No. R58005510
	GEV No.	601067	Ref. No. R75400040

Table continues overleaf

spare parts for		500639		
	GEV No.	601856	Ref. No.	—
	fan motor 220-240V 1 phase 50/60Hz 0.075kW 2800/3200rpm speeds 1 L1 85mm L2 30mm L3 23mm L4 12mm D1 ø 8x6mm D2 ø 8mm 0.6A suitable capacitor 5µF/400V			



1

GEV No.	550861	Ref. No.	R70020020
description	shaft seal for fan motor ID ø 7.5mm ED ø 22mm thickness 7mm		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		

			
1			
GEV No.	511171	Ref. No.	LA70020040 LAR70020040
description	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		



1

GEV No.	511170	Ref. No.	R70020010
description	shaft seal ID ø 7mm ED ø 22mm thickness 7mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		


			
1			
GEV No.	511172	Ref. No.	LA70020050 LAR70020050
description	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

hot air fans


miscellaneous



1



GEV No.	601054	Ref. No.	1037117200 7800200 MA1037117200 MA7800200
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C20X0E01/46		
For models:	CFE60, CFE60P, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, OCFE60, OCFGE61, TP12, TP126, TP126E, TP12E, TP13, TP136, TP136E, TP13E, TP14, TP146, TP146E, TP14E, TP15, TP156, TP156E, TP15E, TP16, TP166, TP166E, TP16E, TP17, TP176, TP176E, TP17E, TP18, TP186, TP186E, TP18E, TP19, TP196, TP196E, TP19E, TP20, TP206, TP206E, TP20E, TP21, TP212, TP2126, TP2126E, TP212E...(Other models you can see in the webshop)		
spare parts for	601054		
	GEV No.	601441	Ref. No. —
	fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7		
accessories for	601054		
	GEV No.	550879	Ref. No. —
	insulation ø 130mm thickness 3mm hole ø 18mm for hot air fan		


			
			
GEV No.	601339	Ref. No.	1037300300 37300030 MA1037300300
description	hot air fan 230V 45W L1 78mm L2 13mm L3 25mm L4 87mm fan wheel ø 150mm Medys type 30.200.CLH		


accessories

miscellaneous

			
GEV No.	551434	Ref. No.	LA58004010 LAR58004010
description	plain washer ø 30mm thickness 3mm hole ø 12.5mm for fan wheel combi-steamer		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

radial fans

 			
GEV No.	601181	Ref. No.	LA65060360 LAR65060360
description	radial fan 230V voltage AC 50Hz 100W H1 170mm L1 175mm D1 ø 50mm W1 115mm W2 40mm H2 45mm		

 			
GEV No.	601245	Ref. No.	R63130010
description	radial fan 24V voltage DC 50Hz 45W H1 170mm L1 170mm D1 ø 50mm W1 90mm W2 44mm H2 57mm W3 83mm H3 83mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		
accessories for	601245		
	GEV No.	104309	Ref. No. R63140020
gasket L 106mm W 100mm H 3mm 4 holes			

motors

gear motors

for combi-steamers

			
GEV No.	502288	Ref. No.	LAR65090250
description	gear kit 8W 230V voltage AC 30rpm shaft ø 6mm L 75mm H 87mm conversion kit		
spare parts for	502288		
	GEV No.	502291	Ref. No. LA65090260
gear motor METEOR type 58U59DB4A1/00 8W 230V voltage AC 50Hz 30rpm shaft ø 6x5mm L 69mm W 49mm H 65mm			



1

GEV No.	502291	Ref. No.	LA65090260
description	gear motor METEOR type 58U59DB4A1/00 8W 230V voltage AC 50Hz 30rpm shaft ø 6x5mm L 69mm W 49mm H 65mm		

pumps

drain pumps

miscellaneous



1

GEV No.	500201	Ref. No.	R65110300
description	drain pump inlet ø 24mm outlet ø 22mm 230V 34W		
For models:	GMT06D		

booster pumps II

accessories



1

GEV No.	365015	Ref. No.	1037305100 631206 LA65190180 LAR65190180
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T...(Other models you can see in the webshop)		

vibration pumps



1

GEV No.	500568	Ref. No.	LAR65110600
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		
spare parts for	500568		
	GEV No.	390698	Ref. No. —
thermal fuse switch-off temp. 110°C suitable for ULKA pump			
	GEV No.	520153	Ref. No. —
bracket rubber dimensions 53x34x28mm			

condensators & interference suppression filters

operating capacitors

plastic



1

GEV No.	365015	Ref. No.	1037305100 631206 LA65190180 LAR65190180
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T...(Other models you can see in the webshop)		

			
1			
GEV No.	365021	Ref. No.	631202 LAR65190030
description	operating capacitor capacity 16μF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
For models:	GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MG102D, MG102M, MG102P, MG102T, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT20D, MGMT20P, MGVT20D, MGVT20P, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M...(Other models you can see in the webshop)		

			
2			
GEV No.	365033	Ref. No.	R65190080
description	operating capacitor capacity 5μF with plastic sheathing		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, ME106M, ME106P, ME106X, MG106M, MG106P, MG106X, VE004M, VE004X, VE104M, VE104X, VE105M, VE105X, VE106M, VE106P, VE106X, VG105M, VG105X, VG106M, VG106P, VG106X		

ferrite rings

			
1			
GEV No.	691295	Ref. No.	R65280450
description	ferrite ring ID ø 17mm ED ø 28mm H 20mm for protection		
For models:	EM106H, EM106P, EM110H, EM110P, EM210H, EM210P, EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GM106H, GM106P, GM110H, GM110P, GM210H, GM210P, GMT06D, GMT20D, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P, GVT06D, GVT20D, ME061D, ME061P, ME061T, ME101D, ME101P, ME101T, ME102P, ME102T, ME201D, ME201P, ME201T, ME202D, ME202P, ME202T, MEC24H, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D...(Other models you can see in the webshop)		

			
1			
GEV No.	365054	Ref. No.	LAR65280490
description	ferrite ring ID ø 22mm ED ø 38mm H 17mm for protection		

filters

interference suppression filters

			
1			
GEV No.	365046	Ref. No.	631209
description	interference suppression filter type 10S7E-G1474253105-Q 115/250V 50/60Hz conductor 2 with E connection male faston 6.3mm L 40mm ø 40mm Hmm Wmm M8 plastic Qty 1 pcs		

			
1			
GEV No.	365044	Ref. No.	1984000 LA65280200 LAR65280200 MA1984000
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs		
For models:	CP704E, CP92E, CP92E2, CP94E, CP94E2, CP95B2E, CP95B2E2, CP95B4E, CP95B4E2, DE92142, DE94242, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FR74E, FR74E10, FR74E10L, FR74E10L2, FR74E2, FR77E, FR77E10, FR77E10L, FR77E10L2, FR77E2...(Other models you can see in the webshop)		

RC circuits

			
1			
GEV No.	365155	Ref. No.	R65280130
description	RC circuit 250/630V connection male faston 6.3mm cable length 65mm capacity 47nF 100Ohm		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME061M, ME101M, ME102D, ME102M, ME201M, ME202M, MEC40M, MG061M, MG101M...(Other models you can see in the webshop)		

fuses

fine fuses



1

GEV No.	358532	Ref. No.	R65200200
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		



1

GEV No.	358593	Ref. No.	R65200086
description	fine fuse size ø5x20mm 0.125A slow-acting rated 250V Qty 10 pcs		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110M+SC, EM110P, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110M+SC, EV110P, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110M+SC, GM110P, GM210M+SC, GM210P, GV106H, GV106M+SC, GV106P, GV110M+SC, GV110P, GV210M+SC, GV210P, ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201P, ME201T...(Other models you can see in the webshop)		




1

GEV No.	358592	Ref. No.	R65200140
description	fine fuse size ø5x20mm 0.1A slow-acting rated 250V Qty 10 pcs		
For models:	GMT20D, MG061M, MG101D, MG101M, MG102D, MG102M, MG201D, MG201M, MGMT20D		



1

GEV No.	358595	Ref. No.	R65200320
description	fine fuse size ø5x20mm 0.2A slow-acting rated 250V Qty 10 pcs		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110P, EM210H, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110P, EV210H, EV210P, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM210H, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV210H, MACE10M, MACE20M, ME061P, ME061T, ME101D, ME101M, ME102D, ME102M, ME106P, ME106X, ME110P, ME120P, ME201D, ME201M, ME210P, ME220P, MEC24H, MEMT10D...(Other models you can see in the webshop)		



1

GEV No.	358703	Ref. No.	R65200350
description	fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105X, FG110X, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, ME110P, ME110X, ME120P, ME120X, ME210P, ME210X, ME220P, ME220X, MEC24H, MEC40M...(Other models you can see in the webshop)		

fine fuse holders



1

GEV No.	550104	Ref. No.	R65210020
description	fuse holder WIELAND type WK4/THSI 5 U/V0 suitable fuse ø5x30mm 0.5-6mm ² top-hat rail 35mm 10A rated 600V		

overload switches



1

GEV No.	358514	Ref. No.	R65160300
description	overload switch drop-away current 0.8A		
For models:	EM106H, EM106P, EV106H, EV106P, GM106H, GM106P, GV106H, GV106P, ME061P, ME061T, MEMT06P, MEVT06P, MG061P, MG061T, MGMT06P, MGV06P		



1

GEV No.	358515	Ref. No.	LA65160310 LAR65160310
description	overload switch drop-away current 2.5A		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GV106H, GV106M, GV106M+SC, GV106P, MG061T		



1

GEV No.	358520	Ref. No.	R65160220
description	overload switch drop-away current 2.5A connection male faston 6.3mm		
For models:	FE105M, FE105X, FG105M, FG105X, PE040M, PE040X, PG040M, PG040X		

			
1			
GEV No.	358516	Ref. No.	R65160320
description	overload switch drop-away current 2A		
For models:	GMT06D, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MGMT06D, MGMT06P, MGVT06D, MGVT06P		

electric accessories

cables

accessories

cable glands

threaded cable glands

screw connections

			
1			
GEV No.	550971	Ref. No.	1037115100 MA1037115100
description	cable gland thread PG16 cable ø 14mm mounting ø 22.5mm Qty 1 pcs plastic WS 27		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B124E, B9SB2E, B9SB4E, B9V2E, B9V4E, BIE40, BIE40B, BIE60, BIE60B, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB...(Other models you can see in the webshop)		

ribbon cables

group 1

			
1			
GEV No.	403107	Ref. No.	R65301470
description	ribbon cable 16-pole L 85mm plug type 2 row coded		
For models:	ME061P, ME101P, ME102P, ME201P, ME202P, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MEVT06P, MEVT10P, MEVT20P, MEVT21P, MEVT40P, MG061P, MG101P, MG102P, MG201P, MG202P, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, MGVT06P, MGVT10P, MGVT20P, MGVT21P, MGVT40P		

miscellaneous

			
1			
GEV No.	403839	Ref. No.	LA66110310
description	cable for combi-steamer L 370m copper insulation glass fibre braiding/silicone rubber		

			
1			
GEV No.	401960	Ref. No.	LA66110320 LAR66110320
description	kable set		
For models:	GMT20D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT10D, MGMT10P...(Other models you can see in the webshop)		

terminals and connectors

not insulated

female bullets

			
1			
GEV No.	100023	Ref. No.	20418099 MA20418099
description	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs		

terminals

porcelain clamps

			
1			
GEV No.	550115	Ref. No.	1037117600 MA1037117600
description	porcelain terminal block 2-pole 10mm ² max. 30A max 450V L 37mm W 37mm H 23mm mounting distancemm Qty 1 pcs		
For models:	CT78EC, CT7FE8EC, CT98EC, CT9FE8EC, ERA10, ERA12, ERA14, ERA16, ERA18, ERA20, ERA210, ERA212, ERA214, ERA216, ERA218, ERA220, NSP74E, NSP94E, SP74E, SP94E		

connection terminals with screw/faston connections



1

GEV No.	550278	Ref. No.	1037117300 MA1037117300
description	power terminal block 3-pole max. 40A max 400V connection $\phi 6\text{mm}^2$ / F6.3 temp.-resist. 150°C cross section 6mm^2		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, B124E, BME40DM, BME40DMB, BME40M, BME60DM, BME60DMB, BME60M, BME80M, BSEI40M, EAR612PA, EAR612PP, EAR612PS, EAR613PA, EAR613PP, EAR613PS, EAR614PA, EAR614PP, EAR614PS, EAR615PA, EAR615PP, EAR615PS, EAR616PA, EAR616PP...(Other models you can see in the webshop)		



2

GEV No.	550411	Ref. No.	1037104000 1616200 MA1037104000
description	power terminal block 6-pole max. 40A max 450V connection $\phi 6\text{mm}^2$ / F6.3 temp.-resist. 150°C cross section 6mm^2		
For models:	BIE40B, BIE60B, BM74E, BM77E, BME40M, BME60, BME602, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSE40M, CFE60, CFE60P, CFG60, CFG61, CFG61D, CFG61L, CFG61P, CFVE60, CPE60, CPE602, CPE60DB, CRE6220, CRE6230, CRE6320, CRE6330, CSP6220, CSP6230, CWE42, CWE422, CWE62, CWE622, DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, FQE40, FQE40D, FQE40DSP, FQE41, FQE41L, FQE41L2...(Other models you can see in the webshop)		



1

GEV No.	550977 ¹	Ref. No.	CR0588170
description	power terminal block 6-pole max. 40A max 450V connection $\phi 6\text{mm}^2$ / F6.3 temp.-resist. 150°C cross section 6mm^2 with ground lug		
For models:	EC74EVG, EC78EVG, EC7FE8E, EFT74ELVG, EFT74ERVG, EFT78ELVG, EFT78EMVG, EPC74E, NBR78EF, NBR78EI, NC74E2, NC74EC, NC74EQC, NC78E2, NC78EC, NC78EQC, NC7FE8E, NC7FE8E2, NC7FE8EQ, NC94E, NC94E2, NC98E, NC98E2, NC9FE8E, NC9FE8E2, NCT78E, NCT7FE8E, NFT74EL, NFT74ELC, NFT74ELCO, NFT74ELO, NFT74ER, NFT74ERC, NFT76EL, NFT76ELC, NFT76EM, NFT76EMC, NFT76ER, NFT78EL, NFT78ELC, NFT78ELCO, NFT78ELO, NFT78EM, NFT78EMC, NFT78ER, NFT78ERC, NFT94EL, NFT94ELC, NFT94ELO, NFT94ER...(Other models you can see in the webshop)		

¹with ground lug

rail-mounted terminals

rail-mounted terminal blocks



1

GEV No.	550421 ¹	Ref. No.	R65220090
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.0-10mm ²		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FE110M, FE110X, FG110M, FG110X, FG210M, FG210X, MACE04M, MACE05M, MACE07M, MACG05M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X...(Other models you can see in the webshop)		

¹with fused terminal block

1

GEV No.	550420	Ref. No.	R65220080
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.5-16mm ²		
For models:	EC110M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EV110H, EV110M, EV110M+SC, EV110P, FE210M, MACE10M, ME101D, ME101M, ME101P, ME101T, ME110M, ME110P, ME110X, MEMT10D, MEMT10P, MEVT10D, MEVT10P, VE110M, VE110X, VE210P		



1

GEV No.	550422	Ref. No.	R65220130
description	rail-mounted terminal block 9-pole		
For models:	EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, ME102D, ME102M, ME102P, ME102T, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG202P, MG202T, MG-MT40P, MGVT40P, VE120M, VE120P...(Other models you can see in the webshop)		

WIELAND

fuse terminal blocks



1

GEV No.	550104	Ref. No.	R65210020
description	fuse holder WIELAND type WK4/THSI 5 U/V0 suitable fuse ø5x30mm 0.5-6mm ² top-hat rail 35mm 10A rated 600V		

various



1

GEV No.	693955	Ref. No.	1878400 MA1878400
description	terminal grounding cable		
For models:	AR712PA, AR712PP, AR712PS, AR713PA, AR713PP, AR713PS, AR-714PA, AR714PP, AR714PS, AR715PA, AR715PP, AR715PS, AR716PA, AR716PP, AR716PS, AR717PA, AR717PP, AR717PS, AR718PA, AR718PP, AR718PS, AR719PA, AR719PP, AR719PS, AR720PA, AR720PP, AR720PS, BIE40B, BIE60B, BME40DM, BME40DMB, BME40M, BME60, BME602, BME60DM, BME60DMB, BME60M, BME80M, BRE40, BRE40D, BRE40DB, BRE40DG, BRE40DGB, BRE40G, BSE40M, BSEI40M, CRE6220, CRE6230, CRE6320, CRE6330...(Other models you can see in the webshop)		

gas valves and ignition boxes

gas control valves

HONEYWELL



1

GEV No.	106004	Ref. No.	R63020150
description	gas valve type VK4105C 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type pressure controller type V5306E 1234 1 suitable for HONEYWELL hole distance 24mm flange 32x32mm		
For models:	GC106M, GC110M, GC210M, GV106M, GV106M+SC, GV110M, GV-110M+SC, GV210M, GV210M+SC		
accessories for	106004		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		



1

GEV No.	102320	Ref. No.	R63020160
description	gas valve type VK4105Q 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL coil type 220/240V (V4336A 2212 1) hole distance 24mm flange 32x32mm		
For models:	GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P		
accessories for	102320		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		



1

GEV No.	106012	Ref. No.	LAR63020170
description	gas valve type VK4115V 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL hole distance 24mm flange 32x32mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		
accessories for	106012		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		



			
1			
GEV No.	101395	Ref. No.	R63020010
description	gas valve type VR4605P 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection pressure range 8-50mbar operator type 230V (V404A 1071) pressure controller type 220/240V (V404A 1071 4) HONEYWELL coil type 220/240V (V4336A 2220) flange 45x45mm		
For models:	CVG105H, CVG105M, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VG105M, VG105X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X, VG220M, VG220P, VG220X		
accessories for	101395		
	GEV No.	101320	Ref. No. —
	cover suitable for gas valves HONEYWELL		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

SIT

ELETTROSIT

			
1			
GEV No.	101126	Ref. No.	R63025020
description	gas valve SIT type ELETTROSIT 230V gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.136		
For models:	FG105M, FG105X, PG040M, PG040X		
spare parts for	101126		
	GEV No.	101312	Ref. No. 1454900 CR0507660 MA1454900
	microswitch		
	GEV No.	101352	Ref. No. —
	solenoid coil 230V 50Hz suitable for ELETTROSIT		
accessories for	101126		
	GEV No.	100006	Ref. No. —
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		

accessories for	101126		
	GEV No.	100904	Ref. No. 1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. 1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101301	Ref. No. —
	gas connection thread 1/2" straight ELETTROSIT screw with O-ring		
	GEV No.	101303	Ref. No. 1451300
	gas connection straight thread 3/4" ELETTROSIT		
	GEV No.	101309	Ref. No. —
	extension		


			
1			
GEV No.	101127	Ref. No.	1450100 LAR63025030
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
For models:	BR94G, BR94GI, BR96G, BR96GI, BR9M4G, BR9M4GI, BR9M6G, BR9M-6GI, FC10G, FC20G, FC5G, FC7G, FG110M, FG110X, FG210M, FG210X, FR92G22, FR94G23, P9110G, P91A10G, PG080M, PG080X		
spare parts for	101127		
	GEV No.	101312	Ref. No. 1454900 CR0507660 MA1454900
	microswitch		
	GEV No.	101352	Ref. No. —
	solenoid coil 230V 50Hz suitable for ELETTROSIT		
accessories for	101127		
	GEV No.	100006	Ref. No. —
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	GEV No.	100904	Ref. No. 1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. 1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101301	Ref. No. —
	gas connection thread 1/2" straight ELETTROSIT screw with O-ring		
	GEV No.	101303	Ref. No. 1451300
	gas connection straight thread 3/4" ELETTROSIT		

Table continues overleaf



accessories for 101127				
	GEV No.	101309	Ref. No.	—
	extension			

NOVASIT



1

GEV No.	101162	Ref. No.	2863300 MA2863300	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010			
For models:	BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9S84G, BR9S84GI, CS10, CS102G, CS102GP, CS6, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS			
spare parts for	101162			
	GEV No.	101065	Ref. No.	—
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	GEV No.	101313	Ref. No.	—
	solenoid coil 230V 50Hz			
accessories for	101162			
	GEV No.	100006	Ref. No.	—
	piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm			
	GEV No.	101305	Ref. No.	2865700 MA2865700 R63080010
	gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	GEV No.	101306	Ref. No.	2865800 MA2865800 R63080020
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT, HONEYWELL			
	GEV No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT, HONEYWELL			
	GEV No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT, HONEYWELL			
	GEV No.	101312	Ref. No.	1454900 CR0507660 MA1454900
	microswitch			
	GEV No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			

accessories for 101162				
	GEV No.	101317	Ref. No.	1880600 MA1880600
	plug with cable L 1000mm suitable for NOVASIT			
	GEV No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			



1

GEV No.	101908	Ref. No.	1871200 MA1871200	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurebar pressure regulator connection blind equiv. no. 0.820.018 output pilot burner M10x1 input pressure max. 60bar setting range 3-30bar			
For models:	BR912GFM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, F94G22K, F98G22K, F9S4G22K, F9S8G22K, FR92G22T, FR94G22T, NBR912GFM, NBR912GIM, NBR98GF, NBR98GFM, NBR98GI, NBR-98GIM, NF94G23K, NF98G23K, NPC74G, NPC76G, NPC78G, NPC94G, NPC96G, NPC98G, NPD76G5, NPD78G8, NPD96G5, NPD98G10, NPD98G15, NPD98G15A, NPI76G5, NPI78G8, NPI96G5, NPI98G10, NPI98G14, NPI98G14A			
spare parts for	101908			
	GEV No.	101065	Ref. No.	—
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	GEV No.	101313	Ref. No.	—
	solenoid coil 230V 50Hz			
accessories for	101908			
	GEV No.	100006	Ref. No.	—
	piezoelectric igniter suitable for ELETROSIT body plastic blowing connection ø2.4mm ø 14mm			
	GEV No.	101305	Ref. No.	2865700 MA2865700 R63080010
	gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	GEV No.	101306	Ref. No.	2865800 MA2865800 R63080020
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	GEV No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	GEV No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			

Table continues overleaf

accessories for 101908				
	GEV No.	101312	Ref. No.	1454900 CR0507660 MA1454900
microswitch				
	GEV No.	101314	Ref. No.	—
solenoid coil 24V 50Hz				
	GEV No.	101317	Ref. No.	1880600 MA1880600
plug with cable L 1000mm suitable for NOVASIT				
	GEV No.	101318	Ref. No.	—
cover cap for solenoid coil suitable for NOVASIT				



1

GEV No.	101967	Ref. No.	5118500 MA5118500	
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection perforated equiv. no. 0.822.110			
For models:	CON102G, CON102GP, CON201G, CON201GP, CON202G, CON202GP, CP9A15GD, CSM102G, CSM102GP, CSM201G, CSM201GP, CSM202G, CSM202GP			
spare parts for	101967			
	GEV No.	101313	Ref. No.	—
solenoid coil 230V 50Hz				
	GEV No.	101542	Ref. No.	—
solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V				
accessories for	101967			
	GEV No.	100904	Ref. No.	1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	101305	Ref. No.	2865700 MA2865700 R63080010
gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	GEV No.	101306	Ref. No.	2865800 MA2865800 R63080020
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	GEV No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				

accessories for 101967				
	GEV No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" Elettrosit/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	GEV No.	101503	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs				
	GEV No.	101924	Ref. No.	—
plug with cable L 1090mm suitable for NOVA 822/826/827				

accessories					
 1					
GEV No.		101306	Ref. No.	2865800 MA2865800 R63080020	
description		gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
For models:		BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9S84G, BR9S84GI, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CS10, CS102G, CS102GP, CS6, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP, CVG105H, CVG105M, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X...(Other models you can see in the webshop)			
spare parts for		101306			
		GEV No.	517104	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 31.42mm Qty 1 pcs					



1

GEV No. 101305 Ref. No. 2865700 MA2865700 R63080010	
description gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm	
For models: BR94G, BR94GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9SB4G, BR9SB4GI, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CS10, CS102G, CS102GP, CS6, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG210M, MG210P, MG210X, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG210M, VG210P...(Other models you can see in the webshop)	
spare parts for 101305	
GEV No. 101503 Ref. No. — O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs	



			
1			
GEV No.	100905	Ref. No.	1394800 MA1394800
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
For models:	BR707G, CS10, CS102G, CS102GP, CS6, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, FR74G, FR77G		

			
1			
GEV No.	101312	Ref. No.	1454900 CR0507660 MA1454900
description	microswitch		
For models:	BR912GFM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, CS10, CS102G, CS102GP, CS6, FR92G22, FR94G23, NBR912GFM, NBR912GIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NF94G23K, NF98G23K, NPC74G, NPC78G, NPC94G, NPC98G, NPD76G5, NPD78G8, NPD96G5, NPD98G10, NPD98G15, NPD98G15A, NPI76G5, NPI78G8, NPI96G5, NPI98G10, NPI98G14, NPI98G14A		

			
1			
GEV No.	101317	Ref. No.	1880600 MA1880600
description	plug with cable L 1000mm suitable for NOVASIT		
For models:	BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, CON201G, CON201GP, CON202G, CON202GP, CSM201G, CSM201GP, CSM202G, CSM202GP, F94G22K, F98G22K, F9S-4G22K, F9S8G22K, FR92G22T, FR94G22T, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS, NBR912GFM, NBR912GIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NF94G23K, NF98G23K, NPC74G, NPC78G, NPC94G, NPC98G, NPD76G5, NPD78G8, NPD96G5...(Other models you can see in the webshop)		

TANDEM

			
1			
GEV No.	101189	Ref. No.	2942600 MA2942600
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.040 suitable for Tandem		
For models:	CON10G, CON10GP, CON6G, CON6GP, CSM10G, CSM10GP, CSM6G, CSM6GP, PI98G10, PI98G14, PI98G14A		
spare parts for	101189		
	GEV No.	101379	Ref. No. —
	solenoid coil 230V 50Hz suitable for Tandem		
accessories for	101189		
	GEV No.	100904	Ref. No. 1388000 1394700 MA1394700
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. 1394800 MA1394800
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
	GEV No.	101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	GEV No.	101925	Ref. No. —
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		
	GEV No.	102847	Ref. No. —
	O-ring		



ignition boxes

HONEYWELL

Honeywell



1

GEV No.	102367	Ref. No.	LAR63060120
description	ignition box HONEYWELL type S4565A 2092 1 electrodes 3 waiting times safety time 10s 220-240V 4VA 50/60Hz		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		

Honeywell



1

GEV No.	102318	Ref. No.	R63060100
description	ignition box HONEYWELL type S4565AF 1007V01 electrodes 2 waiting times safety time 10s 220-240V 4VA 50/60Hz		
For models:	GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P		

Honeywell



1

GEV No.	103109	Ref. No.	LA63060160 LAR63060160
description	ignition box HONEYWELL type S4565C 1116 electrodes 2 waiting times safety time 5s 220-240V 4VA 50/60Hz		

SIT



1

GEV No.	103278	Ref. No.	5153200
description	ignition box kit SIT type 571DBC electrodes 2 waiting time 1.5s safety time 5s 250V 10VA 50/60Hz		
spare parts for	103278		
	GEV No.	107246	Ref. No. —
ignition box SIT type 571DBC electrodes 2 waiting time 1s safety time 10s 230V 12VA 50/60Hz			

ignition parts

pilot burners

SIT

100 series



1

GEV No.	106902	Ref. No.	94400
description	pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106902		
	GEV No.	100245	Ref. No. 1415100 2402299 3020054 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100842	Ref. No. —
pilot burner cap 2 flames Qty 1 pcs			
	GEV No.	100885	Ref. No. 1324900 MA1324900
air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm			
	GEV No.	100918	Ref. No. —
screw for pilot burner			
	GEV No.	107161	Ref. No. —
pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

Table continues overleaf



accessories for 106902				
	GEV No.	100246	Ref. No.	1422600 MA1422600
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	GEV No.	100904	Ref. No.	1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	102110	Ref. No.	1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	GEV No.	102111	Ref. No.	1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	GEV No.	107171	Ref. No.	1031502100 1842300 MA1031502100 MA1842300
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	GEV No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	GEV No.	107702	Ref. No.	1031501800 1314800 MA1314800
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				

1

GEV No.	106906	Ref. No.	1040511 1314500 1842700 431500 6A013200 BN6A013200 LAR63050020 MA1040511 MA431500
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, F9SB2G, F9SB2GR, F9SB4G, F9SB4GR, F9SB4GRL, F9V2G, F9V2GR, F9V4G, F9V4GR, F9V4GRL, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, P9110G, P91A10G, PG040M, PG040X, PG080M, PG080X, T7011GFG, T707G, T707GFG, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		
spare parts for	106906		
	GEV No.	100245	Ref. No. 1415100 24022299 3020054 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100855	Ref. No. —
pilot burner bracket triple			
	GEV No.	100885	Ref. No. 1324900 MA1324900
air mixing sleeve for pilot burner Qty 1 pcs			

spare parts for 106906				
	GEV No.	100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs				
	GEV No.	100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm				
	GEV No.	100918	Ref. No.	—
screw for pilot burner				
	GEV No.	107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs				
	GEV No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				
accessories for 106906				
	GEV No.	100245	Ref. No.	1415100 24022299 3020054 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	GEV No.	100246	Ref. No.	1422600 MA1422600
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75				
	GEV No.	100904	Ref. No.	1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	100905	Ref. No.	1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	102110	Ref. No.	1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	GEV No.	102111	Ref. No.	1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	GEV No.	107171	Ref. No.	1031502100 1842300 MA1031502100 MA1842300
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	GEV No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	GEV No.	107702	Ref. No.	1031501800 1314800 MA1314800
pilot burner bottom part SIT 100 series nozzle ø 0.35mm				



			
GEV No.	106907	Ref. No.	1315100 CR0588730
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
For models:	C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, NG74G, NG78G, NG94G, NG98G, P9D10G, P9D15G, P9DA10G, P9DA15G, T9F4G, T9F6GS		
spare parts for	106907		
	GEV No.	100246	Ref. No. 1422600 MA1422600
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100855	Ref. No. —
pilot burner bracket triple			
	GEV No.	100885	Ref. No. 1324900 MA1324900
air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm			
	GEV No.	100918	Ref. No. —
screw for pilot burner			
	GEV No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107702	Ref. No. 1031501800 1314800 MA1314800
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			
accessories for	106907		
	GEV No.	100245	Ref. No. 1415100 2402299 3020054 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No. 1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No. 1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No. 1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No. 1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

accessories for	106907		
	GEV No.	107171	Ref. No. 1031502100 1842300 MA1031502100 MA1842300
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

accessories			
pilot burner bottom parts			
			
GEV No.	107702	Ref. No.	1031501800 1314800 MA1314800
description	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		
For models:	C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS		
spare parts for	107702		
	GEV No.	100246	Ref. No. 1422600 MA1422600
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm			
	GEV No.	100918	Ref. No. —
screw for pilot burner			
accessories for	107702		
	GEV No.	100245	Ref. No. 1415100 2402299 3020054 MA1415100
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No. 1388000 1394700 MA1394700
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No. 1394800 MA1394800
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No. 1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			

Table continues overleaf

accessories for 107702				
	GEV No.	102111	Ref. No.	1690200
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	102742	Ref. No.	—
	pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs			


			
1			
GEV No.	100880	Ref. No.	1874100 MA1874100
description	pilot burner bottom part SIT 100 series nozzle ø 0.4mm		
For models:	EF74G15, F12C4G15, F74G10, F74G15, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F96G10, F98G15, F98G22, F98G22K, F954G15, F954G22, F954G22K, F958G15, F958G22, F958G22K, FR74G, FR77G, FR92G13, FR92G22, FR92G22T, FR94G13, FR94G22, FR94G22T, NF74G15T, NF78G15T		

pilot burner nozzles			
			
1			
GEV No.	100245	Ref. No.	1415100 24022299 3020054 MA1415100
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS, EF74G15, F12C4G15, F74G10, F74G15, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F96G10, F98G15, F98G22, F98G22K, F954G15, F954G22, F954G22K, F958G15, F958G22, F958G22K, F95B2G, F95B2GR, F95B4G, F95B4GR...(Other models you can see in the webshop)		

			
1			
GEV No.	100246	Ref. No.	1422600 MA1422600
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS, F95B2G, F95B2GR, F95B4G, F95B4GR, F95B4GRL, F9V2G, F9V2GR, F9V4G, F9V4GR, F9V4GRL, P9D10G, P9D15G, P9DA10G, P9DA15G, P9I10G, P9IA10G, T7011GFE, T7011GFG, T707G, T707GFG, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		

			
1			
GEV No.	102972	Ref. No.	1996200 CR0684580 MA1996200
description	pilot burner nozzle natural gas code 40 bore ø 0.4mm Qty 1 pcs		
For models:	EF74G15, F12C4G15, F74G10, F74G15, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F96G10, F98G15, F98G22, F98G22K, F954G15, F954G22, F954G22K, F958G15, F958G22, F958G22K, NF74G15T, NF78G15T, NG74G, NG78G, NG94G, NG98G		

h2>ignition electrodes

			
1			
GEV No.	100706	Ref. No.	1031502500 224211 636700 MA224211 MA636700
description	ignition electrode connection M4 Qty 1 pcs		
For models:	702BMG, 706, 706S, B9SB2G, B9SB4G, B9V2G, B9V4G, BIG40, BIG60, BMG40, BMG60, BR707G, BR94G, BR94GI, BR96G, BR96GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BRG40, BRG40G, C7011GFE, C7011GFG, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, CP707G, CP92G, CP94G, CS10, CS102G, CS102GP, CS6, EC74GVG...(Other models you can see in the webshop)		

			
1			
GEV No.	100707	Ref. No.	BN6A013302 R63050010
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		
For models:	FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, PG040M, PG040X, PG080M, PG080X		

h2>miscellaneous

			
1			
GEV No.	100885	Ref. No.	1324900 MA1324900
description	air mixing sleeve for pilot burner Qty 1 pcs		
For models:	C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS		



140 - 145 -150 series



GEV No.	107114 ¹	Ref. No.	CM029000 MACM029000
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm		
For models:	B74G, B78G, B94G, B98G, BR78GF, BR78GI, BR912GFM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9S8GF, BR9S8GI, C7FG9G, EFT74GLVG, EFT74GRVG, EFT78GLVG, EFT78GMVG, ET78GVG, ET-7FG8G, FT129GLC, FT129GM, FT12C9GL, FT12C9GM, FT12C9GTL, FT-12C9GTMC, FT74GL, FT74GLC, FT74GR, FT74GRC, FT76GL, FT76GLC, FT76GM, FT76GMC, FT76GR, FT78GL, FT78GLC, FT78GLT, FT78GM, FT78GMC, FT78GMT, FT78GR, FT78GRT, FT94G, FT94GL, FT94GLC, FT-94GR, FT94GRC, FT96GL....(Other models you can see in the webshop)		

GEV No.	100907	Ref. No.	1891700 24010899 MA1891700 MA24010899
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		

GEV No.	100204	Ref. No.	1888000 MA1888000
description	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
GEV No.	100205	Ref. No.	1033722000 BN822140380 MA1033722000
description	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
GEV No.	100206	Ref. No.	—
description	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
GEV No.	100207	Ref. No.	1887800 MA1887800
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
GEV No.	100216	Ref. No.	—
description	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
GEV No.	100701	Ref. No.	1888300 1949900 MA1888300 MA1949900
description	ignition electrode connection M4 Qty 1 pcs		
GEV No.	100801	Ref. No.	—
description	gasket for pilot burner Qty 1 pcs		
GEV No.	100897	Ref. No.	1881000 1888100 MA1888100
description	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
GEV No.	100898	Ref. No.	—
description	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
GEV No.	100906	Ref. No.	1888400 MA1888400
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

GEV No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
GEV No.	100909	Ref. No.	LA62060223 LAR62060223
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
GEV No.	102110	Ref. No.	1413100 1413200 1682300 1876500
description	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
GEV No.	102111	Ref. No.	1690200
description	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

190 series



GEV No.	100110	Ref. No.	1949700 MA1949700
description	pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm		
For models:	MM10IG, P9I10G, P9IA10G		
GEV No.	100202	Ref. No.	—
description	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
GEV No.	100203	Ref. No.	—
description	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
GEV No.	100701	Ref. No.	1888300 1949900 MA1888300 MA1949900
description	ignition electrode connection M4 Qty 1 pcs		
GEV No.	100906	Ref. No.	1888400 MA1888400
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
GEV No.	100907	Ref. No.	1891700 24010899 MA1891700 MA24010899
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
GEV No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
GEV No.	100909	Ref. No.	LA62060223 LAR62060223
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
GEV No.	101282	Ref. No.	469000 MA469000
description	olive for pipe ø 4mm L 7.4mm Qty 1 pcs		

Table continues overleaf



accessories for 100110				
	GEV No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	GEV No.	102110	Ref. No.	1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	GEV No.	102111	Ref. No.	1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	GEV No.	107650	Ref. No.	0100802 CR0410100 R0100802 SIR0100802
pilot burner nozzle SIT LPG code 30 Qty 1 pcs				

POLIDORO

pilot burners




1

GEV No.	100076	Ref. No.	BN6A013220	
description	pilot burner POLIDORO 3 flames natural gas code 29.2 gas connection 6mm			
spare parts for	100076			
	GEV No.	100907	Ref. No.	1891700 24010899 MA1891700 MA24010899
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for 100076				
	GEV No.	100000	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs				
	GEV No.	100208	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs				
	GEV No.	100209	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs				
	GEV No.	100701	Ref. No.	1888300 1949900 MA1888300 MA1949900
ignition electrode connection M4 Qty 1 pcs				
	GEV No.	100906	Ref. No.	1888400 MA1888400
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	GEV No.	100907	Ref. No.	1891700 24010899 MA1891700 MA24010899
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
	GEV No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				


accessories for 100076				
	GEV No.	100909	Ref. No.	LA62060223 LAR62060223
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	102110	Ref. No.	1413100 1413200 1682300 1876500
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	GEV No.	102111	Ref. No.	1690200
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	GEV No.	102508	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 5 pcs				
	GEV No.	102509	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 5 pcs				
	GEV No.	102699	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores				
	GEV No.	102795	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	GEV No.	102797	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	GEV No.	106703	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs				
	GEV No.	106704	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs				
	GEV No.	106763	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs				
	GEV No.	106859	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs				



electrodes



GEV No.	100730	Ref. No.	R63050040
description	glow plug cable length 100mm connection ø2.4mm L1 47mm L2 60mm		
For models:	CVG105H, CVG105M, MG106M, MG106P, MG106X, MG110M, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VG105M, VG105X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X, VG220M, VG220P, VG220X		



GEV No.	100701	Ref. No.	1888300 1949900 MA1888300 MA1949900
description	ignition electrode connection M4 Qty 1 pcs		
For models:	B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BM74G, BM77G, BR707G, BR707GI, BR78GF, BR78GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G...(Other models you can see in the webshop)		


accessories for 100701



GEV No.	100906	Ref. No.	1888400 MA1888400
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			




GEV No.	100706	Ref. No.	1031502500 224211 636700 MA224211 MA636700
description	ignition electrode connection M4 Qty 1 pcs		
For models:	702BMG, 706, 706S, B9SB2G, B9SB4G, B9V2G, B9V4G, BIG40, BIG60, BMG40, BMG60, BR707G, BR94G, BR94GI, BR96G, BR96GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BRG40, BRG40G, C7011GFE, C7011GFG, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, CP707G, CP92G, CP94G, CS10, CS102G, CS102GP, CS6, EC74GVG...(Other models you can see in the webshop)		




GEV No.	100707	Ref. No.	BN6A013302 R63050010
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		
For models:	FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, PG040M, PG040X, PG080M, PG080X		




GEV No.	104687	Ref. No.	R63050080 R63050090
description	ignition electrode flange length 17mm flange width 24mm D1 ø 9.5mm D2 ø 9.5mm L1 49mm BL1 64mm BL2 52mm connection male faston 2.8mm fixing dimensions 4.5mm flange		
For models:	MG102M, MG102P, MG102T, MG201M, MG201P		




GEV No.	104695	Ref. No.	R63050310
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm D2 ø 7mm L1 13mm L2 19mm L3 13mm BL1 31mm BL2 24mm connection M4 fixing dimensions 4x5mm flange		
For models:	GC106M, GM106H, GM106M, GM106M+SC, GM106P, GV106H, GV106M, GV106M+SC, GV106P		




GEV No.	104686	Ref. No.	R63050340
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm D2 ø 7mm L1 20mm L2 15mm BL1 22mm BL2 4mm BL3 28mm connection male faston 2.8mm		
For models:	GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P		




GEV No.	104685	Ref. No.	R63050300
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 15mm L2 12mm BL1 22mm BL2 31mm connection male faston 2.8mm fixing dimensions ø4mm with flange		
For models:	GC106M, GM106H, GM106M, GM106M+SC, GM106P, GV106H, GV106M, GV106M+SC, GV106P		




GEV No.	104451	Ref. No.	R63050350
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 25mm L2 14mm L4 15mm BL1 22mm BL2 34mm		
For models:	GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P		



GEV No.	106756	Ref. No.	LAR63050130
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.3mm L1 45mm BL1 57mm BL2 37mm connection ø6 fixing dimensions ø4.5mm A1/B13/C2		



GEV No.	106525	Ref. No.	R63050070
description	ignition electrode set Qty 2 flange length 23mm flange width 15/17mm D1 ø 7/9.5mm L1 80/45mm BL1 33/48mm BL2 57/47mm connection F2.8x0.8 fixing dimensions ø4.5mm		
For models:	MACG05M, MACG07M, MG061D, MG061M, MG061P, MG061T, MG101M, MG101P, MG101T, MG201T, MVG051P		



GEV No.	106647	Ref. No.	R63050100
description	ignition electrode set flange length 24mm flange width 17mm D1 ø 9.5mm L1 45mm BL1 48mm BL2 48mm connection male faston 2.8mm with screw connection 1x ignition 1x flame monitoring		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG10M, MACG20M, MG101D, MG101M, MG101P, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P		



GEV No.	100906	Ref. No.	1888400 MA1888400
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
For models:	B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BM74G, BM77G, BR707G, BR707GI, BR78GF, BR78GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G...(Other models you can see in the webshop)		

ignition cables

terminals and connectors



GEV No.	100023	Ref. No.	20418099 MA20418099
description	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs		

pre-assembled cables



GEV No.	100026	Ref. No.	548300 BN2532997
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		



GEV No.	100179	Ref. No.	R66600400
description	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm		
For models:	FG105M, FG105X, PG040M, PG040X		



GEV No.	100195	Ref. No.	1950312 1950324 MA1950324
description	ignition cable cable length 1200mm connection ø2.4mm / lug M4		
For models:	BF78G, BF912G, BF912GH, BF98G, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C78G, C7FE12G, C7FE8G, C7FG12G, C7FG8G, C7FG9G, C7FGM12G, C912G, C912GS, C94G, C94GP, C94GS, C98G, C98GP, C98GS, C9F4GS, C9F6GS, C9F8GS, C9FE12G, C9FE12GS, C9FE4GS, C9FE6GS, C9FE8G, C9FE8GS, C9FEP4GS, C9FEP6GS, C9FEP8GS, C9FG12G, C9FG12GS, C9FG16G, C9FG8G, C9FG8GP... (Other models you can see in the webshop)		



GEV No.	102163	Ref. No.	R66600410
description	ignition cable cable length 1500mm connection F2.8mm / ø2.4mm		
For models:	FG110M, FG110X, FG210M, FG210X, PG080M, PG080X		



GEV No.	107851	Ref. No.	R66110370
description	ignition cable cable length 300mm set 2-piece		
For models:	MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG201D, MG201M, MG201P, MG201T, MVG051P		



GEV No.	100186	Ref. No.	1047024400 1936300 MA1047024400 MA1936300
description	ignition cable cable length 600mm connection ø2.4mm / lug M4		
For models:	B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, BIG40, BIG60, BM74G, BM77G, BMG40, BMG60, BR707G, BR707GI, BR912G-FM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BRG40, BRG40G, CP704G, EF74G15, EF74G8VA, EF74G8VG, EFT74GLVG, EFT74GRVG, EFT78GLVG, EFT78GMVG, EPC74G, F12C4G15, F74G10, F74G15, F74G6, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F94G6, F96G10, F98G15, F98G22, F98G22K, F9S4G15, F9S4G22... (Other models you can see in the webshop)		



GEV No.	100199	Ref. No.	1088300 1088600 1088900 1152700 1152800 MA1152800
description	ignition cable cable length 600mm connection ø4mm / F2.8mm		
For models:	B9SB2G, B9V2G, BR94G, BR94GI, BR96G, BR96GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, CP92G, CP94G, F9SB2G, F9SB2GR, F9SB4G, F9SB-4GR, F9SB4GRL, F9V2G, F9V2GR, F9V4G, F9V4GR, F9V4GRL, FR74G, FR77G, FR92G22, FR94G23, FT74G, FT74GR, FT77G, FT77GRL, GB707G, P9D2G, T7011GFG, T707G, T707GFG		



GEV No.	100025	Ref. No.	1394600 671300 671400 671500 672400 MA1394600
description	ignition cable cable length 600mm connection ø4mm / F6.3mm		
For models:	FR92G13, FR94G13		



GEV No.	100019	Ref. No.	1047024600 1936400 1950300 BN4185326050610 CR0688770 MA1936400
description	ignition cable cable length 900mm connection ø2.4mm / ø4mm		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BR78GF, BR78GI, BR912GFM, BR912GIM, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9S8GF, BR9S8GI, C12FGP9G, C7FG12G, C7FG8G, C9F4E, C9F4GS, C9F6E, C9F6GS, C9F8GS, C9FE4GS, C9FE6GS, C9FE8GS, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, C9FP, C9FP4GS, C9FP6GS, C9FP8GS, C9V2GS, C9V4GS, C9V6GS, C9V8GS, CP92G, CP94G, CP9SB2G, CP9SB4G, ET78GVG, ET7FG8G, FT129GLC... (Other models you can see in the webshop)		



GEV No.	102155	Ref. No.	1152600 S19303074 S19303074
description	ignition cable cable length 900mm connection ø4mm / F2.8mm		
For models:	B9SB4G, B9V4G, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		




GEV No.	107853	Ref. No.	R66605900
description	ignition cable for combi-steamer set 2-piece L 800mm		
For models:	GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P		



GEV No.	107786	Ref. No.	LA66605120 LAR66605120
description	ignition cable ID ø 7/4mm thicknessmm Qty 1m silicone permanent temperature°C t.max. 155°C flashover voltage 30000V red L 800mm		



GEV No.	107855	Ref. No.	R66110380
description	ignition cable set 2-piece L 700mm		
For models:	MG102M, MG102P, MG102T		



GEV No.	107787	Ref. No.	LAR66605801
description	ignition cable set L 700mm		

piezoelectric igniters

mounting diameter 22mm



GEV No.	100013	Ref. No.	1031500600
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		
accessories for	100013		
	GEV No.	Ref. No.	20418099 MA20418099
female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs			

ignition units



GEV No.	104688	Ref. No.	LA65180270 LAR65180270
description	ignition unit outputs 1 220-240VAC dimensions 84x62x38mm mounting distance 59mm inlet F6.3x0.8 outlet ø4mm type TRK2-30PVD 69VA 50/60Hz 0.3A protection IP00		



GEV No.	102485	Ref. No.	1450300 2971400 BN6A050100 MA2971400 R65180290
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		
For models:	BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9SB4G, BR9SB4GI, CS10, CS102G, CS102GP, CS6, FC10G, FC20G, FC5G, FC7G, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, FR92G22, FR94G23, MS10AG, MS10IG, MS70AG, MS70IG, MS70IGS, NBR912GFM, NBR912GIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM, NF94G23K, NF98G23K, NPC74G, NPC76G, NPC78G, NPC94G, NPC96G, NPC98G, NPD76G5...(Other models you can see in the webshop)		



GEV No.	102388	Ref. No.	1037301400 MA1037301400
description	ignition unit outputs 4 230VAC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 type WAC-T4 0.6VA 50/60Hz		

ignition switches



GEV No.	345038	Ref. No.	CR0410290
description	momentary push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	CFG70, CFG70M, NBR912EFM, NBR912EIM, NBR912GFM, NBR912GIM, NBR98EF, NBR98EFM, NBR98EI, NBR98EIM, NBR98GF, NBR98GFM, NBR98GI, NBR98GIM		


thermocouples

plug-in thermocouples


plug-in thermocouples standard

with barrel socket $\varnothing 6(6.5)$ mm


thermocouples SIT




GEV No.	107618	Ref. No.	641600 MA641600
description	thermocouple SIT M10x1 L 750mm plug connection $\varnothing 6.0(6.5)$ mm		




GEV No.	107601	Ref. No.	1033027500 1033027800 1206400 MA1033027800 MA1206400
description	thermocouple SIT M8x1 L 600mm plug connection $\varnothing 6.0(6.5)$ mm		
For models:	BIG40, BIG60, BRG40, BRG40G, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, CFGE61, CFGE61D, CFGE61L, CFGE61P, FTG40B, FTG40BLC, FTG40BR, FTG60B, FTG60BLC, FTG60BR, FTG60BRR, FTG80B, FTG80BLC, FTG80BR, OCFG101, OCFG120, OCFG70, OCFG61, OPG41, OPG61, PCG41, PCG41D, PCG41L, PCG41P, PCG61, PCG61D, PCG61L, PCG61P, PCGD41, PCGD41D, PCGD41L, PCGD41P, PCGD61, PCGD61D, PCGD61L, PCGD61P		




GEV No.	107602	Ref. No.	1206500 MA1206500
description	thermocouple SIT M8x1 L 850mm plug connection $\varnothing 6.0(6.5)$ mm		
For models:	BR96G, BR96GI, BR9M6G, BR9M6GI, GB707G		
accessories for	107602		
	GEV No.	100920	Ref. No. —
	thermocouple fitting thread M8x1 / M9x1 Qty 1 pcs		
	GEV No.	100922	Ref. No. —
	thermocouple fitting thread M10x1 / ASA 11/32 Qty 1 pcs		



GEV No.	107613	Ref. No.	263800 MA263800
description	thermocouple SIT M9x1 L 1200mm plug connection $\varnothing 6.0(6.5)$ mm		
For models:	704, 704S, 706, 706AS, 706S, B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, C7FG9G, CS10, CS6, MM10DG, MM10DGS, MM15DG, NC7FG12G44, NC7FG8G32, NC7FG8G36, NC7FG8G48, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NT7FG12G, NT7FG8G, NT9FG12G, NT9FG8G, P9D10G, P9D15G, P9DA10G, P9DA15G, P9DASB10G, P9DSB10G, P9DASB10G, TPF706, TPF706S		



GEV No.	107614	Ref. No.	2639-00 6A011800 R63040030 S10100818 SIR0100818
description	thermocouple SIT M9x1 L 1500mm plug connection $\varnothing 6.0(6.5)$ mm		
For models:	CS102G, CS102GP, FG110M, FG110X, FG210M, FG210X, PG080M, PG080X		



GEV No.	107606	Ref. No.	1031500400 MA1031500400
description	thermocouple SIT M9x1 L 320mm plug connection $\varnothing 6.0(6.5)$ mm		
For models:	FQG40, FQG60		



GEV No.	107608	Ref. No.	1031504300 641900 6A011912 BN6A011912 MA1031504300 MA641900
description	thermocouple SIT M9x1 L 500mm plug connection ø6.0(6.5)mm		
For models:	C124G, C129G, C12C2G9, C12C9G, C12FG9G, EFT74GLVG, EFT74GR-VG, EFT78GLVG, EFT78GMVG, FT74G, FT74GR, FT77G, FT77GRL		

GEV No.	107609	Ref. No.	1031501500 1033027600 90520 MA1031501500 MA1033027600 MA90520
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	B9SB2G, B9V2G, BMG40, BMG60, BR707G, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, CP92G, CP94G, F9SB2G, F9SB2GR, F9SB4G, F9SB4GR, F9SB4GRL, F9V2G, F9V2GR, F9V4G, F9V4GR, F9V4GRL, FR15G, FR15G2, FR2G, FR2G15, FR4G, FR4G15, P9D2G, PD707G, T7011GFG, T707G, T707GFG, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		


GEV No.	107611	Ref. No.	1031501600 1916000 2716500 CM029100 MA1031501600 MA1916000 MA2716500 MACM029100 R63040020
description	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		
For models:	B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, BF78G, BF912G, BF912GH, BF98G, BM74G, BM77G, BMG40, BMG60, BR707G, BR707GI, BR78GF, BR78GI, BR94G, BR94GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C74GS, C78G, C78GS, C79G, C7FE12G, C7FE12GS, C7FE8G, C7FE8GS, C7FG12G, C7FG12GS, C7FG8G, C7FG8GS, C7FG9G, C7FGM12G...(Other models you can see in the webshop)		


plug-in thermocouples with interruption			
GEV No.	107164	Ref. No.	CR0843660
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm soldering connection		


GEV No.	107177	Ref. No.	41826920050 BN41826920050
description	thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm		

threaded thermocouples	
threaded thermocouples standard	
with socket with thread M8x1	
SIT	

GEV No.	107633	Ref. No.	1665000 MA1665000
description	thermocouple SIT M8x1 L 1200mm M8x1		
For models:	C7011GFG, C707GFE, C707GFG, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, EC74G-VG, EC78GVG, EC7FG8G, OCFG101, OCFG120, OCFG70, T7011GFG, T707GFG		
accessories for	107633		
		GEV No.	102067
		Ref. No.	6A012300 939300 BN6A012300 MA939300
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

			
GEV No.	107628	Ref. No.	1033027100 641400 MA1033027100 MA641400
description	thermocouple SIT M8x1 L 320mm M8x1		
For models:	704S, 706S, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4GS, C9F6GS, C9F8GS, C9SB4GS, C9V2GS, C9V4GS, C9V6GS, C9V8GS, TPF706S		
accessories for	107628		
	GEV No.	102067	Ref. No. 6A012300 939300 BN6A012300 MA939300
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

			
GEV No.	107630	Ref. No.	641300 MA1033027200 MA641300
description	thermocouple SIT M8x1 L 600mm M8x1		
For models:	704S, 706S, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4GS, C9F6GS, C9F8GS, C9SB4GS, C9V2GS, C9V4GS, C9V6GS, C9V8GS, TPF706S		
accessories for	107630		
	GEV No.	102067	Ref. No.
			6A012300 939300 BN6A012300 MA939300
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

thermopiles			
			
GEV No.	102116	Ref. No.	1870712 MA1870712
description	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		
For models:	F94G22, F98G22, F9S4G22, F9S8G22, FR92G22, FR94G22, MM10IG, P9110G, P91A10G		

accessories

display adapters

			
GEV No.	101337	Ref. No.	MA2969400
description	display adapter thread M9x1		

displays

			
GEV No.	101414	Ref. No.	2969300
description	display soldering connection		

nuts

			
GEV No.	102067	Ref. No.	6A012300 939300 BN6A012300 MA939300
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	702BMG, 704S, 706, 706S, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4GS, C9F6G, C9F6GS, C9F8GS, C9SB-4GS, C9V2GS, C9V4GS, C9V6GS, C9V8GS, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, EC74G-VG, EC78GVG, EC7FG8G, OCFG101, OCFG120, OCFG70, T7011GFG, T707GFG, T9F6GS, TPF706, TPF706S		

screws

			
GEV No.	101262	Ref. No.	1162800
description	thermocouple fitting thread M10x1 Qty 1 pcs		
For models:	C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, MM10DG, MM10D-GS, MM15DG, P9D10G, P9D15G, P9DA10G, P9DA15G, P9DASB10G, P9DSB10G, PDASB10G, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		



1

GEV No.	101260	Ref. No.	1359100 MA1359100
description	thermocouple fitting thread M8x1 Qty 1 pcs		
For models:	BR96G, BR96GI, BR9M6G, BR9M6GI, C7FG9G, CP707G, CP92G, CP94G, F9SB2G, F9SB2GR, F9SB4G, F9SB4GR, F9SB4GRL, F9V2G, F9V2GR, F9V4G, F9V4GR, F9V4GRL, FT74G, FT74GR, FT77G, FT77GRL, FTG40B, FTG60B, FTG60BLC, FTG60BR, FTG80B, FTG80BR, GB707G, OPLG40, OPLG80, P9D2G, PCG42, PCG82, PD707G, PLG40, PLG80, T7011GFG, T707G, T707GFG		

interrupters



1

GEV No.	101265	Ref. No.	1031500500 1531500500 1533400 MA1533400 R63040210
description	interrupter thread M9x1		
For models:	FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, FQG40, FQG60, PG040M, PG040X, PG080M, PG080X		

gas burners

bar burners

bar burners



1

GEV No.	106885	Ref. No.	R63016110
description	bar burner		



1

GEV No.	108098	Ref. No.	R63016070 R63016520
description	bar burner 1-row L 440mm ø 50mm flange width 57mm flange length 57mm MG110, VG110		
For models:	GC110M, GM110H, GM110M, GM110M+SC, GM110P, GV110H, GV110M, GV110M+SC, GV110P		



1

GEV No.	105543	Ref. No.	R63016060
description	bar burner 1-row ø 40mm Wmm Hmm L 420mm flange width 43mm flange length 43mm bain marie		



1

GEV No.	105831	Ref. No.	R63016050
description	bar burner 2 row L 425mm Wmm ø 40mm Hmm flange width 43mm flange length 43mm combi-steamer MG106, VG106		
For models:	MG106M, MG106P, MG106X, VG106M, VG106P, VG106X		



1

GEV No.	105845	Ref. No.	R63015280
description	bar burner 2 row L 550mm W 165mm ø 50mm H 85mm combi-steamer MG21		
For models:	FG110M, FG110X, PG080M, PG080X		



1

GEV No.	107774	Ref. No.	R63016090
description	bar burner ø 50mm L 495mm flange width 58mm flange length 58mm		



1

GEV No.	104244	Ref. No.	2708500 2708514 MA2708514
description	bar burner ø 50mm Wmm Hmm L 410mm flange width 52mm flange ø 75mm kettle		
For models:	CP92G, CP94G, CP9SB2G, CP9SB4G, FC10G, FC20G, FC5G, FC7G, MM10DG, MM10DGS, MM10IG, MM15DG, P9D10G, P9D15G, P9D2G, P9DA10G, P9DA15G, P9DASB10G, P9DSB10G, P9I10G, P9IA10G, PDASB10G		



For models: CON6G, CON6GP, CSM6G, CSM6GP



For models:	CSM10G, CSM10GP
--------------------	-----------------

forced air burners



For models: MG201M, MG201P, MG201I, MG202D, MG202M, MG202P, MG202I,
MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P,
MGMT40D, MGMT40P, MGVT10D, MGVT10P, MGVT20D, MGVT20P,
MGVT21D, MGVT21P, MGVT40D, MGVT40P



For models:	GMT20D, GVT20D, MACG10M, MACG20M
--------------------	----------------------------------



For models: MACG20M, MG06U1D, MG06U1M, MG06U1P, MG06U1T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MGVG051P

accessories

gaskets



For models:	GMT06D, GVT06D, MACG05M, MACG07M, MG061D, MG061M, MG061P, MG061T, MGMT06D, MGMT06P, MGVT06D, MGVT06P, MVG051P
--------------------	---

nozzle holders



accessories for		104108		
	GEV No.	102382	Ref. No.	1033700200 MA1033700200
	nut thread M14x1 H 3.5mm WS 18 brass Qty 1 pcs			
	GEV No.	104105	Ref. No.	—
	burner lower part for burner cap ø 80mm 3.5kW			
	GEV No.	104107	Ref. No.	—
	burner lower part for burner cap ø 100mm 6.4kW			



gas nozzles

main nozzles

gas nozzles M10x1



1

GEV No.	100156	Ref. No.	1421700 MA1421700
description	gas injector thread M10x1 bore $\varnothing$ 1.3mm L 30mm WS 12		
For models:	B74G, B78G, B94G, B98G, C7FG9G, CS10, CS6, ET78GVG, ET7FG8G, FT74GL, FT74GLC, FT74GR, FT74GRC, FT76GL, FT76GLC, FT76GM, FT76GMC, FT76GR, FT78GL, FT78GLC, FT78GLT, FT78GM, FT78GMC, FT78GMT, FT94GL, FT94GLC, FT94GR, FT94GRC, FT96GL, FT96GLC, FT96GM, FT96GMC, FT96GR, FT98GL, FT98GLC, FT98GLT, FT98GM, FT98GMC, FT98GMT, FT98GR, FT98GRT, GL12C4G, GL12C9G, GL74G, GL78G, GL94G, GL98G, MM10DG, MM10DGS, MM10IG...(Other models you can see in the webshop)		



1

GEV No.	100155	Ref. No.	2902500 MA2902500
description	gas injector thread M10x1 bore $\varnothing$ 1.45mm L 30mm WS 12		
For models:	BF78G, BF912G, BF912GH, BF98G, BMG40, BMG60, C7FG12G, C7FG8G, C7FG9G, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, CON10G, CON10GP, CS10, CS6, CSM10G, CSM10GP, EF74G8VA, EF74G8VG, EPC74G, FQG41, FQG61, FT129GLC, FT129GM, FT14G8L90, FT14G8LC90, FT14G8R2L90, FT14G8R2LC90, FT14G8R90, FT14G8RC90, FT74GL, FT74GLC, FT74GR, FT74GRC, FT76GL, FT76GLC, FT76GM, FT76GMC, FT76GR, FT78GL, FT78GLC, FT78GLT, FT78GM, FT78GMC, FT78GMT, FT7G4L90, FT7G4LC90...(Other models you can see in the webshop)		



1

GEV No.	100816	Ref. No.	2715300 MA2715300
description	gas injector thread M10x1 bore $\varnothing$ 1.5mm WS 12		
For models:	B74G, B78G, B94G, B98G, BIG40, BIG60, BMG40, BMG60, ET78GVG, ET7FG8G, FC10G, FCSG, FQG41, FQG61, FT12G7L70, FT12G7LC70, FT12G7R70, FT12G7RC70, FT12G7RL70, FT12G7RLC70, FT6G4L70, FT6G4LC70, FT6G4R70, FT6G4RC70, FT74G, FT74GL, FT74GLC, FT74GR, FT74GRC, FT76GL, FT76GLC, FT76GM, FT76GMC, FT76GR, FT77G, FT77GRL, FT78GL, FT78GLC, FT78GLT, FT78GM, FT78GMC, FT78GMT, FT94GL, FT94GLC, FT94GR, FT94GRC, FT96GL, FT96GLC, FT96GM, FT96GMC...(Other models you can see in the webshop)		



1

GEV No.	100151	Ref. No.	1631300 MA1631300
description	gas injector thread M10x1 bore $\varnothing$ 1.65mm L 30mm WS 12		
For models:	BR78GF, BR78GI, FT129GLC, FT129GM, FT74GL, FT74GLC, FT74GR, FT74GRC, FT76GL, FT76GLC, FT76GM, FT76GMC, FT76GR, FT78GL, FT78GLC, FT78GLT, FT78GM, FT78GMC, FT78GMT, FT94GL, FT94GLC, FT94GR, FT94GRC, FT96GL, FT96GLC, FT96GM, FT96GMC, FT96GR, FT98GL, FT98GLC, FT98GLT, FT98GM, FT98GMC, FT98GMT, FT98GR, FT98GRT, NBR78GF, NBR78GI, NF94G23, NF98G23, NPC74G, NPC76G, NPC78G, NPC94G, NPC96G, NPC98G, PC12C9G, PC74G, PC76G, PC78G...(Other models you can see in the webshop)		



1

GEV No.	106403	Ref. No.	707200 MA707200
description	gas injector thread M10x1 bore $\varnothing$ 1.9mm L 30mm WS 12		
For models:	B74G, B78G, B94G, B98G, BR78GF, BR78GI, CON202G, CON202GP, CP704G, CP707G, CSM202G, CSM202GP, FT12C9GL, FT12C9GM, FT12C9GLC, FT12C9GTMC, FT74GL, FT74GLC, FT74GR, FT74GRC, FT76GL, FT76GLC, FT76GM, FT76GMC, FT76GR, FT78GL, FT78GLC, FT78GLT, FT78GM, FT78GMC, FT78GMT, FT78GR, FT78GRT, FT94G, FT94GL, FT94GLC, FT94GR, FT94GRC, FT96GL, FT96GLC, FT96GM, FT96GMC, FT96GR, FT98GL, FT98GLC, FT98GLT, FT98GM, FT98GMC, FT98GMT, FT98GR...(Other models you can see in the webshop)		



1

GEV No.	106408	Ref. No.	1695300 MA1695300
description	gas injector thread M10x1 bore $\varnothing$ 3mm L 30mm WS 12		
For models:	BR707G, BR78GF, BR78GI, CP92G, CP94G, FT74G, FT74GR, FT77G, FT77GRL, NBR78GF, NBR78GI, P9D2G, PD98G10, PD98G15, PD98G15A, PD9S8G10		



1

GEV No.	100477	Ref. No.	522611 MA522611
description	gas injector thread M10x1 WS 12 bore $\varnothing$ 1.65mm		



1

GEV No.	100447	Ref. No.	523911
description	gas injector thread M10x1 WS 12 bore $\varnothing$ 2.3mm		



1

GEV No.	100490	Ref. No.	524711 MA524711
description	gas injector thread M10x1 WS 12 bore $\varnothing$ 2.7mm		



pilot burner nozzles

pilot burner nozzles SIT

100 series



GEV No.	100245	Ref. No.	1415100 24022299 3020054 MA1415100
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS, EF74G15, F12C4G15, F74G10, F74G15, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F96G10, F98G15, F98G22, F98G22K, F9S4G15, F9S4G22, F9S4G22K, F9S8G15, F9S8G22, F9S8G22K, F9SB2G, F9SB4G, F9SB4GR...(Other models you can see in the webshop)		



GEV No.	100246	Ref. No.	1422600 MA1422600
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS, F9SB2G, F9SB2GR, F9SB4G, F9SB4GR, F9SB4GRL, F9V2G, F9V2GR, F9V4G, F9V4GR, F9V4GRL, P9D10G, P9D15G, P9DA10G, P9DA15G, P9I10G, P9IA10G, T7011GFG, T707G, T707GFG, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		



GEV No.	102972	Ref. No.	1996200 CR0684580 MA1996200
description	pilot burner nozzle natural gas code 40 bore ø 0.4mm Qty 1 pcs		
For models:	EF74G15, F12C4G15, F74G10, F74G15, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F96G10, F98G15, F98G22, F98G22K, F9S4G15, F9S4G22, F9S4G22K, F9S8G15, F9S8G22, F9S8G22K, NF74G15T, NF78G15T, NG74G, NG78G, NG94G, NG98G		



GEV No.	107171	Ref. No.	1031502100 1842300 MA1031502100 MA1842300
description	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
For models:	EF74G15, F12C4G15, F74G10, F74G15, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F96G10, F98G15, F98G22, F98G22K, F9S4G15, F9S4G22, F9S4G22K, F9S8G15, F9S8G22, F9S8G22K, FR74G, FR77G, FR92G13, FR92G22, FR92G22T, FR94G13, FR94G22, FR94G22T, NF74G15T, NF78G15T, NG74G, NG78G, NG94G, NG98G		

140/150 series



GEV No.	100204	Ref. No.	1888000 MA1888000
description	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BM74G, BM77G, BR707G, BR707GI, BR78GF, BR78GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C78G, C7FE12G, C7FE8G, C7FG12G, C7FG8G, C7FG9G, C7FGM12G, C912G, C912GS...(Other models you can see in the webshop)		



GEV No.	100205	Ref. No.	1033722000 BN822140380 MA1033722000
description	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
For models:	EFT74GLVG, EFT74GRVG, EFT78GLVG, EFT78GMVG		



GEV No.	100207	Ref. No.	1887800 MA1887800
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
For models:	B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BM74G, BM77G, BR707G, BR707GI, BR78GF, BR78GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C78G, C7FE12G, C7FE8G, C7FG12G, C7FG8G...(Other models you can see in the webshop)		

160 series



GEV No.	107649	Ref. No.	1033719600 MA1033719600
description	pilot burner nozzle SIT LPG code 20 Qty 1 pcs		
For models:	BF78G, BF912G, BF912GH, BF98G, C74GS, C78GS, C79G, C7FE12GS, C7FE8GS, C7FG12G, C7FG12GS, C7FG8G, C7FG8GS, C7FG9G, C7FGM12G, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, CFG101, CFG70, CFG70M, CFGE61, CFGE61D, CFGE61L, CFGE61P, EC74GVG, EC78GVG, EC7FG8G, EF74G8VA, EF74G8VG, FQG41, FQG61, FT12C9GL, FT12C9GM, FT12C9GTLC, FT12C9GTMC, FT74GL, FT74GR, FT76GL, FT76GLC, FT76GM, FT76GMC, FT78GL, FT78GLC, FT78GLT, FT78GM, FT78GMC, FT78GMT...(Other models you can see in the webshop)		



1

GEV No.	107172	Ref. No.	1874700 MA1874700
description	pilot burner nozzle SIT LPG code 25 Qty 1 pcs		
For models:	BF78G, BF912G, BF912GH, BF98G, C12FGP9G, C7FG12G, C7FG8G, C7FG9G, C7FGM12G, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, EF74G8VA, EF74G8VG, EPC74G, FQG41, FQG61, MM10IG, NC7FG12G44, NC7FG8G32, NC7FG8G36, NC7FG8G48, NC7FGM12G, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NF74G10, NF74G15, NF74G8, NF76G10, NF76G8, NF78G15, NF94G15, NF94G23, NF94G23K, NF96G10, NF98G15, NF98G23, NF98G23K, NPC74G, NPC78G, NPC94G, NPC98G, NPD76G5, NPD78G8, NPD96G5...(Other models you can see in the webshop)		



1

GEV No.	107650	Ref. No.	0100802 CR0410100 R0100802 SIR0100802
description	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		
For models:	C12FGP9G, EF74G8VA, EF74G8VG, EPC74G, NC712G36, NC74G12, NC78G24, NC7FE12G36, NC7FE8G24, NC7FG12G44, NC7FG8G32, NC7FGM12G, NC912G44, NC94G16, NC94G20, NC98G28, NC98G40, NC9FE12G44, NC9FE8G28, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NC9FGM12G, NF74G10, NF74G15, NF74G8, NF76G10, NF76G8, NF78G15, NF94G15, NF94G23, NF94G23K, NF96G10, NF98G15, NF98G23, NF98G23K, NPC74G, NPC78G, NPC94G, NPC98G, NPD98G10, NPD98G15, NPD98G15A, NPI98G10, NPI98G14, NPI98G14A, NS78G5, NS7FG12G5...(Other models you can see in the webshop)		



1

GEV No.	107174	Ref. No.	1033719700 MA1033719700
description	pilot burner nozzle SIT natural gas code 41 Qty 1 pcs		
For models:	BF78G, BF912G, BF912GH, BF98G, C12FGP9G, C74GS, C78GS, C79G, C7FE12GS, C7FE8GS, C7FG12G, C7FG12GS, C7FG8G, C7FG8GS, C7FG9G, C7FGM12G, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, CFG101, CFG70, CFG70M, CFGE61, CFGE61D, CFGE61L, CFGE61P, EC74GVG, EC78GVG, EC7FG8G, EF74G8VA, EF74G8VG, EPC74G, FQG41, FQG61, NC7FG12G44, NC7FG8G32, NC7FG8G36, NC7FG8G48, NC7FGM12G, NC9FG12G52, NC9FG16G72, NC9FG8G32, NC9FG8G36, NC9FG8G48, NF74G10, NF74G15, NF74G8, NF76G10...(Other models you can see in the webshop)		



1

GEV No.	107175	Ref. No.	1874400 MA1874400
description	pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series		
For models:	MM10IG, P910G, P91A10G		

screw connections

olives



1

GEV No.	101278	Ref. No.	867-20 MA86720
description	olive for pipe ø 10mm Qty 1 pcs		
For models:	704S, 706S, B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, BF78G, BF912G, BF912GH, BF98G, BIG40, BIG60, BMG40, BMG60, BR707G, BR707GI, BR78GF, BR78GI, BRG40, BRG40G, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C74GS, C78G, C78GS, C79G, C7FE12G, C7FE12GS, C7FE8G, C7FE8GS, C7FG12G, C7FG12GS, C7FG8G...(Other models you can see in the webshop)		
accessories for	101278		
	GEV No.	100943	Ref. No. —
union nut thread M17x1 tube ø 10mm			
	GEV No.	101300	Ref. No. 1326500 MA1326500
union nut thread M16x1.5 tube ø 10mm			
	GEV No.	101478	Ref. No. 1665200 MA1665200
union nut thread 3/8" for pipe ø 10mm			



1

GEV No.	101273	Ref. No.	0100842 417810 673300 MA417810 MA673300 R0100842 SIR0100842
description	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
For models:	704, 704S, 706, 706AS, 706S, B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BM74G, BM77G, BR707G, BR707GI, BR78GF, BR78GI, BRG40, BRG40G, C12FGP9G, C7FG12G, C7FG8G, C7FGM12G, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, C9FP4GS, C9FP6GS, C9FP8GS, C9SB4GS, C9V2G, C9V2GS, C9V4G, C9V4GS, C9V6G, C9V6GS, C9V8G, C9V8GS, CP92G...(Other models you can see in the webshop)		
accessories for	101273		
	GEV No.	100944	Ref. No. —
union nut thread M18x1.5 for pipe ø 12mm			
	GEV No.	101276	Ref. No. 459300 MA459300
union screw thread 3/8" tube ø 12mm Qty 1 pcs			



				
1				
GEV No.	101256	Ref. No.	1127400 MA1127400	
description	olive for pipe ø 16mm Qty 1 pcs			
For models:	BR707G, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, C9FEP4GS, C9FEP6GS, C9FEP8GS, C9FP- P4GS, C9FP6GS, C9FP8GS, C9VP4GS, C9VP6GS, C9VP8GS, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CP707G, CP92E, CP92G, CP94E, CP94G, CS10, CS102G, CS102GP, CS6, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G...(Other models you can see in the webshop)			
accessories for	101256			
	GEV No.	101253	Ref. No.	1421000 MA1421000
union nut thread M24x1.5 PEL for pipe ø 16mm				

				
1				
GEV No.	101257	Ref. No.	1347000 MA1347000	
description	olive for pipe ø 20mm Qty 1 pcs			
For models:	MM10DG, MM10DGS, MM15DG, P9D10G, P9D15G, P9DA10G, P9DA15G, P9DASB10G, P9DSB10G, PD98G10, PD98G15, PD98G15A, PD9S8G10, PDASB10G, PI98G10, PI98G14, PI98G14A, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS			
accessories for	101257			
	GEV No.	101254	Ref. No.	1346900 MA1346900
union nut thread M28x1.5 tube ø 20mm				



1

GEV No.	101282	Ref. No.	469000 MA469000
description	olive for pipe ø 4mm L 7.4mm Qty 1 pcs		
For models:	704S, 706S, BIG40, BIG60, BMG40, BMG60, BRG40, BRG40G, CP707G, CP92G, CP94G, FQG40, FQG60, FT74G, FT74GR, FT77G, FT77GRL, FTG40B, FTG40BLC, FTG40BR, FTG60B, FTG60BLC, FTG60BR, FTG60BRR, FTG80B, FTG80BLC, FTG80BR, GB707G, P9D2G, PD707G, PI707G, TPF706S		
accessories for	101282		
	GEV No.	100908	Ref. No. 0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	101283	Ref. No. 468800 MA468800
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			


			
1			
GEV No.	101246	Ref. No.	673600 MA673600
description	olive for pipe ø 4mm Qty 1 pcs		
For models:	704S, 706S, B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, BF78G, BF912G, BF912GH, BF98G, BIG40, BIG60, BR78GF, BR78GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, BRG40, BRG40G, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G...(Other models you can see in the webshop)		
accessories for	101246		
	GEV No.	100908	Ref. No. 0100777 673500 MA673500 R0100777 SIR0100777
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

			
1			
GEV No.	100897	Ref. No.	1881000 1888100 MA1888100
description	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BM74G, BM77G, BR707G, BR707GI, BR78GF, BR78GI, BR94G, BR94GI, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C74GS, C78G, C78GS, C79G, C7FE12G, C7FE12GS, C7FE8G, C7FE8GS, C7FG12G, C7FG12GS, C7FG8G, C7FG8GS, C7FG9G, C7FGM12G, C912G, C912GS, C94G...(Other models you can see in the webshop)		

			
1			
GEV No.	101286	Ref. No.	961500 LA62070023 LAR62070023
description	olive ID ø 6mm Qty 1 pcs		
accessories for	101286		
	GEV No.	100909	Ref. No. LA62060223 LAR62060223
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101464	Ref. No. —
union nut thread M12x1 for pipe ø 6mm			




union nuts



1

GEV No.	101253	Ref. No.	1421000 MA1421000
description	union nut thread M24x1.5 PEL for pipe ø 16mm		
For models:	BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, C9FEP4GS, C9FEP6GS, C9FEP8GS, C9FP4GS, C9FP6GS, C9FP8GS, C9VP4GS, C9VP6GS, C9VP8GS, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CP707G, CP92E, CP92G, CP94E, CP94G, CS10, CS102G, CS102GP, CS6, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP...(Other models you can see in the webshop)		
accessories for	101253		
	GEV No.	101256	Ref. No.
			1127400 MA1127400
olive for pipe ø 16mm Qty 1 pcs			



1

GEV No.	101254	Ref. No.	1346900 MA1346900
description	union nut thread M28x1.5 tube ø 20mm		
For models:	MM10DG, MM10DGS, MM15DG, P9D10G, P9D15G, P9DA10G, P9DA15G, P9DASB10G, P9DSB10G, PD98G10, PD98G15, PD98G15A, PD9S8G10, PDASB10G, PI98G10, PI98G14, PI98G14A, T9F4G, T9F6GS, T9SB4G, T9V4G, T9V6GS		
accessories for	101254		
	GEV No.	101257	Ref. No.
			1347000 MA1347000
olive for pipe ø 20mm Qty 1 pcs			

union screws



1

GEV No.	100904	Ref. No.	1388000 1394700 MA1394700
description	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BM74G, BM77G, BMG40, BMG60, BR707G, BR707GI, BR78GF, BR78GI, C12FGP9G, C7FG12G, C7FG8G, C7FGM12G, C9F4G, C9F4GS, C9F6G, C9F6GS, C9F8G, C9F8GS, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, C9FP4GS, C9FP6GS, C9FP8GS, EF74G15, EF74G8VA, EF74G8VG, F12C4G15, F74G10, F74G15, F74G6, F76G10, F78G15, F94G10, F94G15, F94G22, F94G22K, F94G6, F96G10...(Other models you can see in the webshop)		



1

GEV No.	100905	Ref. No.	1394800 MA1394800
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
For models:	BR707G, CS10, CS102G, CS102GP, CS6, CSM201E, CSM201EP, CSM201G, CSM201GP, CSM202E, CSM202EP, CSM202G, CSM202GP, FR74G, FR77G		



1

GEV No.	100906	Ref. No.	1888400 MA1888400
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
For models:	B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BM74G, BM77G, BR707G, BR707GI, BR78GF, BR78GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G...(Other models you can see in the webshop)		



1

GEV No.	100907	Ref. No.	1891700 24010899 MA1891700 MA24010899
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
For models:	B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BIG40, BIG60, BM74G, BM77G, BR707G, BR707GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR96G, BR96GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9SB4G, BR9SB4GI, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C712G, C74G, C78G, C7FE12G, C7FE8G, C7FG12G...(Other models you can see in the webshop)		



1

GEV No.	100908	Ref. No.	0100777 673500 MA673500 R0100777 SIR0100777
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
For models:	704S, 706S, B74G, B78G, B94G, B98G, B9SB2G, B9SB4G, B9V2G, B9V4G, B9VP4G, BF78G, BF912G, BF912GH, BF98G, BIG40, BIG60, BM74G, BM77G, BR707G, BR707GI, BR912GFM, BR912GIM, BR94G, BR94GI, BR98GF, BR98GFM, BR98GI, BR98GIM, BR9M4G, BR9M4GI, BR9M6G, BR9M6GI, BR9S8GF, BR9S8GI, BR9SB4G, BR9SB4GI, BRG40, BRG40G, C124G, C129G, C12C2G9, C12C9G, C12FG9G, C12FGP9G, C7011G, C7011GFE, C7011GFG, C704G, C707G...(Other models you can see in the webshop)		
accessories for	100908		
	GEV No.	100897	Ref. No. 1881000 1888100 MA1888100
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	GEV No.	101246	Ref. No. 673600 MA673600
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101280	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101282	Ref. No. 469000 MA469000
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs		



1

GEV No.	100909	Ref. No.	LA62060223 LAR62060223
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
accessories for	100909		
	GEV No.	100898	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	GEV No.	101286	Ref. No. 961500 LA62070023 LAR62070023
olive ID ø 6mm Qty 1 pcs			
	GEV No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	101288	Ref. No. —
olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm			

gas ball valves

with DIN-DVGW approval



1

GEV No.	520326	Ref. No.	1031103600 1546500
description	ball valve straight t-handle inlet 3/4" IT outlet 3/4" IT DN20 L 80mm approval DVGW gas technology operating p. 1bar		

gas lines

pilot tubes

universal



1

GEV No.	102111	Ref. No.	1690200
description	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
For models:	BR707G		

pressure switches



1

GEV No.	541051	Ref. No.	5151000 MA5151000
description	pressure control ø 45mm pressure range adjustable 10-50mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	CON102G, CON102GP, CON10G, CON10GP, CON201G, CON201GP, CON202G, CON202GP, CON6G, CON6GP, CP9A15GD, CSM102G, CSM102GP, CSM10G, CSM10GP, CSM201G, CSM201GP, CSM202G, CSM202GP, CSM6G, CSM6GP		



1

GEV No.	541073	Ref. No.	LA63070010 LAR63070010
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	CVG105H, CVG105M, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG106M...(Other models you can see in the webshop)		



1

GEV No.	698947	Ref. No.	LAR69180230
description	drip rail L 797mm plastic W 33.5mm		



1

GEV No.	694606	Ref. No.	R11200520
description	drip rail L 90mm edition from 2000 until 2009		
For models:	ME061M, ME061P, ME061T, ME101M, ME101P, ME101T, ME102M, ME102P, ME102T, MG061M, MG061P, MG061T, MG101M, MG101P, MG101T, MG102M, MG102P, MG102T		

equipmentspecific units

for convection ovens/combi-steamers

drain units

drip rails



1

GEV No.	691961	Ref. No.	LA69180010 LAR69180010 R69180000
description	drain unit L 90mm edition since 2009		
For models:	GMT20D, GVT06D, GVT20D		



1

GEV No.	698946	Ref. No.	LAR69180220
description	drip rail L 557mm plastic W 33.5mm		

drain valves



1

GEV No.	694977	Ref. No.	LA62280038
description	drain pipe angled 90° polypropylene DN50 for combi-steamer		

bushes



1

GEV No.	699451	Ref. No.	R70080010
description	bush for steam generator ID ø 60mm ED ø 76mm L 70mm ceramic suitable for combi-steamer		
For models:	GMT20D, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P		

injection nozzles



1

GEV No.	691278	Ref. No.	R58006130 R58006140
description	injection nozzle bore ø 1mm for combi-steamer		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T...(Other models you can see in the webshop)		



1

GEV No.	692326	Ref. No.	R58006080
description	injection nozzle bore ø 2mm L 33mm WS 14 brass for combi-steamer T1: M10x1 T2: M10x1		
For models:	EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, GM210H, GM210M, GM210M+SC, GM210P, GV210H, GV210M, GV210M+SC, GV210P, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VE120M, VE120P, VE120X, VE210M, VE210P, VE210X, VE220M, VE220P, VE220X, VG120M, VG120P...(Other models you can see in the webshop)		

injection pipes



1

GEV No.	696767	Ref. No.	R10206480
description	extension U-shape for injection pipe ED ø 8/12mm ID ø 6/8mm		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, MEC24H, MEC40M, MGC20X, MGC24H, MGC40H, VE110M, VE110X, VE120M, VE120P, VE120X, VE210M, VE210P, VE210X...(Other models you can see in the webshop)		



1

GEV No.	692819	Ref. No.	R11201980
description	injection pipe for combi-steamer ED ø 8mm ID ø 5.5mm L 170mm W 115mm		
For models:	GVT20D, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT40D, MGVT40P		



1

GEV No.	692821	Ref. No.	R18200540
description	injection pipe for combi-steamer H 75mm ED ø 8mm ID ø 6mm L 105mm		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		



1

GEV No.	692832	Ref. No.	R11201990
description	injection pipe for combi-steamer U-shape ED ø 8mm ID ø 6mm		
For models:	GMT20D, MACG10M, MACG20M, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MGMT20D, MGMT20P		



1

GEV No.	694318	Ref. No.	R10206540
description	injection pipe L1 66mm L2 49mm tube ø 8mm mounting distance 36mm		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M...(Other models you can see in the webshop)		

			
1			
GEV No.	692820	Ref. No.	R11200650
description	injection pipe with holder for combi-steamer ED ø 8mm ID ø 6mm L 150mm H 75mm		
For models:	GMT06D, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MGMT06D, MGMT06P, MGMT06D, MGMT06P, MGMT06D, MGMT06P		

spare parts and accessories

			
1			
GEV No.	692835	Ref. No.	LAR58003110
description	pin for air baffle combi-steamer L 38mm ø 7mm		

			
1			
GEV No.	694979	Ref. No.	LA69180110 LAR69180110
description	thermostatic steam trap for combi-steamer plastic		


filters

			
1			
GEV No.	691269	Ref. No.	R18200260
description	drain filter ø 43mm		
For models:	MACE04M, MVE042P		

			
1			
GEV No.	691270	Ref. No.	R02200280 R10201700
description	drain filter ø 76mm		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FG105M, FG105X, FG110M, FG110X, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M...(Other models you can see in the webshop)		

			
1			
GEV No.	691271	Ref. No.	LA10201710 LAR10201710 R10201720
description	drain filter ø 87mm		
For models:	GMT06D, GMT20D, GVT06D, MACE10M, MACE20M, MACG10M, MACG20M, ME102D, ME102M, ME102P, ME102T, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X...(Other models you can see in the webshop)		

glass panels

			
1			
GEV No.	696396	Ref. No.	R11100140
description	glass panel L 860mm W 730mm thickness 6mm mounting pos. inner for combi-steamer		
For models:	GMT20D, GVT20D, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, MEMT20D, MEMT20P, MEVT20D, MEVT20P, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MGMT20D, MGMT20P, MGMT20D, MGMT20P		

cleaning system

nozzles

			
1			
GEV No.	550864	Ref. No.	R62210042
description	nozzle flow rate 0.56l/min for combi-steamer		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

			
GEV No.	550865	Ref. No.	R62210032
description	nozzle flow rate 1.3l/min for combi-steamer		
For models:	ME061T, ME101T, ME102T, ME201T, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MG102T, MG201T, MG202T, MGMT06P, MG-MT10P, MGMT20P, MGMT21P, MGMT40P		

coupling bushings

			
GEV No.	550863	Ref. No.	R58004980
description	bush for wash arm		
For models:	ME061T, ME101T, ME102T, ME201T, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MG102T, MG201T, MG202T, MGMT06P, MG-MT10P, MGMT20P, MGMT21P, MGMT40P		

cleaning arms

			
GEV No.	542409	Ref. No.	LAR58007020
description	mounting flange with gasket for wash arm suitable for LAINOX combi-steamer		

hoses

			
GEV No.	694953	Ref. No.	LA80150040 LAR70070080
description	hose ID ø 13mm ED ø 23mm L 1mm EPDM blue/white t.max. 120°C for combi-steamer		


screw connections

			
GEV No.	542412	Ref. No.	LAR58007000
description	bolt for flange wash arm L 50mm M12x1 suitable for combi-steamer		

pipes

			
GEV No.	520970	Ref. No.	R62180022
description	drain pipe flexible L 135mm ID ø 18mm ED ø 27.5mm connection 3/4" ET - 3/4" IT SS for combi-steamer		
For models:	GMT06D, ME201D, ME201M, ME201P, ME201T, MEMENT21D, MEMENT21P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGC20X, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT21D, MGMT21P, MGMT40D, MGMT40P		


hoses

			
GEV No.	530904	Ref. No.	LAR77700056
description	hose ID ø 30mm ED ø 36mm L 3000mm for combi-steamer		

			
GEV No.	520534	Ref. No.	LA70060040 LAR70060040
description	hose ID ø 50mm ED ø 58mm L 50mm silicone Qty 1 for combi-steamer thickness 4mm		
For models:	FE105M, FE105X, FE110M, FE110X, FG105M, FG105X, FG110M, FG110X, GMT20D, ME061P, ME061T, ME101M, ME101P, ME101T, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		

			
GEV No.	530901	Ref. No.	LA70060050 R70060050
description	hose ID ø 54mm ED ø 60mm L 50mm for combi-steamer		
For models:	FE210M, FG210M, FG210X, ME102P, ME102T, ME202D, ME202M, ME202P, ME202T, MEMENT40D, MEMENT40P, MEVT40D, MEVT40P, MG102P, MG102T, MG202D, MG202M, MG202P, MG202T, MGMT40D, MG-MT40P, MGMT40D, MGMT40P		

service kits



1

GEV No.	512503	Ref. No.	R62300028
description	backflow preventer kit		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MG102T, MG201T, MGMT06P, MGMT10P, MGMT20P		



1

GEV No.	699468	Ref. No.	R58003100
description	mounting set for air baffle 4-piece		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P...(Other models you can see in the webshop)		

doors



1

GEV No.	692325	Ref. No.	R71010010
description	glass panel W 514mm H 314mm thickness 4mm for hot air oven Qty 1 pcs		
For models:	FE105M, FE105X, FG105M, FG105X, PE040M, PE040X, PG040M, PG040X		



1

GEV No.	691298	Ref. No.	R18100000
description	oven door complete		
For models:	MACE04M, MVE042P		



1

GEV No.	692836	Ref. No.	R11401360
description	protective plate lower for glass plate combi-steamer H 8mm W 8mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGVT06D, MGVT06P, MGVT10D, MGVT10P...(Other models you can see in the webshop)		



1

GEV No.	692837	Ref. No.	R11401340
description	protective plate upper for glass plate combi-steamer H 8mm W 8mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MGMT06D, MGMT06P, MGMT10D, MGMT10P...(Other models you can see in the webshop)		

door mechanics

holders



1

GEV No.	691272	Ref. No.	R18203910
description	bracket for glass plate mounting pos. lower		
For models:	MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M		



1

GEV No.	691273	Ref. No.	R18203920
description	bracket for glass plate mounting pos. upper		
For models:	MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M		

accessories



1

GEV No.	692834	Ref. No.	R10207680
description	fixing plate for door W 30mm L 50mm		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, VE120M...(Other models you can see in the webshop)		

vibration pumps



1

GEV No.	500568	Ref. No.	LAR65110600
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		
spare parts for	500568		
	GEV No.	390698	Ref. No. —
thermal fuse switch-off temp. 110°C suitable for ULKA pump			
	GEV No.	520153	Ref. No. —
bracket rubber dimensions 53x34x28mm			

heat exchangers



1

GEV No.	520509	Ref. No.	LA58004170 LAR58004170
description	reducing washer gas burner brass ID ø 3mm ED ø 16mm thickness 2.2mm code 3		
For models:	MACG05M, MVG051P		

miscellaneous



1

GEV No.	696428	Ref. No.	R11201970
description	extension U-shape for injection pipe D1 ø 8mm D2 ø 10mm L 212mm WS 12 stainless steel		
For models:	MACE10M, MACE20M, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG101D, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT10D, MGMT10P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P		



1

GEV No.	696394	Ref. No.	R10206470
description	extension U-shape for injection pipe D1 ø 8mm D2 ø 12mm L 113mm W 72mm		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GV106H, GV106M, GV106M+SC, GV106P, VE106M, VE106P, VE106X, VG106M, VG106P, VG106X		

			
1			
GEV No.	691290	Ref. No.	R10100140
description	extractor stubs complete		
For models:	ME061P, ME061T, ME101P, ME101T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEMT06P, MEMT10P, MEVT06P, MEVT10P, MG061P, MG061T, MG101P, MG101T, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC24H, MGC40H, MGMT06P, MGMT10P, MGVT06P, MGVT10P, VE106M...(Other models you can see in the webshop)		

			
1			
GEV No.	691282	Ref. No.	R58005350
description	gasket for door handle D1 ø 30mm D2 ø 18mm mounting pos. upper H 1.4mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

			
1			
GEV No.	691291	Ref. No.	R70060020
description	gasket for extractor stubs D1 ø 30mm D2 ø 35mm W 9mm		
For models:	ME061P, ME061T, ME101P, ME101T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEMT06P, MEMT10P, MEVT06P, MEVT10P, MG061P, MG061T, MG101P, MG101T, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC24H, MGC40H, MGMT06P, MGMT10P, MGVT06P, MGVT10P, VE106M...(Other models you can see in the webshop)		

			
1			
GEV No.	690099	Ref. No.	LA58002150 LAR58002150
description	hinge pin mounting pos. upper for door		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P...(Other models you can see in the webshop)		

			
1			
GEV No.	506229	Ref. No.	R11200380
description	injection pipe for combi-steamer L 205mm ø 10mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEVT40D, MEVT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D...(Other models you can see in the webshop)		

			
1			
GEV No.	691289	Ref. No.	R58004830
description	nut thread M18x1 H 5mm WS 22 brass Qty 1 pcs for door handle		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

			
1			
GEV No.	691296	Ref. No.	R61400052
description	plain washer ID ø 10.5mm ED ø 21mm thickness 2mm SS Qty 1 pcs for fan wheel		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		



			
1			
GEV No.	691292	Ref. No.	R10401710
description	plain washer ID ø 12mm ED ø 17.5mm thickness 1mm SS Qty 1 pcs		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME210M, ME210P, ME210X, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P...(Other models you can see in the webshop)		

			
1			
GEV No.	691283	Ref. No.	R58003240
description	pressure bolt for door handle D1 ø 8mm D2 ø 11mm L 73mm thread M6 bolt 16mm bolt ø 5mm		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME210M, ME210P, ME210X, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG210M, MG210P, MG210X, MVE042P, MVE051P, MVG051P, PE040M, PE040X, PE080M, PE080X, PG040M...(Other models you can see in the webshop)		

			
1			
GEV No.	691297	Ref. No.	LA62030113 R62030118
description	reducer thread 1/4 / 1/8		
For models:	GVT06D, GVT20D, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MVE042P, MVE051P, MVG051P		
accessories for	691297		
		GEV No.	529544
		Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 7.59mm Qty 1 pcs		

			
1			
GEV No.	694319	Ref. No.	R58003390
description	screw connection for pressure switch L 50mm WS 30 brass thread 1/4"		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P, MG202D, MG202M, MG202P, MG202T, MGMT40D, MGMT40P, MGVT40D, MGVT40P, VE004M, VE004X, VE104M, VE104X, VE105M, VE105X, VE106P, VE120P, VE210P, VE220P, VG105M, VG105X, VG106P, VG110P, VG120P, VG210P, VG220P		

			
1			
GEV No.	691280	Ref. No.	R58005340
description	sealing disc for door handle mounting pos. lower ED ø 25mm ID ø 5.5mm H 5mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

			
1			
GEV No.	691281	Ref. No.	R58004270
description	spacer piece for door handle L 34mm ID ø 6mm ED ø 8mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACG05M, MACG07M, MACG10M, MACG20M, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME210M, ME210P, ME210X, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG210M, MG210P, MG210X, MVE042P, MVE051P, MVG051P, PE040M...(Other models you can see in the webshop)		

			
1			
GEV No.	692300	Ref. No.	LAR70050180 R70050100
description	stopper with screw connection for glass plate D1 ø 15mm L 8mm thread M4		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		

knobs

producer-specific knobs

MARENO

			
1			
GEV No.	110997	Ref. No.	1323500 1323513 MA1323513
description	knob dial plate oven BH/TH/BH+TH t.max.°C°C		



accessories

button springs



1

GEV No.	550132	Ref. No.	9003088700 MA9003088700
description	knob spring $\varnothing$ 6x4.6mm Qty 10 pcs		

handles and hand wheels

cylindrical handles

fixed



1

GEV No.	110703	Ref. No.	1829200 MA1829200
description	cylindrical handle thread M10 $\varnothing$ 28mm L 87mm		
For models:	CRE6220, CRE6230, CRE6320, CRE6330, GB704G, GB707G, GB92G, GB94G, GL12C4G, GL12C9G, GL74G, GL78G, GL94G, GL98G, NGL74G, NGL78G, OPLG40, OPLG80, PLG40, PLG80, SME62M, SME63M, SME70M, SPE60M, SPW60M, TSE60M		

bracket handles



1


GEV No.	700551	Ref. No.	1851800 MA1851800
description	pull handle L 200mm H 62mm mounting distance 179mm handle M8		

locks

edgmount latches

handle latches

CAFF/FERMOD



1

GEV No.	700060	Ref. No.	2872000 MA2872000
description	handle latch L 150mm mounting distance 133mm non lockable heated units G 791		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CS102E, CS102EP, CS102G, CS102GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
accessories for	700060		
	GEV No.	700061	Ref. No. 5129900 MA5129900
	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
	GEV No.	700062	Ref. No. —
handle protection heated units			

door catches



1

GEV No.	700061	Ref. No.	5129900 MA5129900
description	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CON6E, CON6EP, CON6G, CON6GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP, CSM6E, CSM6EP, CSM6G, CSM6GP		
accessories for	700061		
	GEV No.	690414	Ref. No. —
	handle latch L 150mm mounting distance 133mm non lockable refrigeration units G 791		

snap locks

universal



1			2711200 2844800 2844800R LA69050010 LAR69050010
GEV No.	690596	Ref. No.	
description	snap lock L 60mm W 15mm H 36mm mounting distance 48/28mm spring thickness 1.5mm complete with door catch zamak		
For models:	CS4E, CS4EP, FC10E, FC20GP, FC5E, FC7E		

producer-specific

MARENO



1			SIRZ960029 SIRZ960029
GEV No.	694586	Ref. No.	
description	snap lock repair set		

espagnolette locks

universal



1			5145100 MA5145100
GEV No.	690041	Ref. No.	
description	cam L 148mm mounting distance 32mm		
For models:	CSM201, CSM202		



1			5156000 MA5156000
GEV No.	690040	Ref. No.	
description	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		
For models:	CSM201, CSM202		

producer-specific

MARENO



1			5145100 MA5145100
GEV No.	690041	Ref. No.	
description	cam L 148mm mounting distance 32mm		
For models:	CSM201, CSM202		



1			5156000 MA5156000
GEV No.	690040	Ref. No.	
description	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		
For models:	CSM201, CSM202		



1			5154800 MA5154800
GEV No.	690042	Ref. No.	
description	latch gear opening to the right shaft intake ø 8x8mm L 170mm W 40mm H 40mm		
For models:	CSM201, CSM202		
accessories for	690042		
		GEV No.	690040
		Ref. No.	5156000 MA5156000
	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		
		GEV No.	690041
		Ref. No.	5145100 MA5145100
	cam L 148mm mounting distance 32mm		
		GEV No.	691050
		Ref. No.	—
	bar ø 10mm for door latch L 113.5mm		

miscellaneous




1			LAR58001780
GEV No.	691286	Ref. No.	
description	catch for glass plate		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		




hinges


oven hinges




GEV No.	700003	Ref. No.	1031106000 1034400800 MA1031106000 MA1034400800
description	opposite support L 110mm W 12mm mounting distance 94mm		
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, FOE60M, OCFE60, OCFGE61, OFOE60M		



GEV No.	690030	Ref. No.	1034400400 CR1075440 MA1034400400	
description	oven hinge mounting distance 118mm lug mounting 13mm lever length 117mm groove distance 10mm spring thickness 3.5mm mounting ear position left/right spring length 60mm L 155mm W 21mm			
For models:	CFE60, CFE60P, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60, OCFE60, OCFGE61			
accessories for	690030			
	GEV No.	700003	Ref. No.	1031106000 1034400800 MA1031106000 MA1034400800
	opposite support L 110mm W 12mm mounting distance 94mm			



GEV No.	700013	Ref. No.	1031102000 MA1031102000	
description	oven hinge mounting distance 118mm lug mounting 13mm lever length 119mm groove distance 13mm spring thickness 3.5mm mounting ear position left spring length 60mm L 154mm			
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60			
accessories for	700013			
	GEV No.	700003	Ref. No.	1031106000 1034400800 MA1031106000 MA1034400800
	opposite support L 110mm W 12mm mounting distance 94mm			



GEV No.	700014	Ref. No.	1031105500 MA1031105500	
description	oven hinge mounting distance 118mm mounting distance 2mm lug mounting 13mm lever length 119mm groove distance 13mm spring thickness 3.5mm mounting ear position right spring length 60mm L 154mm			
For models:	CFE60, CFE60P, CFGE60, CFGE61, CFGE61D, CFGE61L, CFGE61P, CFVE60			
accessories for	700014			
	GEV No.	700003	Ref. No.	1031106000 1034400800 MA1031106000 MA1034400800
	opposite support L 110mm W 12mm mounting distance 94mm			

door bearing

			
1			
GEV No.	691288	Ref. No.	R58002520
description	door bolt		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME101D, ME102D, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG061D, MG101D, MG102D, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P		

			
2			
GEV No.	692831	Ref. No.	LA58002670 LAR58002670
description	door bolt mounting pos. bottom left thread M12 bolt 15mm bolt ø 10mm		
For models:	GMT20D, GVT06D, GVT20D		

			
1			
GEV No.	690098	Ref. No.	R10201330
description	door hinge mounting pos. lower with holder		
For models:	ME120M, ME120P, ME120X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG120M, MG120P, MG120X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VE120M, VE120P, VE120X, VE220M, VE220P, VE220X, VG120M, VG120P, VG120X, VG220M, VG220P, VG220X		

			
1			
GEV No.	690097	Ref. No.	R10201290
description	door hinge mounting pos. upper		
For models:	ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MGC20X, VE106M, VE106P, VE106X, VE110M, VE110X, VE120M, VE120P, VE120X, VE210M, VE210P, VE210X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X		

			
1			
GEV No.	691287	Ref. No.	R18404500
description	hinge		
For models:	MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M		

			
1			
GEV No.	691284	Ref. No.	LA58001760 LAR58001760
description	hinge for glass plate		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		

			
1			
GEV No.	691277	Ref. No.	R18201270
description	hinge mounting pos. bottom left		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		

			
1			
GEV No.	690587	Ref. No.	R11200550 R11200551
description	hinge bearing mounting pos. lower with bolt		
For models:	ME061M, ME061P, ME061T, ME101M, ME101P, ME101T, ME102M, ME102P, ME102T, MG061M, MG061P, MG061T, MG101M, MG101P, MG101T, MG102M, MG102P, MG102T		

			
1			
GEV No.	690096	Ref. No.	R10201190
description	hinge bearing mounting pos. lower without bolt		
For models:	ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME210M, ME210P, ME210X, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG210M, MG210P, MG210X, VE106M, VE106P, VE106X, VE110M, VE110X, VE210M, VE210P, VE210X, VG106M, VG106P, VG106X, VG110M, VG110P, VG110X, VG210M, VG210P, VG210X		

			
1			
GEV No.	691276	Ref. No.	R18201260
description	hinge bearing mounting pos. upper left		
For models:	MACE04M, MACE05M, MACG05M, MVE042P, MVE051P, MVG051P		

			
1			
GEV No.	690586	Ref. No.	LA11426830 R11200560
description	hinge bearing mounting pos. upper left without bolt		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		

			
1			
GEV No.	514524	Ref. No.	LA11207240 LAR11207240
description	hinge bearing without bolt for combi-steamer mounting pos. bottom left		
For models:	GMT20D, GVT06D, GVT20D		

			
1			
GEV No.	691285	Ref. No.	LA58001770 LAR58001770
description	hinge bolt		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		

			
1			
GEV No.	690099	Ref. No.	LA58002150 LAR58002150
description	hinge pin mounting pos. upper for door		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P...(Other models you can see in the webshop)		

hinges

accessories

			
1			
GEV No.	690595	Ref. No.	LA58002550 LAR58002550
description	bush for door hinge		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, VE120M...(Other models you can see in the webshop)		

			
1			
GEV No.	690592	Ref. No.	LAR58002540
description	pin for hinge		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, VE120M...(Other models you can see in the webshop)		

			
1			
GEV No.	690593	Ref. No.	LA58002570 LAR58002570
description	plain washer ID ø 15mm ED ø 30mm thickness 3mm Qty 1 pcs for door hinge		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGV21D, MGV21P, MGV240D, MGV240P, VE120M...(Other models you can see in the webshop)		

			
1			
GEV No.	690594	Ref. No.	LA58002560 LAR58002560
description	pressure screw for door hinge		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGV21D, MGV21P, MGV240D, MGV240P, VE120M...(Other models you can see in the webshop)		

pullouts

rollers

rollers

accessories

			
1			
GEV No.	560133	Ref. No.	260404
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

fittings for catering equipment

outlet taps

producer-specific

MARENO

			
1			
GEV No.	540658	Ref. No.	1450500 MA1450500
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 69mm		
For models:	CP704E, CP704G, CP92E, CP92E2, CP92G, CP94E, CP94E2, CP94G, CP95B2E, CP95B2E2, CP95B2G, CP95B4E, CP95B4E2, CP95B4G, CPE40, CPE402, CPE60, CPE602, CPE60DB, F74E10, F74E6, F76E10, F94E10, F94E6, F96E10, FR74E, FR74E10, FR74E10L, FR74E10L2, FR74G, FR77E, FR77E10, FR77E10L, FR77E10L2, FR77G, FR92E10, FR92E10L, FR92E10L2, FR92E13, FR92E22, FR92G22, FR94E10, FR94E10L, FR94E10L2, FR94E13, FR94E22, FR94G23, FR9P2E10, FR9P4E10, NF74E10...(Other models you can see in the webshop)		

			
1			
GEV No.	514099	Ref. No.	1515900 MA1515900
description	centring piece L 20mm for extension thread ID ø 10mm D1 ø 18mm D2 ø 20mm		
For models:	CP92E, CP92E2, CP92G, CP94E, CP94E2, CP94G, CP95B2E, CP95B2E2, CP95B2G, CP95B4E, CP95B4E2, CP95B4G, EPC74E, EPC74G, NPC74E, NPC74G, NPC76E, NPC76G, NPC78E, NPC78G, NPC94E, NPC94G, NPC98E, NPC98G, PC12C4E, PC12C4G, PC12C9E, PC12C9G, PC74E, PC74G, PC76E, PC76G, PC78E, PC78G, PC94E, PC94G, PC96E, PC96G, PC98E, PC98G, PC954E, PC954G, PC956E, PC956G, PC958E, PC958G		

DERBY RUOTE

with bolt hole

chrome-plated steel

			
1			
GEV No.	700201 ¹	Ref. No.	30700699
description	swivel castor with swivel brake ø 100mm bolt hole bolt hole ø 12mm housing chrome-plated sheet steel capacity 80kg bearing ball bearing wheel body polypropylene tread TPE tyres H 132mm wheel width 30mm Qty 1 pcs		
For models:	CB3, CB5, CD24		

¹with swivel brake



spare parts and accessories

miscellaneous



GEV No.	560193	Ref. No.	15812699 MA15812699
description	tooth lock washer ID ø 10.4mm ED ø 18mm zinc-coated steel DIN/ISO DIN 6798A Qty 1 pcs for thread M10		
For models:	CPE60, CPE602, CPE60DB, OCPE6, OCPE60		

TENTE

with fixing plate

stainless steel



GEV No.	701624	Ref. No.	R69090100
description	swivel castor with swivel brake ø 125mm plate fixing housing stainless steel plate size 105x85mm hole distance 78x60mm capacity 200kg bearing slide bearing wheel body polyamide tread polyurethane H 155mm wheel width 32mm		
For models:	ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202T, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P		



GEV No.	701622	Ref. No.	R69090090
description	swivel castor without brake ø 125mm plate fixing housing stainless steel plate size 105x85mm hole distance 78x60mm capacity 200kg bearing slide bearing wheel body polyamide tread polyurethane H 155mm wheel width 32mm		
For models:	ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P		

shelves and shelf rails

grates

universal

with upstand




GEV No.	970527	Ref. No.	2306800 MA2306800
description	grate W 530mm D 650mm GN 2/1 chrome-plated steel with hinge camp crossing wires 2 suitable for refrigerator		
For models:	AF140B, AF140C, AF140F, AF140I, AF140MB, AF140MC, AF140MF, AF140MI, AF140MN, AF140MP, AF140N, AF140P, AF70B, AF70C, AF70F, AF70I, AF70MB, AF70MC, AF70MF, AF70MI, AF70MN, AF70MP, AF70N, AF70P, AFR1143P, AFR1143PE, BF78G, BF912G, BF912GH, BF98G, C7FG12G, C7FG8G, C9F4GS, C9F6E, C9F6GS, C9F8GS, C9FE6GS, C9FG12G, C9FG16G, C9FG8G, C9FG8GP, C9FGM12G, EF140DF, EF140DN, EF140DP, EF140MB, EF140MC, EF140MF, EF140MI, EF140MN... (Other models you can see in the webshop)		
accessories for	970527		
	GEV No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		


gaskets

gaskets for heated units


window seals





GEV No.	900787	Ref. No.	R70044650
description	window gasket profile 1515 L 2200mm suitable for LAINOX		
For models:	MACE07M, MACG07M		





GEV No.	900129	Ref. No.	R70040840
description	window gasket profile 1530 L 1015mm Qty 1		
For models:	ME110M, ME110P, ME110X, ME210M, ME210P, ME210X, MG110M, MG110P, MG110X, MG210M, MG210P, MG210X, VE110M, VE110X, VE210M, VE210P, VE210X, VG110M, VG110P, VG110X, VG210M, VG210P, VG210X		


			
GEV No.	900501	Ref. No.	R70044260
description	window gasket profile 1530 L 1200mm Qty 1		
For models:	MACE10M, MACE20M, MACG10M, MACG20M, ME101D, ME101M, ME101P, ME101T, ME102M, ME102P, ME102T, MG101D, MG101M, MG101P, MG101T, MG102M, MG102P, MG102T		


			
GEV No.	900130	Ref. No.	R70040850
description	window gasket profile 1530 L 1750mm Qty 1		
For models:	ME120M, ME120P, ME120X, ME220M, ME220P, ME220X, MEC40M, MG120M, MG120P, MG120X, MG220M, MG220P, MG220X, MGC20X, MGC40H, VE120M, VE120P, VE120X, VE220M, VE220P, VE220X, VG120M, VG120P, VG120X, VG220M, VG220P, VG220X		


			
GEV No.	900503	Ref. No.	R70044280
description	window gasket profile 1530 L 1800mm Qty 1		
For models:	ME201D, ME201M, ME201P, ME201T, MG201D, MG201M, MG201P, MG201T		


			
GEV No.	900504	Ref. No.	R70044290
description	window gasket profile 1530 L 1950mm Qty 1		
For models:	ME202D, ME202M, ME202P, ME202T, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG202D, MG202M, MG202P, MG202T, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P		

			
GEV No.	900483	Ref. No.	R70044150
description	window gasket profile 1530 L 2400mm Qty 1		
For models:	GMT20D, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, MEMENT20D, MEMENT20P, MEVT20D, MEVT20P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MGMT20D, MGMT20P, MGVT20D, MGVT20P		


			
GEV No.	900484	Ref. No.	R70044160
description	window gasket profile 1530 L 3720mm Qty 1		
For models:	ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT40D, MEMENT40P, MEVT40D, MEVT40P, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT40D, MGMT40P, MGVT40D, MGVT40P		

			
GEV No.	900117	Ref. No.	R70040810
description	window gasket profile 1530 L 505mm Qty 1		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		


			
GEV No.	900118	Ref. No.	R70040820
description	window gasket profile 1530 L 595mm Qty 1		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, VE105M, VE105X, VG105M, VG105X		




GEV No.	900128	Ref. No.	R70040830
description	window gasket profile 1530 L 750mm Qty 1		
For models:	ME106M, ME106P, ME106X, MG106M, MG106P, MG106X, VE106M, VE106P, VE106X, VG106M, VG106P, VG106X		




GEV No.	900500	Ref. No.	R70044250
description	window gasket profile 1530 L 900mm Qty 1		
For models:	MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, MG061D, MG061M, MG061P, MG061T, MVE042P, MVE051P, MVG051P		




GEV No.	900637	Ref. No.	R70040640
description	window gasket profile 1530 Qty supplied by meter		
For models:	FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, MEMENT10D, MEMENT10P, MEVMT10D, MEVMT10P, MGMT10D, MGMT10P, MGVMT10D, MGVMT10P, PE080M, PE080X, PG080M, PG080X		




GEV No.	900120	Ref. No.	R70040050
description	window gasket profile 1620 L 1175mm Qty 1		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		




GEV No.	900119	Ref. No.	R70040010
description	window gasket profile 1620 L 1500mm Qty 1		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, VE105M, VE105X, VG105M, VG105X		




GEV No.	900121	Ref. No.	R70040080
description	window gasket profile 1620 L 1690mm Qty 1		
For models:	ME106M, ME106P, ME106X, MG106M, MG106P, MG106X, VE106M, VE106P, VE106X, VG106M, VG106P, VG106X		



GEV No.	900122	Ref. No.	R70040200
description	window gasket profile 1620 L 2125mm Qty 1		
For models:	ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG110M, MG110P, MG110X, MG120M, MG120P, MG120X, MG210M, MG210P, MG210X, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, VE110M, VE110X, VE120M, VE120P, VE120X, VE210M, VE210P, VE210X, VE220M, VE220P, VE220X, VG110M, VG110P, VG110X, VG120M, VG120P, VG120X, VG210M, VG210P, VG210X, VG220M... (Other models you can see in the webshop)		



GEV No.	900437	Ref. No.	2838000 MA2838000
description	window gasket profile 1640 L 10000mm Qty 1		
For models:	CSM201, CSM202, SER15, SER15A, SER18, SER18A, SER21		



GEV No.	900436	Ref. No.	2891700
description	window gasket profile 1640 L 2170mm Qty 1		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CS102E, CS102EP, CS102G, CS102GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP		

GEV No.	900435	Ref. No.	2885800
description	window gasket profile 1640 L 2350mm Qty 1		
For models:	CON6E, CON6EP, CON6G, CON6GP, CSM6E, CSM6EP, CSM6G, CSM6GP		

GEV No.	902460	Ref. No.	LAR70042680
description	window gasket profile 1887 L 3200mm Qty 1 suitable for LAINOX		
For models:	EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, GC210M, GM210H, GM210M, GM210M+SC, GM210P, GV210H, GV210M, GV210M+SC, GV210P		

GEV No.	902459	Ref. No.	R70042770 R70042780
description	window gasket profile 1887/1515 L 2200mm suitable for LAINOX set 2-piece		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P		

door seals

GEV No.	902461	Ref. No.	R70042860
description	door seal profile 2010 L 1900mm Qty 1 suitable for LAINOX		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GV106H, GV106M, GV106M+SC, GV106P		

GEV No.	901147	Ref. No.	R70042880
description	door seal profile 2010 L 3000mm Qty 1		
For models:	EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, GC210M, GM210H, GM210M, GM210M+SC, GM210P, GV210H, GV210M, GV210M+SC, GV210P		


GEV No.	900142	Ref. No.	R70043280 R70043290
description	door seal profile 2010 Qty supplied by meter		
For models:	MEC24H, MGC20X, MGC24H		

GEV No.	900131	Ref. No.	R70040980
description	door seal profile 2010 W 520mm L 610mm external size Qty 1		
For models:	ME106M, ME106P, ME106X, MG106M, MG106P, MG106X, VE106M, VE106P, VE106X, VG106M, VG106P, VG106X		


GEV No.	900132	Ref. No.	R70040990
description	door seal profile 2010 W 625mm L 750mm external size Qty 1		
For models:	ME110M, ME110P, ME110X, MG110M, MG110P, MG110X, VE110M, VE110P, VE110X, VG110M, VG110P, VG110X		

GEV No.	900134	Ref. No.	R70041010
description	door seal profile 2010 W 680mm L 1425mm external size Qty 1		
For models:	ME120M, ME120P, ME120X, MG120M, MG120P, MG120X, VE120M, VE120P, VE120X, VG120M, VG120P, VG120X		


GEV No.	900135	Ref. No.	R70041020
description	door seal profile 2010 W 700mm L 1410mm external size Qty 1		
For models:	ME220M, ME220P, ME220X, MG220M, MG220P, MG220X, VE220M, VE220P, VE220X, VG220M, VG220P, VG220X		




GEV No.	900133	Ref. No.	R70041000
description	door seal profile 2010 W 740mm L 765mm external size Qty 1		
For models:	ME210M, ME210P, ME210X, MG210M, MG210P, MG210X, VE210M, VE210P, VE210X, VG210M, VG210P, VG210X		




GEV No.	900115	Ref. No.	R70041990
description	door seal profile 2410 W 320mm L 420mm external size Qty 1		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		




GEV No.	900116	Ref. No.	R70042000
description	door seal profile 2410 W 380mm L 608mm external size Qty 1		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, VE105M, VE105X, VG105M, VG105X		




GEV No.	900157	Ref. No.	R70041540
description	door seal profile 2410 W 380mm L 632mm external size Qty 1		
For models:	FE105M, FE105X, FG105M, FG105X, PE040M, PE040X, PG040M, PG040X		




GEV No.	900817	Ref. No.	R70042560
description	door seal profile 2410 W 465mm L 495mm external size Qty 1		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GV106H, GV106M, GV106M+SC, GV106P		




GEV No.	900818	Ref. No.	R70042570
description	door seal profile 2410 W 465mm L 765mm external size Qty 1		
For models:	EC110M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EV110H, EV110M, EV110M+SC, EV110P, GC110M, GM110H, GM110M, GM110M+SC, GM110P, GV110H, GV110M, GV110M+SC, GV110P		



GEV No.	900123	Ref. No.	R70042010
description	door seal profile 2410 W 500mm L 627mm external size Qty 1		
For models:	ME106M, ME106P, ME106X, MG106M, MG106P, MG106X, VE106M, VE106P, VE106X, VG106M, VG106P, VG106X		



GEV No.	900124	Ref. No.	R70042020
description	door seal profile 2410 W 627mm L 738mm external size Qty 1		
For models:	ME110M, ME110P, ME110X, MG110M, MG110P, MG110X, VE110M, VE110X, VG110M, VG110P, VG110X		



GEV No.	900820	Ref. No.	LAR70042580
description	door seal profile 2410 W 645mm L 765mm external size Qty 1		
For models:	EC210M, EM210H, EM210M, EM210M+SC, EM210P, EV210H, EV210M, EV210M+SC, EV210P, GC210M, GM210H, GM210M, GM210M+SC, GM210P, GV210H, GV210M, GV210M+SC, GV210P		

1			
GEV No.	900486	Ref. No.	R70041550
description	door seal profile 2410 W 666mm L 701mm external size Qty 1		
For models:	FE110M, FE110X, FG110M, FG110X, PE080M, PE080X, PG080M, PG080X		

1			
GEV No.	900762	Ref. No.	R70041350
description	door seal profile 2410 W 701mm L 705mm external size Qty 1		
For models:	FE210M, FG210M, FG210X		

1			
GEV No.	900568	Ref. No.	R70042150
description	door seal profile 2410 W 710mm L 1310mm external size Qty 1		
For models:	MGC20X		

1			
GEV No.	900126	Ref. No.	R70042040
description	door seal profile 2410 W 710mm L 1430mm external size Qty 1		
For models:	ME120M, ME120P, ME120X, MG120M, MG120P, MG120X, VE120M, VE120P, VE120X, VG120M, VG120P, VG120X		


1			
GEV No.	900813	Ref. No.	R70042160
description	door seal profile 2410 W 735mm L 1310mm external size Qty 1		
For models:	MEC40M, MGC40H		

1			
GEV No.	900127	Ref. No.	R70042050
description	door seal profile 2410 W 735mm L 1430mm external size Qty 1		
For models:	ME220M, ME220P, ME220X, MG220M, MG220P, MG220X, VE220M, VE220P, VE220X, VG220M, VG220P, VG220X		

1			
GEV No.	900815	Ref. No.	R70041940
description	door seal profile 2410 W 735mm L 830mm external size Qty 1		
For models:	MEC24H, MGC24H		


1			
GEV No.	900125	Ref. No.	R70042030
description	door seal profile 2410 W 738mm L 777mm external size Qty 1		
For models:	ME210M, ME210P, ME210X, MG210M, MG210P, MG210X, VE210M, VE210P, VE210X, VG210M, VG210P, VG210X		

1			
GEV No.	900722	Ref. No.	2725600 MA2725600
description	door seal profile 2440 W 415mm L 580mm external size Qty 1		
For models:	FC10G, FC5E, FC5G, FC7G		




1

GEV No.	900106	Ref. No.	2885900 MA2885900
description	door seal profile 2440 W 490mm L 645mm external size Qty 1		
For models:	CON6G, CON6GP, CSM6E, CSM6EP, CSM6G, CSM6GP		




1

GEV No.	900724	Ref. No.	2725700 MA2725700
description	door seal profile 2440 W 530mm L 580mm external size Qty 1		
For models:	FC7E, FC7G		




1

GEV No.	900107	Ref. No.	2891900 MA2891900
description	door seal profile 2440 W 645mm L 740mm external size Qty 1		
For models:	CON102E, CON102EP, CON102G, CON102GP, CON10E, CON10EP, CON10G, CON10GP, CS102E, CS102EP, CS102G, CS102GP, CSM102E, CSM102EP, CSM102G, CSM102GP, CSM10E, CSM10EP, CSM10G, CSM10GP		




1

GEV No.	900108	Ref. No.	5113500 MA5113500
description	door seal profile 2440 W 720mm L 1460mm external size Qty 1		
For models:	CSM201, CSM202		




1

GEV No.	900769	Ref. No.	2842100 2842114
description	door seal profile 2441 W 340mm L 405mm external size Qty 1		
For models:	CS4E, CS4EP		




1

GEV No.	902023	Ref. No.	LA70048012 LAR70048010
description	door seal profile 2761 W 46mm L 775mm external size Qty 1 suitable for LAINOX		




1


GEV No.	902024	Ref. No.	LA70048002 LAR70048000
description	door seal profile 2761 W 470mm L 560mm external size Qty 1		



1

GEV No.	902153	Ref. No.	LA70044812 LAR70044810
description	door seal profile 2761 W 550mm L 700mm external size Qty 1 suitable for LAINOX		

			
GEV No.	902454	Ref. No.	LA70044882 LAR70044880
description	door seal profile 2761 W 690mm L 775mm outer plug size Qty 1 suitable for LAINOX		

			
GEV No.	902154	Ref. No.	LA70044922 LAR70044920
description	door seal profile 2761 W 700mm L 1510mm external size Qty 1 suitable for LAINOX		

			
GEV No.	901573	Ref. No.	R70044270
description	door seal profile 2770/2771 H 1550mm W 470mm outer plug size Qty 1		
For models:	GMT20D, GVT20D, ME102D, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MG102D, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGV20D, MGV20P, MGV21D, MGV21P		

			
GEV No.	900493	Ref. No.	R70044130
description	door seal profile 2770/2771 H 1550mm W 680mm outer plug size Qty 1		
For models:	ME201D, ME201M, ME201P, ME201T, MG201D, MG201M, MG201P, MG201T		

			
GEV No.	900494	Ref. No.	R70044140
description	door seal profile 2770/2771 H 1550mm W 700mm outer plug size Qty 1		
For models:	ME202D, ME202M, ME202P, ME202T, MEMT40D, MEMT40P, MEVT40D, MEVT40P, MG202D, MG202M, MG202P, MG202T, MGMT40D, MGMT40P, MGV40D, MGV40P		

			
GEV No.	900488	Ref. No.	R70044330
description	door seal profile 2770/2771 H 380mm W 420mm outer plug size Qty 1		
For models:	MACE04M, MVE042P		



1

GEV No.	900489	Ref. No.	R70044340
description	door seal profile 2770/2771 H 440mm W 600mm outer plug size Qty 1		
For models:	MACE05M, MACG05M, MVE051P, MVG051P		



1

GEV No.	900788	Ref. No.	R70044230
description	door seal profile 2770/2771 H 580mm W 680mm outer plug size Qty 1		
For models:	MACE07M, MACG07M		



1

GEV No.	901679	Ref. No.	R70044210
description	door seal profile 2770/2771 H 520mm W 470mm outer plug size suitable for LAINOX		
For models:	GMT06D, GVT06D, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG-MT06D, MGMT06P, MGVT06D, MGVT06P		



1

GEV No.	901276	Ref. No.	R70044220
description	door seal profile 2770/2771 H 800mm W 470mm outer plug size Qty 1 suitable for LAINOX		
For models:	MEMT10D, MEMT10P, MEVT10D, MEVT10P, MGMT10D, MGMT10P, MGVT10D, MGVT10P		



1

GEV No.	900490	Ref. No.	R70044100
description	door seal profile 2770/2771 H 520mm W 620mm outer plug size Qty 1		
For models:	ME061D, ME061M, ME061P, ME061T, MG061D, MG061M, MG061P, MG061T		




1

GEV No.	900491	Ref. No.	R70044110
description	door seal profile 2770/2771 H 800mm W 680mm outer plug size Qty 1		
For models:	MACE10M, MACG10M, ME101D, ME101M, ME101P, ME101T, MG101D, MG101M, MG101P, MG101T		




1

GEV No.	900492	Ref. No.	R70044120
description	door seal profile 2770/2771 H 800mm W 700mm outer plug size Qty 1		
For models:	GMT20D, GVT20D, ME102D, ME102M, ME102P, MEMENT20D, MEMENT20P, MEVT20D, MEVT20P, MG102D, MG102M, MG102P, MG102T, MG-MT20D, MGMT20P, MGMT20D, MGMT20P		



1

GEV No.	901603	Ref. No.	R70044240
description	door seal profile 2770/2771 H 800mm W 760mm outer plug size Qty 1		
For models:	MACE20M, MACG20M		



1

GEV No.	900745	Ref. No.	R70044300
description	door seal profile 2954 L 700mm		
For models:	ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT40D, MEMENT40P, MEVT40D, MEVT40P, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT40D, MGMT40P, MGMT40D, MGMT40P		

door seals with fixing hook



1


GEV No.	900405	Ref. No.	1036101400 MA1036101400
description	door seal L 430mm W 260mm external size		
For models:	FOE60M, OFOE60M		

gaskets for tray rack trolleys




1

GEV No.	901160	Ref. No.	LAR70044360 LAR70044362
description	tray rack trolley gasket L <700mm 3-piece		



1

GEV No.	901161	Ref. No.	LA80100910 LAR80100910
description	tray rack trolley gasket L 1000mm		



GEV No.	900776	Ref. No.	R70041150
description	tray rack trolley gasket profile 4050 L 1020mm Qty 1		
For models:	MEC24H, MEC40M, MGC20X, MGC24H, MGC40H		

O-rings

EPDM

ø1.78mm



GEV No.	510303	Ref. No.	200818
description	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		

ø5.34mm



GEV No.	505092	Ref. No.	2604100 BN0119472130 MA2604100
description	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		
For models:	CS102E, CS102EP, CS10E, CS10EP, CS6E, CS6EP, FV4E, FV4E1, P915E, PI707E, PI76E5, PI96E5, PI98E10, PI98E15, PI98E10, PI98E15, PI98E10		



GEV No.	510408	Ref. No.	200820 BN0118462630
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		



GEV No.	510409	Ref. No.	1036504200 LA70045010 LAR70045010
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	DLS30, DLS303, DLS30P, DLS30P3, DLS31, DLS313, DLS31P3, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMT06D, MEMT06P, MEMT10D, MEMT10P, MEMT20D, MEMT20P, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MLC50, MLC503, MLC65, MLC653, MLC530, MLC5303, MLC530P, MLC530P3, MLC531, MLC5313, MLC531P3, MLC535, MLC5353, MPLS30P		


miscellaneous



GEV No.	532492	Ref. No.	LAR70010050
description	O-ring set EPDM thickness 1.78/2.62mm ID ø 9.25/7.59mm Qty 2 pcs		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

Viton

ø2.00mm



GEV No.	512506	Ref. No.	LA70010080 LAR70010080
description	O-ring Viton thickness 2mm ID ø 14mm Qty 1 pcs		

sealing washers

fibre gaskets



GEV No.	510404	Ref. No.	CR0682770
description	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		
For models:	NPI76E5, NPI76G5, NPI78E8, NPI78G8, NPI96E5, NPI96G5, NPI98E10, NPI98E15, NPI98G10, NPI98G14, NPI98G14A		

graphite gaskets



GEV No.	696702	Ref. No.	LA63140070 LAR63140070
description	gasket graphite ED ø 84mm ID ø 61mm thickness 3mm Qty 1 pcs		

shaft gaskets

shaft gaskets



1			
GEV No.	511171	Ref. No.	LA70020040 LAR70020040
description	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		



2			
GEV No.	511170	Ref. No.	R70020010
description	shaft seal ID ø 7mm ED ø 22mm thickness 7mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, VE004M, VE004X, VE104M, VE104X		



1			
GEV No.	511172	Ref. No.	LA70020050 LAR70020050
description	shaft sealing ID ø 24mm ED ø 29mm thickness 3mm		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

special gaskets

for combi-steamers



1			
GEV No.	512507	Ref. No.	LA70050090 LAR70050090
description	gasket suitable for LAINOX ED ø 23mm ID ø 15.5mm rubber thickness 3.2mm 21 Qty 1 pcs		



1			
GEV No.	699384	Ref. No.	LA63140050 LAR63140050
description	gasket suitable for LAINOX ED ø 84mm ID ø 50mm fibre thickness 2mm hole distance 50mm hole ø 6mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACG05M, MACG07M, MACG10M, MACG20M, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06D, MGMT06P, MGMT10D, MGMT10P, MGMT20D, MGMT20P, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, MVG051P		



1			
GEV No.	694955	Ref. No.	LA63140010 LAR63140010
description	gasket suitable for LAINOX L 80mm W 65mm combi-steamer ID ø 51mm graphite thickness 3mm hole distance 45x60mm		
For models:	GMT06D, GVT06D, MACG05M, MACG07M, MG061D, MG061M, MG061P, MG061T, MGMT06D, MGMT06P, MGVT06D, MGVT06P, MVG051P		



1			
GEV No.	699383	Ref. No.	LA63140080 LAR63140080
description	gasket suitable for LAINOX Qty 1m ED ø 126mm ID ø 90mm graphite thickness 3mm hole distance 42mm hole ø 7mm		



1			
GEV No.	699247	Ref. No.	LAR70045120
description	gasket set for combi-steamer		



1

GEV No.	699385	Ref. No.	R70045100
description	gasket set suitable for LAINOX for cleaning system		
For models:	ME102T, MEMT10P, MEMT20P, MG102T, MGMT10P, MGMT20P		



1

GEV No.	699246	Ref. No.	R70045110
description	service kit gasket for combi-steamer		
For models:	ME201T, MEMT21P, MEMT40P, MG201T, MG202T, MGMT21P, MGMT40P		

miscellaneous



1

GEV No.	550862	Ref. No.	R70045090
description	gasket set for wash arm		
For models:	ME061T, ME101T, MEMT06P, MGMT06P		

springs

torsion springs



1

GEV No.	690095	Ref. No.	R61620012
description	torsion spring ø 6mm L2 15mm wire gauge ø 0.9mm L1 2x6mm L3 15mm Qty 1 pcs for closing hub		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

compression springs



1

GEV No.	690091	Ref. No.	R61620041
description	compression spring ø 12mm L 49mm wire gauge ø 1mm		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

miscellaneous



1

GEV No.	697932	Ref. No.	R10205120
description	spring for controllers/switches shaft diameter 6x4.6mm ømm L 40mm W 23mm H 7mm wire gauge ø 1mm		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM106H, EM106P, EM110H, EM110P, EM210H, EM210P, EV106H, EV106P, EV110H, EV110P, EV210H, EV210P, GM106H, GM106P, GM110H, GM110P, GM210H, GM210P, GV106H, GV106P, GV110H, GV110P, GV210H, GV210P, ME106P, ME110P, ME120P, ME210P, ME220P, MEC24H, MG106P, MG110P, MG120P, MG210P, MG220P, MGC24H, MGC40H, VE106P, VE120P, VE210P, VE220P, VG106P, VG110P, VG120P, VG210P, VG220P		

hose reels and spray guns

spray guns



1

GEV No.	542098	Ref. No.	R62200133
description	spray gun for appliances 3/8" IT L 130mm type LAINOX		

hose reels

appliance hose reels



1

GEV No.	542099	Ref. No.	R62200131	
description	hose reel complete with spray gun hose length 1.6m connection John Guest 10mm hose ø 6x12mm			
For models:	ME061P, ME061T, ME101P, ME101T, ME102P, ME201P, ME201T, ME202P, ME202T, MG061P, MG061T, MG101P, MG101T, MG102P, MG102T, MG201P, MG201T, MG202P, MG202T			
accessories for	542099			
	GEV No.	542098	Ref. No.	R62200133
	spray gun for appliances 3/8" IT L 130mm type LAINOX			

dosing pumps

membrane dosing pumps

self-priming

LANG

accessories



1

GEV No.	101286	Ref. No.	961500 LA62070023 LAR62070023	
description	olive ID ø 6mm Qty 1 pcs			
accessories for	101286			
	GEV No.	100909	Ref. No.	LA62060223 LAR62060223
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101464	Ref. No.	—
	union nut thread M12x1 for pipe ø 6mm			

accessories

container filters with non-return valve



1

GEV No.	361058	Ref. No.	LA65110650 LAR65110650
description	container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm		
For models:	ME061T, ME101T, ME102T, ME201T, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

hoses

industrial hoses

Niplaflex hoses



1

GEV No.	530561	Ref. No.	200122
description	pressure hose ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C		


PE hoses



1

GEV No.	520973	Ref. No.	LA80150000 LAR80150000 R70070040 R70070050	
description	hose John Guest thickness 1.5mm LLDPE blue ID ø 7mm ED ø 10mm			
For models:	GMT06D, GMT20D, GVT06D, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT06P, MEVT10D, MEVT10P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P, MG101T, MG102D, MG102M, MG102P, MG102T, MG201D...(Other models you can see in the webshop)			
accessories for	520973			
	GEV No.	440564	Ref. No.	—
	push-in fitting John Guest straight thread 1/4" BSP pipe connection ø10mm			
	GEV No.	440565	Ref. No.	—
	push-in fitting John Guest straight thread 3/8" BSP pipe connection ø10mm			
	GEV No.	440608	Ref. No.	—
	push-in fitting John Guest straight thread 1/2" BSP stub ø 10mm			
	GEV No.	440639	Ref. No.	—
	push-in fitting John Guest angled thread 1/4" BSP pipe connection ø10mm			
	GEV No.	520359	Ref. No.	LA62090528 LAR62090528 R62090528
	push-in fitting John Guest angled pipe connection ø10mm grommet ø 10mm			
	GEV No.	520363	Ref. No.	R62090468
	push-in fitting John Guest T-piece pipe connection ø10mm - ø10mm - ø10mm			
	GEV No.	520494	Ref. No.	LA62090478 LAR62090478 R62090478
	push-in fitting John Guest angled pipe connection ø10mm - ø10mm			

PU hoses



GEV No.	512505	Ref. No.	LA80150020 LAR80150020
description	PU hose ID ø 5mm ED ø 8mm L 1m thickness 1.5mm t.max. -40 up to +60°C polyurethane transparent/colourless		

PVC hoses

PVC hoses without fabric



GEV No.	520278	Ref. No.	R70070100
description	PVC hose ID ø 6mm ED ø 8mm L 2m thickness 1mm t.max. 60°C transparent		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

silicone hoses


without fabric



GEV No.	530899	Ref. No.	LAR70060080
description	silicone hose ID ø 13mm ED ø 18mm L 0.08m thickness 2.5mm red for combi-steamer		
For models:	EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M...(Other models you can see in the webshop)		



GEV No.	530884	Ref. No.	R70060060 R70060070
description	silicone hose ID ø 15mm ED ø 19mm L 0.08m thickness 3mm red for combi-steamer		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M...(Other models you can see in the webshop)		



GEV No.	570157	Ref. No.	LA80120060 LAR80120060
description	silicone hose ID ø 7mm ED ø 12mm L 1m thickness 2.5mm transparent for combi-steamer		

formed hoses

straight



GEV No.	520534	Ref. No.	LA70060040 LAR70060040
description	hose ID ø 50mm ED ø 58mm L 50mm silicone Qty 1 for combi-steamer thickness 4mm		
For models:	FE105M, FE105X, FE110M, FE110X, FG105M, FG105X, FG110M, FG110X, GMT20D, ME061P, ME061T, ME101M, ME101P, ME101T, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P...(Other models you can see in the webshop)		



GEV No.	530901	Ref. No.	LA70060050 R70060050
description	hose ID ø 54mm ED ø 60mm L 50mm for combi-steamer		
For models:	FE210M, FG210M, FG210X, ME102P, ME102T, ME202D, ME202M, ME202P, ME202T, MEMT40D, MEMT40P, MEVT40D, MEVT40P, MG102P, MG102T, MG202D, MG202M, MG202P, MG202T, MGMT40D, MGMT40P, MGVT40D, MGVT40P		



GEV No.	694499	Ref. No.	R70070060
description	hose ID ø 7mm L 2000mm LLDPE for beverage technology ED ø 10mm John Guest		
For models:	GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, MEMT06D, MEVT06D, MEVT20D, MEVT20P, MGVT20D, MGVT20P		

			
1			
GEV No.	592327	Ref. No.	LA80150060 LAR80150060
description	water hose ID ø 7mm ext. ø 10 L 1000mm operating p. 3bar temp.-resist. 92°C for combi-steamer		

fittings, hose and pipe connectors

fittings

double nipples

			
1			
GEV No.	521182	Ref. No.	LA62020118 LAR62020118
description	double nipple plastic thread 1/4" - 1/4" Qty 1 pcs		

screw pipe fittings

angle pieces

			
1			
GEV No.	699452	Ref. No.	LA62090633 LAR62090633
description	angle piece thread M14x1 tube ø 10mm brass		

hose connectors

plastic

			
1			
GEV No.	362015	Ref. No.	LAR62090638
description	hose connector plastic straight IT 1/4" hose ø 8mm		

			
1			
GEV No.	362010	Ref. No.	R62090492
description	hose connector plastic straight thread 1/4" hose ø 8mm Qty 1 pcs		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

			
1			
GEV No.	362011	Ref. No.	R62090538
description	hose connector plastic straight thread 1/4" hose ø 8x6mm Qty 1 pcs		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

stainless steel

			
1			
GEV No.	542385	Ref. No.	LA62090663 LAR62090663
description	hose connector SS angled thread 1/4" hose ø 10mm Qty 1 pcs		

producer-specific

			
1			
GEV No.	440027	Ref. No.	LA62090482 LAR62090482
description	connecting piece for hose ID 6mm WS 15 total length 79mm plastic John Guest		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

			
1			
GEV No.	520339	Ref. No.	LA62090518 LAR62090518
description	hose connector thread 1/4" straight grommet ø 10mm grommet length 20mm WS 20 total length 37mm thread L 11mm plastic		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P		

			
1			
GEV No.	520360	Ref. No.	LAR62090508
description	hose connector thread 1/4" with coupling straight plastic		
For models:	GVT06D, GVT20D, ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, MGVT06D, MGVT06P, MGVT10D, MGVT10P, MGVT20D, MGVT20P, MGVT21D, MGVT21P, MGVT40D, MVE042P, MVE051P, MVG051P		



push-in fittings

JOHN GUEST



1

GEV No.	440019	Ref. No.	R62090548
description	push-in fitting John Guest straight pipe connection ø6mm grommet ø 10mm		
For models:	ME061T, ME101T, ME102T, ME201T, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, MGMT40P		
accessories for	440019		
	GEV No.	520971	Ref. No. —
hose thickness 1mm LLDPE blue ID ø 4mm ED ø 6mm operating pressure at 20°C 16bar			



1

GEV No.	520359	Ref. No.	LA62090528 LAR62090528
description	push-in fitting John Guest angled pipe connection ø10mm grommet ø 10mm		
For models:	ME061T, ME101T, ME102T, ME201T, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MEMENT40P, MG102T, MG201T, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40P, MGMT40P		
accessories for	520359		
	GEV No.	520973	Ref. No. LA80150000 LAR80150000 R70070040 R70070050
hose John Guest thickness 1.5mm LLDPE blue ID ø 7mm ED ø 10mm			



1

GEV No.	440671	Ref. No.	LA62090678 LAR62090678
description	push-in fitting John Guest angled pipe connection ø8mm grommet ø 8mm		
accessories for	440671		
	GEV No.	520972	Ref. No. —
hose John Guest thickness 1mm LLDPE blue ID ø 6mm ED ø 8mm			



1

GEV No.	520493	Ref. No.	R62090618
description	hose connector John Guest straight pipe connection ø8mm - ø10mm L 41mm PM201008E NSF, SK		
For models:	ME061T, ME101T, ME102T, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21P, MG102T, MG202D, MG202M, MG202P, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40D, MGMT40P, MGMT40P		



1

GEV No.	520492	Ref. No.	LA62090458 LAR62090458
description	push-in fitting John Guest straight pipe connection ø10mm - ø10mm		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE04M, MACE05M, MACE05M, ME061D, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061D, MG061M, MG101D, MG101M, MG101P, MG101T, MG102D...(Other models you can see in the webshop)		



1

GEV No.	520494	Ref. No.	LA62090478 LAR62090478
description	push-in fitting John Guest angled pipe connection ø10mm - ø10mm		
For models:	GMT20D, GVT06D, GVT20D, MACE04M, MACE05M, MACE07M, MACE10M, MACE20M, MACE05M, MACE07M, MACE10M, MACE20M, ME061D, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MEVT21D, MEVT21P, MEVT40D...(Other models you can see in the webshop)		
accessories for	520494		
	GEV No.	520973	Ref. No. LA80150000 LAR80150000 R70070040 R70070050
hose John Guest thickness 1.5mm LLDPE blue ID ø 7mm ED ø 10mm			



1

GEV No.	520363	Ref. No.	R62090468
description	push-in fitting John Guest T-piece pipe connection ø10mm - ø10mm - ø10mm		
For models:	ME061P, ME061T, ME101M, ME101P, ME101T, ME102M, ME102P, ME102T, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT06P, MEMENT10P, MEMENT20P, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG061M, MG061P, MG061T, MG101M, MG101P, MG101T, MG102M, MG102P, MG102T, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21D, MGMT21P, MGMT40D...(Other models you can see in the webshop)		
accessories for	520363		
	GEV No.	520973	Ref. No. LA80150000 LAR80150000 R70070040 R70070050
hose John Guest thickness 1.5mm LLDPE blue ID ø 7mm ED ø 10mm			



1

GEV No.	520495	Ref. No.	LA62090608 LAR62090608
description	push-in fitting John Guest straight thread 1/8" BSP stub ø 8mm		
For models:	ME061T, ME101T, ME102T, ME201T, MEMT06P, MEMT10P, MEMT20P, MEMT21P, MEMT40P, MG102T, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT06P, MGMT10P, MGMT20P, MGMT21P, MGMT40D, MGMT40P, MGMT40P		
accessories for	520495		
	GEV No.	520971	Ref. No.
	 hose thickness 1mm LLDPE blue ID ø 4mm ED ø 6mm operating pressure at 20°C 16bar		

			
1			
GEV No.	440031	Ref. No.	LA62090688 LAR62090688
description	push-in fitting John Guest straight thread 1/2" pipe connection ø8mm - ø8mm bulkhead connector		

valves and tank inlets

ball valves

universal

ball valves with butterfly handle

			
1			
GEV No.	540658	Ref. No.	1450500 MA1450500
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 69mm		
For models:	CP704E, CP704G, CP92E, CP92E2, CP92G, CP94E, CP94E2, CP94G, CP95B2E, CP95B2E2, CP95B2G, CP95B4E, CP95B4E2, CP95B4G, CPE40, CPE402, CPE60, CPE602, CPE60DB, F74E10, F74E6, F76E10, F94E10, F94E6, F96E10, FR74E, FR74E10, FR74E10L, FR74E10L2, FR74G, FR77E, FR77E10, FR77E10L, FR77E10L2, FR77G, FR92E10, FR92E10L, FR92E10L2, FR92E13, FR92E22, FR92G22, FR94E10, FR94E10L, FR94E10L2, FR94E13, FR94E22, FR94G23, FR9P2E10, FR9P4E10, NF74E10...(Other models you can see in the webshop)		

ball valves electric

			
1			
GEV No.	403026 ¹	Ref. No.	R65110540
description	ball valve inlet 1/2" IT outlet 1/2" IT 230V L 90mm 50/60Hz off-current open mode of operation electric W 60mm H 100mm connection cable 450mm IT 1/2"		
For models:	EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME210M, ME210P, ME210X, ME220M, ME220P, ME220X, MEC24H, MEC40M, MG106M, MG106P, MG106X, MG110M, MG110P, MG110X, MG120M, MG120P...(Other models you can see in the webshop)		

¹off-current open

			
1			
GEV No.	401190	Ref. No.	R65110560
description	ball valve inlet 3/4" IT outlet 3/4" IT IP42 230V L 68mm 50/60Hz closed off-current mode of operation electric connection cable 300mm 3.5W duty cycle 50%		

beverage technology

valves

non-return valves

			
1			
GEV No.	440026	Ref. No.	R62300018
description	non-return valve kit John Guest pipe connection ø10x10mm operating pressure at 20°C 10bar opening pressure 0.02bar POM		
For models:	ME061T, ME101T, ME102T, ME201T, MG102T, MG201T, MG202T		



ancillary products

clamps

hose clamps

DIN 3017 - W2



1

GEV No.	520111	Ref. No.	450102
description	hose clamp ø 10-16mm width 9mm Qty 10 pcs DIN 3017		



1

GEV No.	520112	Ref. No.	450103 LAR61630011
----------------	--------	-----------------	-----------------------

description hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017

For models: CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M...(Other models you can see in the webshop)



1

GEV No.	520115	Ref. No.	450105
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		



1

GEV No.	520116	Ref. No.	450107
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		



1

GEV No.	520119	Ref. No.	450119
description	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		



1

GEV No.	520117	Ref. No.	450135
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		

measuring equipment

thermometers

built-in thermometers

ø52mm



1

GEV No.	541582	Ref. No.	2715000 2772700 27727000
description	thermometer mounting ø 52mm t.max. 350°C +50 up to +350°C probe ø 6mm probe L 17mm capillary pipe 1700mm		



1

GEV No.	541077	Ref. No.	65340050 LA65340050 LAR65340050 MA65340050
description	thermometer mounting ø 52mm t.max. 350°C +50 up to +350°C probe ø 6mm probe L 30mm capillary pipe 1000mm built-in depth 28mm		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106M, EM106M+SC, EM110M, EM110M+SC, EM210M, EM210M+SC, EV006M, EV106M, EV106M+SC, EV110M, EV110M+SC, EV210M, EV210M+SC, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M, GC210M, GM106M, GM106M+SC, GM110M, GM110M+SC, GM210M, GM210M+SC, GV106M, GV106M+SC, GV110M, GV110M+SC, GV210M, GV210M+SC, MEC40M, MGC20X, PE040M, PE040X, PE080M, PE080X, PG040M...(Other models you can see in the webshop)		

fastening material

screws

flat-headed bolts

			
1			
GEV No.	511004	Ref. No.	260226
description	flat-headed bolt thread M4 thread L 12mm SS DIN 84/ISO 1207 Qty 1 pcs intake slotted L 14.5mm		

raised countersunk head screws

			
1			
GEV No.	560541	Ref. No.	R61040272
description	raised countersunk head screw thread M6 thread L 13mm SS DIN 966/ISO 7047 Qty 1 pcs intake slotted head ø 11mm head thickness 5mm		
For models:	ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEC24H, MEC40M, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P		

hexagonal screws

			
1			
GEV No.	560087	Ref. No.	260104
description	hexagonal screw thread M6 thread L 16mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		

			
1			
GEV No.	510990	Ref. No.	260113
description	hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		

			
1			
GEV No.	560594	Ref. No.	LA61020562 LAR61020562
description	hexagonal screw thread M6 thread L 20mm WS 10 total length 59mm		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

cylinder head bolts

DIN 912/ISO 4762

			
1			
GEV No.	520455	Ref. No.	R61030601
description	screw thread M8 thread L 20mm WS 6 SS Qty 1 pcs DIN 912/ISO 4762		
For models:	ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P		

side bolts

			
1			
GEV No.	560052	Ref. No.	260223
description	side bolts thread M5 L 10mm SS Qty 20 pcs intake slotted head ø 12.5mm		

grub screws

DIN 913/ISO 4026

			
1			
GEV No.	560024	Ref. No.	LA61090052 LAR61090052
description	grub screw thread M6 L 16mm SS DIN 913/ISO 4026 intake internal hexagon WS 3 Qty 20 pcs		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, VE120M...(Other models you can see in the webshop)		

miscellaneous

			
1			
GEV No.	690594	Ref. No.	LA58002560 LAR58002560
description	pressure screw for door hinge		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, VE120M...(Other models you can see in the webshop)		



1

GEV No.	694991	Ref. No.	R58006400
description	screw thread M6 L 16mm for air baffle combi-steamer		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M...(Other models you can see in the webshop)		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



1

GEV No.	560133	Ref. No.	260404
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		



1

GEV No.	560197	Ref. No.	260407
description	nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		



1

GEV No.	506166	Ref. No.	260408
description	nut thread M12 H 10mm WS 19 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

ISO 4033 / UNI5587



1

GEV No.	550866	Ref. No.	R58004020
description	nut thread M10x1.5 H 10mm SS WS 17 Qty 1 pcs DIN/ISO DIN 934 / ISO 4032/8673 left-hand thread		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMT06D, MEMT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		

DIN 985



1

GEV No.	560227	Ref. No.	15774399 MA15774399
description	hexagonal nut thread M3 H 4mm SS WS 5.5 Qty 1 pcs self-locking		
For models:	SER15, SER15A, SER18, SER18A, SER21		



1

GEV No.	560140	Ref. No.	260402
description	hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking		

hexagonal nuts metric (without norm)



1

GEV No.	550681	Ref. No.	LA58004050 LAR58004050
description	nut thread M12x1.25 H 5mm WS 17 brass Qty 1 pcs		
For models:	EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT06D, GMT20D, GV106H, GV106M, GV106M+SC, GV106P...(Other models you can see in the webshop)		



1

GEV No.	691289	Ref. No.	R58004830
description	nut thread M18x1 H 5mm WS 22 brass Qty 1 pcs for door handle		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

			
GEV No.	102067	Ref. No.	6A012300 939300 BN6A012300 MA939300
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	702BMG, 704S, 706, 706S, C7011G, C7011GFE, C7011GFG, C704G, C707G, C707GFE, C707GFG, C9F4GS, C9F6G, C9F6GS, C9F8GS, C9SB-4GS, C9V2GS, C9V4GS, C9V6GS, C9V8GS, CFG101, CFG101D, CFG101L, CFG101P, CFG120, CFG70, CFG70D, CFG70L, CFG70M, CFG70P, EC74G-VG, EC78GVG, EC7FG8G, OCFG101, OCFG120, OCFG70, T7011GFG, T707GFG, T9F6GS, TPF706, TPF706S		

h2> washers

			
GEV No.	697933	Ref. No.	R61420021
description	spring washer ID ø 13mm ED ø 24mm Qty 1 pcs		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, VE120M...(Other models you can see in the webshop)		

			
GEV No.	696397	Ref. No.	LAR61620091
description	spring washer ID ø 6.3mm ED ø 14mm Qty 1 pcs		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMENT21D, MEMENT21P, MEMENT40D, MEMENT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, VE120M...(Other models you can see in the webshop)		

h2> washers

h3> DIN 125A

			
GEV No.	560112	Ref. No.	15830499 MA15830499
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
For models:	BR707E, BR707EI, BR707G, BR707GI, BR94E, BR94EI, BR94G, BR94GI, BR96E, BR96EI, BR96G, BR96GI, BR9M4E, BR9M4EI, BR9M4G, BR9M4GI, BR9M6E, BR9M6EI, BR9M6G, BR9M6GI, BR9SB4E, BR9SB4EI, BR9SB4G, BR9SB4GI, EPC74E, EPC74G, PC12C4E, PC12C4G, PC12C9E, PC12C9G, PC74E, PC74G, PC76E, PC76G, PC78E, PC78G, PC94E, PC94G, PC96E, PC96G, PC98E, PC98G, PD707G, PI707E, PI707G, SER15, SER15A, SER18, SER18A, SER21		

h2> miscellaneous

			
GEV No.	691296	Ref. No.	R61400052
description	plain washer ID ø 10.5mm ED ø 21mm thickness 2mm SS Qty 1 pcs for fan wheel		
For models:	CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EM106H, EM106M, EM106M+SC, EM106P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, FE105M, FE105X, FG105M, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GMT06D, GV106H, GV106M, GV106M+SC, GV106P, GVT06D, MACE07M, MACG07M, ME061D, ME061M, ME061P, ME061T, ME106M, ME106P, ME106X, MEMENT06D, MEMENT06P, MEVT06D, MEVT06P, MG061D, MG061M, MG061P, MG061T, MG106M, MG106P, MG106X, MGMT06D...(Other models you can see in the webshop)		

			
GEV No.	691292	Ref. No.	R10401710
description	plain washer ID ø 12mm ED ø 17.5mm thickness 1mm SS Qty 1 pcs		
For models:	GMT06D, GMT20D, GVT06D, GVT20D, MACE07M, MACE10M, MACE20M, MACG07M, MACG10M, MACG20M, ME061D, ME061M, ME061P, ME061T, ME101D, ME101M, ME101P, ME101T, ME102D, ME102M, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME210M, ME210P, ME210X, MEMENT06D, MEMENT06P, MEMENT10D, MEMENT10P, MEMENT20D, MEMENT20P, MEVT06D, MEVT06P, MEVT10D, MEVT10P, MEVT20D, MEVT20P, MG061D, MG061M, MG061P, MG061T, MG101D, MG101M, MG101P...(Other models you can see in the webshop)		



			
1			
GEV No.	690593	Ref. No.	LA58002570 LAR58002570
description	plain washer ID ø 15mm ED ø 30mm thickness 3mm Qty 1 pcs for door hinge		
For models:	ME120M, ME120P, ME120X, ME201D, ME201M, ME201P, ME201T, ME202D, ME202M, ME202P, ME202T, ME220M, ME220P, ME220X, MEC24H, MEC40M, MEMT21D, MEMT21P, MEMT40D, MEMT40P, MEVT21D, MEVT21P, MEVT40D, MEVT40P, MG120M, MG120P, MG120X, MG201D, MG201M, MG201P, MG201T, MG202D, MG202M, MG202P, MG202T, MG220M, MG220P, MG220X, MGC20X, MGC24H, MGC40H, MGMT21D, MGMT21P, MGMT40D, MGMT40P, MGVT21D, MGVT21P, MGVT40D, MGVT40P, VE120M...(Other models you can see in the webshop)		

			
2			
GEV No.	524117	Ref. No.	15800499
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 1 pcs		

			
1			
GEV No.	551434	Ref. No.	LA58004010 LAR58004010
description	plain washer ø 30mm thickness 3mm hole ø 12.5mm for fan wheel combi-steamer		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE110M, FE110X, FE210M, FG110M, FG110X, FG210M, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GMT20D, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, GVT20D, MACE10M, MACE20M, MACG10M, MACG20M...(Other models you can see in the webshop)		

tooth lock washers

DIN 6798A

			
1			
GEV No.	560193	Ref. No.	15812699 MA15812699
description	tooth lock washer ID ø 10.4mm ED ø 18mm zinc-coated steel DIN/ISO DIN 6798A Qty 1 pcs for thread M10		
For models:	CPE60, CPE602, CPE60DB, OCPE6, OCPE60		

fasteners

clamps

hose clamps

DIN 3017 - W2

			
1			
GEV No.	520111	Ref. No.	450102
description	hose clamp ø 10-16mm width 9mm Qty 10 pcs DIN 3017		

			
1			
GEV No.	520112	Ref. No.	450103 LAR61630011
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, GC106M, GC110M, GC210M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M...(Other models you can see in the webshop)		

			
1			
GEV No.	520115	Ref. No.	450105
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		

			
1			
GEV No.	520116	Ref. No.	450107
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		

			
1			
GEV No.	520119	Ref. No.	450119
description	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		

			
1			
GEV No.	520117	Ref. No.	450135
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		

consumables

fuses

fine fuses

			
1			
GEV No.	358532	Ref. No.	R65200200
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		
For models:	CVE004H, CVE004M, CVE104H, CVE104M, CVE105H, CVE105M, CVG105H, CVG105M, EC106M, EC110M, EC210M, EM010M+SC, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105M, FE105X, FE110M, FE110X, FE210M, FG105M, FG105X, FG110M, FG110X, FG210M, FG210X, GC106M, GC110M...(Other models you can see in the webshop)		

			
1			
GEV No.	358593	Ref. No.	R65200086
description	fine fuse size ø5x20mm 0.125A slow-acting rated 250V Qty 10 pcs		
For models:	CVE004H, CVE104H, CVE105H, CVG105H, EM010M+SC, EM106H, EM106M+SC, EM106P, EM110M+SC, EM110P, EM210M+SC, EM210P, EV106H, EV106M+SC, EV106P, EV110M+SC, EV110P, EV210M+SC, EV210P, GM106H, GM106M+SC, GM106P, GM110M+SC, GM110P, GM210M+SC, GM210P, GV106H, GV106M+SC, GV106P, GV110M+SC, GV110P, GV210M+SC, GV210P, ME061P, ME061T, ME101P, ME101T, ME102P, ME102T, ME106M, ME106P, ME106X, ME110M, ME110P, ME110X, ME120M, ME120P, ME120X, ME201P, ME201T...(Other models you can see in the webshop)		

			
1			
GEV No.	358592	Ref. No.	R65200140
description	fine fuse size ø5x20mm 0.1A slow-acting rated 250V Qty 10 pcs		
For models:	GMT20D, MG061M, MG101D, MG101M, MG102D, MG102M, MG201D, MG201M, MGMT20D		

			
1			
GEV No.	358595	Ref. No.	R65200320
description	fine fuse size ø5x20mm 0.2A slow-acting rated 250V Qty 10 pcs		
For models:	EC106M, EM106H, EM106M, EM106M+SC, EM106P, EM110H, EM110P, EM210H, EM210P, EV006M, EV106H, EV106M, EV106M+SC, EV106P, EV110H, EV110P, EV210H, EV210P, FG105X, GC106M, GM106H, GM106M, GM106M+SC, GM106P, GM110H, GM210H, GV106H, GV106M, GV106M+SC, GV106P, GV110H, GV210H, MACE10M, MACE20M, ME061P, ME061T, ME101D, ME101M, ME102D, ME102M, ME106P, ME106X, ME110P, ME120P, ME201D, ME201M, ME210P, ME220P, MEC24H, MEMT10D...(Other models you can see in the webshop)		

			
1			
GEV No.	358703	Ref. No.	R65200350
description	fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs		
For models:	EC110M, EC210M, EM010M+SC, EM110H, EM110M, EM110M+SC, EM110P, EM210H, EM210M, EM210M+SC, EM210P, EV110H, EV110M, EV110M+SC, EV110P, EV210H, EV210M, EV210M+SC, EV210P, FE105X, FG110X, FG210X, GC110M, GC210M, GM110H, GM110M, GM110M+SC, GM110P, GM210H, GM210M, GM210M+SC, GM210P, GV110H, GV110M, GV110M+SC, GV110P, GV210H, GV210M, GV210M+SC, GV210P, ME110P, ME110X, ME120P, ME120X, ME210P, ME210X, ME220P, ME220X, MEC24H, MEC40M...(Other models you can see in the webshop)		

A

alarm devices	22
appliance hose reels	111
audible timers	22
axial fans	43

B

ball valves	115
ball valves electric	41, 115
bar burners	76
beverage technology	115
booster pumps II	52

C

cable glands	55
cables	55
cam switches	14
castors and bumper angles	97
clamps	116, 120
condensators & interference suppression filters	52
consumables	121
contactors	23
container filters	111
control thermostats	5, 10
cylinder head bolts	117

D

door catches	92
door seals	101
door seals with fixing hook	107
dosing pumps	111
double nipples	113
drain pumps	52

E

edgemount latches	92
electric accessories	55
electrodes	42
electronic controllers	31
energy regulators	5
espagnolette locks	93

F

fans	43
fasteners	120
fastening material	117
female bullets	55
ferrite rings	53
filters	53
fine fuses	121
fittings	113
flat-headed bolts	117

forced air burners	77
formed hoses	112
fuses	54, 121

G

gas ball valves	83
gas burners	76
gas control valves	57
gas lines	83
gas nozzles	78
gaskets for heated units	98
gaskets for tray rack trolleys	107
GEV	2
grates	98
grub screws	117

H

halogen lamp	19
handle latches	92
heating elements	2
heating elements for convection	2
hexagonal nuts	118
hexagonal screws	117
hose clamps	116, 120
hose connectors	113
hose reels	111
hoses	111
hot air fans	50
hot air motors	44

I

ignition boxes	62
ignition cables	70
ignition switches	72
ignition units	72
immersion heating elements	2
indicator lights	17
indicator lights (complete)	17
industrial hoses	111

L

lamps	17
light bulbs	19

M

magnetic switches	15
measuring equipment	116
mechanical timers	21
microswitches	13
motors	51

N

Niplaflex hoses	111
-----------------	-----

non-return valves	115
nuts	118

O

operating capacitors	52
O-rings	108
oven hinges	94
oven lamps	19

P

PE hoses	111
piezoelectric igniters	72
pilot burners	62
pressure switches	41, 83
probes	31
programme timers	20
PU hoses	112
pumps	52
push/momentary push switches	12
push-in fittings	114
PVC hoses	112

R

radial fans	51
raised countersunk head screws	117
relays	27
ribbon cables	55
rocker/momentary rocker switches	11

S

safety thermostats	8
screw pipe fittings	113
screws	117
sealing washers	108
shaft gaskets	109
shelves and shelf rails	98
side bolts	117
silicone hoses	112
snap locks	93
solenoid valves	36
spray guns	110
spring washers	119
switches and momentary switches	11
system switches (ROLD)	13

T

temperature probes	31
terminals	55
terminals and connectors	55
thermocouples	73
thermostats	5
threaded cable glands	55
time relays	29

timers	20
tooth lock washers	120
touch sensitive light switches	15
transformers	30

U

universal probes	31
------------------	----

V

valves	115
valves and tank inlets	115
vibration pumps	52

W

washers	119
window seals	98