GEV

Spare Parts for

Ovens & Combi Ovens

Spare parts suitable for

EMMEPI

2018

Find the complete and up-to-date range of products in our GEV Webshop

heating elements

immersion heating elements

3 hole flange ø47.5mm



1

GEV No.	418136	**Ref. No.**	808674
description	heating element 4360W 240V mounting ø 47.5mm heating circuits 3 L 310mm W 31mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 200mm thermostat sleeve clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
spare parts for	418136		
	GEV No. 510408	Ref. No. —	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs
accessories for	418136		
	GEV No. 510408	Ref. No. —	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs
	GEV No. 510562	Ref. No. —	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs

3 hole flange ø57.5mm



1

GEV No.	418084	**Ref. No.**	807858
description	heating element 7599W 230V mounting ø 57.5mm heating circuits 3 L 340mm W 36mm H 42mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 270mm thermostat sleeve clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M4 3 hole flange immersion heater		

miscellaneous

1

GEV No.	415550	**Ref. No.**	809556
description	heating element 9000W 230V heating circuits 3 L 205mm W 38mm H 70mm number of thermostat sleeves 1 thermostat sleeves ø 2.5mm length thermostat sleeves 120mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 64mm hole ø 8mm connection male faston 6.3mm 4 hole flange immersion heater flange width 82mm flange length 82mm		
accessories for	415550		
	GEV No. 379078	Ref. No. —	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x100mm cable length 1.8m
accessories for	415550		
	GEV No. 510565	Ref. No. —	gasket rubber L 82mm W 82mm thickness 4mm hole ø 9mm hole distance 64mm for heating element suitable for RATIONAL 4 holes

heating elements for convection

1

GEV No.	415914	**Ref. No.**	809571
description	heating element 15000W 230V heating circuits 6 ID ø 505mm ED ø 520mm L 615mm H 180mm L1 50mm W1 156mm H1 35mm H2 145mm flange length 210mm flange width 24mm hole distance 30mm connection male faston 6.3mm connection length 80mm tube ø 6.5mm convection heating element hole ø 8mm mounting pos. inner rectangular flange		
accessories for	415914		
	GEV No. 521127	Ref. No. —	gasket L 210mm W 24mm thickness 2mm for heating element
	GEV No. 693548	Ref. No. —	flange suitable for convection heating element W 23mm mounting pos. outer length 210

1

GEV No.	415915	**Ref. No.**	809570
description	heating element 15000W 230V heating circuits 6 ID ø 635mm ED ø 650mm L 696mm H 200mm L1 23mm W1 156mm H1 35mm H2 165mm flange length 210mm flange width 24mm hole distance 31mm connection male faston 6.3mm connection length 80mm tube ø 6.3mm convection heating element hole ø 7mm mounting pos. outer rectangular flange		
accessories for	415915		
	GEV No. 521127	Ref. No. —	gasket L 210mm W 24mm thickness 2mm for heating element
	GEV No. 693548	Ref. No. —	flange suitable for convection heating element W 23mm mounting pos. outer length 210

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	415119	**Ref. No.**	132110020
description	heating element 1600W 230V heating circuits 1 ID ø 179mm ED ø 197mm L 254mm H 30mm L1 51mm W1 31mm H1 9mm H2 21mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 41mm tube ø 6.3mm convection heating element hole ø 4mm rectangular flange		
accessories for	415119		

GEV No.	510368	Ref. No.	8C0286

gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element

1

GEV No.	418986	**Ref. No.**	9629911
description	heating element 3000W 240V heating circuits 1 ID ø 180mm ED ø 186mm L 210mm H 31mm L1 11mm W1 60mm H1 7mm H2 24.5mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 34.5mm tube ø 6.25mm convection heating element hole ø 5mm rectangular flange		

1

GEV No.	415845	**Ref. No.**	142110001
description	heating element 3150W 230V heating circuits 3 ID ø 201mm ED ø 215mm L 272mm H 35mm L1 57mm W1 60mm H1 8mm H2 27mm flange length 95mm flange width 22mm hole distance 77mm connection male faston 6.3mm connection length 20mm tube ø 6.5mm convection heating element hole ø 6mm rectangular flange		

1

GEV No.	418134	**Ref. No.**	808778
description	heating element 3300W 240V heating circuits 1 ID ø 185mm ED ø 200mm L 215mm H 30mm W1 60mm H1 5mm H2 25mm flange length 100mm flange width 22mm hole distance 85mm connection male faston 6.3mm connection length 22mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		

1

GEV No.	418131	**Ref. No.**	808781
description	heating element 6000W 230V heating circuits 3 ID ø 217mm ED ø 231mm L 271mm H 90mm L1 41mm W1 103mm H1 24mm H2 66mm flange length 140mm flange width 22mm hole distance 63mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		

1

GEV No.	418858	**Ref. No.**	806187
description	heating element 7350W 230V heating circuits 3 ID ø 215mm ED ø 230mm L 267mm H 85mm L1 38mm W1 102mm H1 5mm H2 80mm flange length 142mm flange width 25mm hole distance 63mm cable length 1000mm convection heating element hole ø 6mm		

1

GEV No.	415912	**Ref. No.**	809555
description	heating element 9000W 230V heating circuits 3 ID ø 445mm ED ø 458mm L 474mm H 130mm W1 156mm H1 33mm H2 97mm flange length 210mm flange width 24mm hole distance 31mm connection male faston 6.3mm connection length 80mm tube ø 6.5mm dry heating element hole ø 7.5mm mounting pos. inner rectangular flange L1 16mm		
accessories for	415912		

GEV No.	521127	Ref. No.	—

gasket L 210mm W 24mm thickness 2mm for heating element

GEV No.	693548	Ref. No.	—

flange suitable for convection heating element W 23mm mounting pos. outer length 210

1

GEV No.	415913	**Ref. No.**	809554
description	heating element 9000W 230V heating circuits 3 ID ø 504mm ED ø 516mm L 535mm H 130mm W1 156mm H1 35mm H2 95mm flange length 210mm flange width 25mm hole distance 31mm connection male faston 6.3mm connection length 80mm tube ø 6.5mm dry heating element hole ø 7.5mm mounting pos. outer rectangular flange L1 19mm		
accessories for	415913		
	GEV No. 521127	Ref. No. —	
	gasket L 210mm W 24mm thickness 2mm for heating element		
	GEV No. 693548	Ref. No. —	
	flange suitable for convection heating element W 23mm mounting pos. outer length 210		

1

GEV No.	418135	**Ref. No.**	808779
description	heating element 920W 230V heating circuits 1 ID ø 200mm ED ø 215mm L 255mm H 40mm thread 1/4" connection male faston 6.3mm 2 hole fixing mounting distance 24mm tube ø 8.5mm convection heating element		
accessories for	418135		
	GEV No. 361182	Ref. No. —	
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	GEV No. 510417	Ref. No. —	
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No. 520228	Ref. No. —	
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No. 550262	Ref. No. —	
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		



1

GEV No.	419140	**Ref. No.**	8C0256 J03RST1B50
description	heating element 1500W 230V heating circuits 1 L 340mm W 105mm L1 30mm L2 310mm W2 90mm flange length 70mm flange width 22mm hole distance 56mm connection M4 tube ø 6.3mm W1 15mm windings 2		



1

GEV No.	419235	**Ref. No.**	8C0392
description	heating element 3500W 230V heating circuits 1 L 560mm W 175mm L1 30mm L2 530mm W2 145mm flange length 70mm flange width 22.5mm hole distance 56mm connection M4 tube ø 6.3mm W1 33mm convection heating element combi-steamer windings 3		

1

GEV No.	418139	**Ref. No.**	808780
description	heating element 3500W 240V heating circuits 1 L 620mm W 120mm L1 33mm L2 587mm W2 90mm flange length 70mm flange width 22mm hole distance 56mm connection length 100mm connection M4 tube ø 8.5mm hole ø 6mm W1 30mm rectangular flange convection heating element windings 2		

accessories

sealing washers

fibre gaskets



1

GEV No.	510405	**Ref. No.**	903300
description	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		

O-rings



1

GEV No.	510245	**Ref. No.**	808054
description	O-ring Viton thickness 3.53mm ID ø 50.8mm Qty 1 pcs		



1

GEV No.	510243	**Ref. No.**	808055
description	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

flange gaskets

1

GEV No.	510368	Ref. No.	8C0286
description	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

energy regulators

EGO

1-circuit

1

GEV No.	380015	Ref. No.	809397
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

1

GEV No.	380019	Ref. No.	806287
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		

thermostats

bi-metal thermostats

bi-metal thermostats

1

GEV No.	375160	Ref. No.	809559
description	bi-metal thermostat hole distancemm switch-off temp. 110°C 1NC 1-pole 16A connection F6.3 M4		

control and safety thermostats

EGO

control thermostats

55.10/19_ series

1

GEV No.	375216	Ref. No.	808672
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 228mm capillary pipe 1300mm capillary pipe isolated 1150mm gland nut shaft L 23mm shaft position upper rotation 318°		

1

GEV No.	375860	Ref. No.	8C0888 8C1605
description	thermostat t.max. 289°C temperature range 57-289°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1780mm capillary pipe isolated 1770mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° probe material SS		

1

GEV No.	375800	Ref. No.	132110016
description	thermostat t.max. 308°C temperature range 65-308°C 1-pole 1NO 16A probe ø 3.03mm probe L 120mm capillary pipe 600mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° with 2 probes		

GEV No.	375594	Ref. No.	132110015
description	thermostat t.max. 318°C temperature range 60-318°C 1-pole 1NO 16A probe ø 3.03mm probe L 139mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

GEV No.	375002	Ref. No.	908326 C00563
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		

GEV No.	375253	Ref. No.	8C0363
description	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

GEV No.	375247	Ref. No.	808542
description	thermostat t.max. 500°C temperature range 75-500°C 1-pole 1NO 16A probe ø 4mm probe L 228mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.40_ series

GEV No.	375185	Ref. No.	806189
description	thermostat t.max. 320°C temperature range 53-320°C 4-pole 4NO 16A probe ø 3.9mm probe L 228mm capillary pipe 880mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.10/19_ series

GEV No.	375250	Ref. No.	808671
description	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS		
spare parts for	375250		
	GEV No. 551083	Ref. No.	—
	cap for safety thermostat thread M8x1		

55.32_ series

GEV No.	375277	Ref. No.	808057
description	safety thermostat switch-off temp. 150°C 3-pole 3NC 20A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 700mm gland nut probe		

Find the complete and up-to-date range of products in our GEV Webshop

GEV No.	375628	**Ref. No.**	808718
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		

GEV No.	390141	**Ref. No.**	513130206
description	safety thermostat switch-off temp. 350°C 3-pole 3NC 20A probe ø 6mm probe L 77mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		

GEV No.	390142	**Ref. No.**	807790
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		

56._ series

GEV No.	390797	**Ref. No.**	809505
description	safety thermostat switch-off temp. 157°C 1-pole 16A probe ø 6mm probe L 62mm capillary pipe 1520mm capillary pipe isolated 1380mm gland nut probe		

GEV No.	375159	**Ref. No.**	809504
description	safety thermostat switch-off temp. 365°C 1-pole 16A probe ø 4mm probe L 96mm capillary pipe 1160mm capillary pipe isolated 1100mm gland nut probe with special screwing screw connection M14x1		

CAEM

safety thermostats

GEV No.	375456	**Ref. No.**	809891
description	safety thermostat switch-off temp. 335°C 2-pole 20A probe ø 3mm probe L 200mm capillary pipe 1050mm capillary pipe isolated 650mm gland nut probe SS at 250V 20A at 400V 10A		

accessories

connecting bows

GEV No.	550060	**Ref. No.**	C00218
description	connecting bow long for thermostat Qty 1 pcs		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

1

GEV No.	301003	**Ref. No.**	712110000 818181
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301003		

GEV No.	301036	Ref. No.	—

protective cover internal size 30x22mm for rocker switch mounting measurementsmm

1

GEV No.	301001	**Ref. No.**	E61110003
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301001		

GEV No.	301036	Ref. No.	—

protective cover internal size 30x22mm for rocker switch mounting measurementsmm

labelled

1

GEV No.	301164	**Ref. No.**	23327
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
accessories for	301164		

GEV No.	301036	Ref. No.	—

protective cover internal size 30x22mm for rocker switch mounting measurementsmm

push/momentary push switches

19x13mm

1

GEV No.	347605[1]	**Ref. No.**	809883
description	push switch mounting measurements 19x13mm yellow 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 105°C protection IP40		
accessories for	347605		

GEV No.	346541	Ref. No.	—

protective cover for rocker switch external size 23.4x17.4mm internal size 19x13mm H 9.5mm mounting measurementsmm

[1]illuminated

ø16mm

1

GEV No.	346287[1]	**Ref. No.**	809886
description	momentary push switch mounting ø 16mm red 1NO 250V 3A illuminated connection male faston 2.8mm ambient temperature max. 125/55°C protection IP65 with cover cap		

[1]illuminated

1

GEV No.	346346	**Ref. No.**	809600
description	momentary push switch mounting ø 16mm red 1NO/indicator light 250V 3A connection male faston 2.8mm ambient temperature max. 125/55°C protection IP40		

ø25mm

1

GEV No.	345162[1]	**Ref. No.**	8C0427
description	push switch mounting ø 25mm yellow 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

[1]illuminated

1

GEV No.	348211	**Ref. No.**	244230001
description	momentary push switch mounting ø 25mm red 1NO/indicator light 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover		

1

GEV No.	346094	**Ref. No.**	03-INT-B03
description	push switch mounting ø 25mm orange 2NO/indicator light 250V 16A with rubber collar connection male faston 6.3mm ambient temperature max. 85°C protection IP65		

Find the complete and up-to-date range of products in our GEV Webshop

microswitches

universal

CROUZET

1

GEV No.	345042	**Ref. No.**	809481
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		
accessories for	345042		
	GEV No. 345043	Ref. No. —	
	lever set 5-piece		

lever actuated

1

GEV No.	345254	**Ref. No.**	E00010041
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 120°C mounting distance 22mm actuating force: 60g lever length 58mm		

1

GEV No.	300128	**Ref. No.**	807999 808053
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C lever length 63mm		

1

GEV No.	346314	**Ref. No.**	132110023
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 56mm ambient temperature max. 125°C mounting distance 22mm type VRSR01DA1 actuating force: 50g		

1

GEV No.	345125	**Ref. No.**	809568
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 25g lever length 63.5mm		

roller-lever actuated

microswitches

1

GEV No.	345041	**Ref. No.**	808879 8C2018 E61110082
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C black lever length 20.5mm		

pin-plunger actuated

CROUZET

1

GEV No.	345042	**Ref. No.**	809481
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		
accessories for	345042		
	GEV No. 345043	Ref. No. —	
	lever set 5-piece		

M10

1

GEV No.	347216	**Ref. No.**	807351 E61110053
description	microswitch with plunger thread M10x0.75 thread L 14mm 250V 10A 1CO connection male faston 6.3mm stroke 7.5mm mounting distance 22mm L 28mm ambient temperature max. 125°C type NR6K5 actuating force: 260g		

1

GEV No.	345032	**Ref. No.**	61110053
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		

1

GEV No.	345156	**Ref. No.**	809173 809885
description	microswitch with plunger thread M10x1 thread L 13mm 250V 16A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 46mm L1 13mm ambient temperature max. 85°C type C4A-ZN3 actuating force: 340g		

system switches (ROLD)

1

GEV No.	345131	**Ref. No.**	808948
description	element holder mounting measurements 28.5x28.5mm grey single element holder		

1

GEV No.	345536	**Ref. No.**	03-PLS-011
description	element holder mounting ø 16mm flat black		

1

GEV No.	345606	**Ref. No.**	809021
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		

1

GEV No.	345538	**Ref. No.**	03-PLS-012
description	push button ø 11.9mm black		

1

GEV No.	346211	**Ref. No.**	808950
description	push button ø 23mm grey with lens		

1

GEV No.	346364	**Ref. No.**	808949
description	rotary disc red/white disc ø 20.6mm		

1

GEV No.	345605	**Ref. No.**	808807
description	switch 2CO 250V 16A connection male faston 6.3mm		

cam switches

on/off

1

GEV No.	300129	**Ref. No.**	808145
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

1

GEV No.	300088	**Ref. No.**	808687 C00685
description	cam switch 2 operating positions 4NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

GEV No.	300074	**Ref. No.**	806286
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

Find the complete and up-to-date range of products in our GEV Webshop

7-position

1

GEV No.	300025	**Ref. No.**	C00213
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
accessories for	300025		

GEV No.	112172	Ref. No.	—
knob universal ø 70mm black without adaptor/dial plate			

GEV No.	112213	Ref. No.	—
knob dial plate silver switch 7-position t.max.°C°C ED ø 63mm ID ø 45.5mm			

GEV No.	112311	Ref. No.	—
knob adapter shaft ø 6x4.6mm L 0mm with spring			

1

GEV No.	300106	**Ref. No.**	806160 C00214
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

4 operating positions



1

GEV No.	300010	**Ref. No.**	807290 808806
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

5 operating positions

1

GEV No.	347652	**Ref. No.**	808962
description	cam switch 5 operating positions 5NO/2CO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

operation switches

1

GEV No.	300002	**Ref. No.**	808052 C00690
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

1

GEV No.	300200	**Ref. No.**	C00217
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		

magnetic switches

32x15mm

1



GEV No.	345109	**Ref. No.**	809557
description	magnetic switch L 32mm W 15mm 1NO 250V 1A P max. 40W connection cable cable length 2000mm		

36x13mm

1



GEV No.	345335	**Ref. No.**	25110113 8C0129
description	magnetic switch L 36mm W 13mm 1NO 250V 0.04A P max. 10W connection cable cable length 960mm		
accessories for	345335		

GEV No.	519049	Ref. No.	903651 TR0220
magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm			

37x16mm

1



GEV No.	345600	**Ref. No.**	TR0666
description	magnetic switch L 37mm W 16mm 1NO 250V 0.2A P max. 50W connection cable cable length 960mm		
accessories for	345600		

GEV No.	519049	Ref. No.	903651 TR0220
magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm			

M10x0.75

1



GEV No.	345632	**Ref. No.**	TR0309
description	magnetic switch thread M10x0.75 1NO 250V 0.5A P max. 50W connection cable cable length 2000mm type 102		
accessories for	345632		

GEV No.	100779	Ref. No.	—
nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs			

accessories

magnets

1

GEV No.	691178	**Ref. No.**	8C2146
description	magnet ø 22mm Lmm H 7mm Wmm ED ø 22mm M5		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	519049	**Ref. No.**	903651 TR0220
description	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		
accessories for	519049		
	GEV No. 560095	Ref. No. —	
	sheet metal screws ø 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head		

control equipment

TELEMECANIQUE (EFA)

XB2 series

1

GEV No.	345412	**Ref. No.**	C00279
description	contact block with holder 1NO		
spare parts for	345412		
	GEV No. 345220	Ref. No. —	
	contact block EFA ZB2BE101 1NO max 230V 10(6)A black		
	GEV No. 345221	Ref. No. —	
	contact block EFA ZB2BE102 1NC max 230V 10(6)A black		
	GEV No. 347526	Ref. No. —	
	contact block holder for XB2		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø13mm (type SFK-3)

1

GEV No.	359126	**Ref. No.**	808461
description	indicator light housings mounting measurements ø13mm green Qty 1 pcs		

1

GEV No.	359127	**Ref. No.**	809085
description	indicator light housings mounting measurements ø13mm yellow Qty 1 pcs		

indicator lamps for socket type SRZ / SDK / SDY / SFK

1

GEV No.	359130	**Ref. No.**	809084
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		

1

GEV No.	359132	**Ref. No.**	808943
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lights (complete)

ø 6mm

1

GEV No.	359031	**Ref. No.**	8C0298
description	indicator light ø 6mm 230V green		

ø10mm

with plug-in socket

1

GEV No.	359139	**Ref. No.**	808971 809382
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		

1

GEV No.	359138	**Ref. No.**	808969
description	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		

1

GEV No.	359140	**Ref. No.**	808970 809248
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

ø13mm

with plug-in socket

1

GEV No.	359142	**Ref. No.**	807773
description	indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

1

GEV No.	359143	**Ref. No.**	806128
description	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

30x22mm

1

GEV No.	359157	**Ref. No.**	806080
description	indicator light mounting measurements 30x22mm 230V green connection male faston 6.3mm temp.-resist. 125/55°C type RL2		
accessories for	359157		

GEV No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

screw-on/push-on fit

light bulbs

for ovens

1

GEV No.	359610	**Ref. No.**	818281
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

1

GEV No.	357153	**Ref. No.**	03-LMP-25W 809884
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type 120 1000		

halogen lamp

for socket G4 / G6.35 / G9

1

GEV No.	359599	**Ref. No.**	03-LMP-20W
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000		

oven lamps

universal oven lamps

mounting diameter 35.5mm

1

GEV No.	359718	**Ref. No.**	809935
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
spare parts for	359718		

GEV No.	359701	Ref. No.	03-PLM-001 809715 8C0278
lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			

GEV No.	359740	Ref. No.	—
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT 70 1000			

1

GEV No.	359701	**Ref. No.**	03-PLM-001 809715 8C0278
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
accessories for	359701		

GEV No.	359705	Ref. No.	—
oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C			

GEV No.	359709	Ref. No.	—
oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C			

GEV No.	359721	Ref. No.	—
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs			

GEV No.	359942	Ref. No.	—
oven lamp glass thr.ø 33.5mm H 39mm ø 40mm hard glas temp.-resist. 350°C			

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	359661	**Ref. No.**	808808
description	oven lamp glass thread 32.1 ø 58mm hard glas temp.-resist. 350°C		
accessories for	359661		
	GEV No. 359700	Ref. No.	—
	gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm		
	GEV No. 360782	Ref. No.	—
	gasket for bulb socket fibre glass ID ø 35mm ED ø 45mm thickness 5mm		

mounting diameter 47.8mm



1

GEV No.	525313	**Ref. No.**	808709
description	O-ring Viton ID ø 60.33mm thickness 3.53mm Qty 1 pcs		

1

GEV No.	532649	**Ref. No.**	808710
description	O-ring Viton ID ø 63.17mm thickness 2.62mm Qty 1 pcs		

mounting diameter 65.5mm

1

GEV No.	359712	**Ref. No.**	808850
description	oven lamp mounting ø 65.5mm 230V 40W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
spare parts for	359712		
	GEV No. 359022	Ref. No.	—
	lamp socket socket E14 mounting ø 65.5mm connection male faston 6.3mm		
	GEV No. 359611	Ref. No.	—
	light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT		
spare parts for	359712		
	GEV No. 359722	Ref. No.	—
	gasket silicone ID ø 57.5mm ED ø 68mm thickness 2mm		
	GEV No. 359724	Ref. No.	808851
	oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C		

1

GEV No.	359724	**Ref. No.**	808851
description	oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C		

55x70mm

1

GEV No.	359297	**Ref. No.**	131110027
description	frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm		
accessories for	359297		
	GEV No. 359299	Ref. No.	—
	gasket L 91mm W 77mm hole ø 3mm for oven lamp		

55x100mm

1

GEV No.	359698	**Ref. No.**	808979
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
spare parts for	359698		
	GEV No. 358119	Ref. No.	—
	frame L 118mm W 72mm mounting distance 143mm for bulb socket		
	GEV No. 358122	Ref. No.	—
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket		
	GEV No. 358123	Ref. No.	—
	lamp glass L 112mm W 68mm		
	GEV No. 359612	Ref. No.	—
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		

Table continues overleaf

spare parts for	359698			
	GEV No.	359714	Ref. No.	808977 809341
	gasket silicone L 140mm W 75mm for bulb socket			
	GEV No.	359715	Ref. No.	808976
	lamp glass L 110mm W 65mm thickness 5mm			
	GEV No.	359716	Ref. No.	808975
	frame for bulb socket			
accessories for	359698			
	GEV No.	359612	Ref. No.	—
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	GEV No.	359938	Ref. No.	—
	borosilicate glass L 115mm W 69mm			

1

GEV No.	359716	**Ref. No.**	808975
description	frame for bulb socket		

1

GEV No.	359714	**Ref. No.**	808977 809341
description	gasket silicone L 140mm W 75mm for bulb socket		

1

GEV No.	359715	**Ref. No.**	808976
description	lamp glass L 110mm W 65mm thickness 5mm		

1

GEV No.	359698	**Ref. No.**	808979
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
spare parts for	359698		
	GEV No.	358119	Ref. No. —
	frame L 118mm W 72mm mounting distance 143mm for bulb socket		
	GEV No.	358122	Ref. No. —
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket		

spare parts for	359698			
	GEV No.	358123	Ref. No.	—
	lamp glass L 112mm W 68mm			
	GEV No.	359612	Ref. No.	—
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	GEV No.	359714	Ref. No.	808977 809341
	gasket silicone L 140mm W 75mm for bulb socket			
	GEV No.	359715	Ref. No.	808976
	lamp glass L 110mm W 65mm thickness 5mm			
	GEV No.	359716	Ref. No.	808975
	frame for bulb socket			
accessories for	359698			
	GEV No.	359612	Ref. No.	—
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	GEV No.	359938	Ref. No.	—
	borosilicate glass L 115mm W 69mm			

1

GEV No.	101372	**Ref. No.**	808569
description	oven lamp complete L 100mm W 55mm 230V 25W socket E14 rectangular temp.-resist. 300°C connection male faston 6.3mm		
spare parts for	101372		
	GEV No.	359612	Ref. No. —
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	GEV No.	359698	Ref. No. 808979
	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
	GEV No.	359714	Ref. No. 808977 809341
	gasket silicone L 140mm W 75mm for bulb socket		
	GEV No.	359715	Ref. No. 808976
	lamp glass L 110mm W 65mm thickness 5mm		
	GEV No.	359716	Ref. No. 808975
	frame for bulb socket		

Find the complete and up-to-date range of products in our GEV Webshop

lamps

light bulbs

1

GEV No.	359610	**Ref. No.**	818281
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

1

GEV No.	357153	**Ref. No.**	03-LMP-25W 809884
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type 120 1000		

halogen lamps

for socket G4 / G6.35 / G9

1

GEV No.	359599	**Ref. No.**	03-LMP-20W
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000		

timers

electric timers

with time spread

1

GEV No.	350074	**Ref. No.**	809442
description	timer MS65 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower°		

1

GEV No.	350073	**Ref. No.**	8C1391
description	timer MS65 with buzzer board operation time 120min time spread 30min 1CO/1NC/2NO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 20mm with bell mounting distance 28mm connection lateral 3-pole		

mechanical timers

1

GEV No.	350159	**Ref. No.**	132110014
description	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 22mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm ambient temperature max. 125°C with buzzer		
spare parts for	350159		

GEV No.	350076	Ref. No.	—

buzzer board 12V connection male faston 6.3mm

GEV No.	350186	Ref. No.	—

timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm

1

GEV No.	350030	**Ref. No.**	8C2008
description	timer M2 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350030		

GEV No.	110366	Ref. No.	—

knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black

GEV No.	111199	Ref. No.	—

dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm

1

GEV No.	350003	**Ref. No.**	813170
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350003		

GEV No.	110366	Ref. No.	—

knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black

GEV No.	111199	Ref. No.	—

dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm

1

GEV No.	350008	**Ref. No.**	809674
description	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral		

alarm devices

buzzers

1

GEV No.	350136	**Ref. No.**	809553
description	buzzer 12VAC connection cable 200mm screw mounting 63dB		

contactors

GENERAL ELECTRIC (AEG)

power contactors

1

GEV No.	380239	**Ref. No.**	03-CNT-25230
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		

1

GEV No.	380244	**Ref. No.**	00006280 807553 8C0148
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		

1

GEV No.	380262	**Ref. No.**	00006220
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		

1

GEV No.	380261	**Ref. No.**	C00571
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310		

LOVATO

power contactors

1

GEV No.	380705	**Ref. No.**	907041 907190 C00287
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0910A230		
accessories for	380705		
	GEV No. 380057	Ref. No. —	
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BG series connection screw type BGX1011		

Find the complete and up-to-date range of products in our GEV Webshop

SIEMENS

power contactors

1

GEV No.	380645	**Ref. No.**	809820
description	power contactor 230VAC with auxiliary contacts		

1

GEV No.	380646	**Ref. No.**	32Z9250
description	power contactor resistive load 40A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts connection screw connection type 3RT10-25-1AL20		

overload switches

1

GEV No.	381002	**Ref. No.**	808952
description	overload switch setting range 1.8-2.5A		

TELEMECANIQUE (Schneider Electric)

power contactors

1

GEV No.	380617	**Ref. No.**	00060670
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09B7		

OMRON

power contactors

1

GEV No.	380882	**Ref. No.**	8C0216
description	power contactor resistive load 25A 230VAC AC3 10A main contacts 3NO auxiliary contacts 1NO connection screw connection type J7KN-10D-10 OMRON		

solid state relays

CELDUC

1

GEV No.	400105	**Ref. No.**	809558
description	solid state relay CELDUC 2 phase 65A 400V 24VDC L 58mm W 45mm plug-in connection screw type 40.00.453		
accessories for	400105		
	GEV No. 401794	Ref. No.	—
	connecting cable L 1440mm 4-pole suitable for RATIONAL		

relays

power relays

with bracket mounting

1

GEV No.	380626	**Ref. No.**	25130102
description	power relays FINDER 230VAC 10A 2CO connection male faston 4.8mm bracket mounting manuf. no. 62.62.8.230.0000		

1

GEV No.	380312	**Ref. No.**	23190
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		

1

GEV No.	380139	**Ref. No.**	25130100 809863
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		

1

GEV No.	380403	**Ref. No.**	905475
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		

1

GEV No.	380808	**Ref. No.**	905476
description	power relays FINDER 230VAC 16A 3CO connection male faston 6.3mm bracket mounting manuf. no. 62.83.8.230.0000		

with male contacts

female contact 2.0mm



1

GEV No.	380129	**Ref. No.**	809015
description	power relays 24VAC 12A 2CO connection F2 plug-in connection 94.92.3 250V connection 2mm		
accessories for	380129		

GEV No.	380341	Ref. No.	—
relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4			

GEV No.	380378	Ref. No.	—
relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72			

GEV No.	380384	Ref. No.	—
relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for			

GEV No.	380399	Ref. No.	—
relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3			

plug-in/print relays



1

GEV No.	380333	**Ref. No.**	J03REL001
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75		
accessories for	380333		

GEV No.	380340	Ref. No.	—
relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	380333			
	GEV No.	380505	Ref. No.	—
	relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3			
	GEV No.	381181	Ref. No.	—
	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75			

relay sockets

1

GEV No.	380638	**Ref. No.**	809018
description	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		

level relays

GICAR

1

GEV No.	401173	**Ref. No.**	807853
description	level relay 230V connection F6.3 type RL30/3ES/F		

time relays

time relays

1

GEV No.	380639	**Ref. No.**	809016
description	time relay TECNOLOGIC RTR12DS06S time range 6s 230VAC 5A mounting measurements 34x34mm 1CO connection plug-in connection round 8-pole		
accessories for	380639		
	GEV No.	380638	Ref. No.	809018
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26			

1

GEV No.	380640	**Ref. No.**	809019
description	time relay TECNOLOGIC RTR12DS60S time range 60s 230VAC 5A 1CO connection plug-in connection round 8-pole		
accessories for	380640		
	GEV No.	380638	Ref. No.	809018
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26			

transformers

encapsulated transformers

PMA

1

GEV No.	379054	**Ref. No.**	22192006
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

electronic controllers

ELIWELL

universal controllers

built-in version

1

GEV No.	379605	**Ref. No.**	831131 8C0227
description	electronic controller ELIWELL type ICPlus915 model ICP22JI35000 mounting measurements 71x29mm 12V voltage AC/DC Pt100/TC (J,K) relay outputs 2 NO-8A(4) NO-8A(4) Pt100/TC (J,K) cooking front measurements 78x37mm built-in depth 59mm mode of operation cooking protection IPx0 accuracy 1% built-in version defr. funct. no dependend on probe°C display 3½ digits		
accessories for	379605		
	GEV No.	379050	Ref. No.	—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire			

Table continues overleaf

accessories for	379605			
	GEV No.	379054	Ref. No.	22192006
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M			
	GEV No.	379785	Ref. No.	—
	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C probe ø6x100mm cable length 1.5m without screw connection 2-wire resistor 0.1kOhm			
	GEV No.	379786	Ref. No.	—
	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C probe ø6x100mm cable length 3m without screw connection 2-wire resistor 0.1kOhm			
	GEV No.	379787	Ref. No.	—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 2-wire resistor 0.1kOhm			

EVCO - EVERY CONTROL

universal controllers

built-in version

1

GEV No.	378169	**Ref. No.**	807302 8C0173
description	electronic controller EVERY CONTROL EV7401 mounting measurements 66.5x66.5mm built-in depth 90mm 24/230V voltage AC NTC/PTC/Pt100/TC(J,K)/mA relay outputs 1 CO-8A(3) NTC/PTC/Pt100/TC(J,K)/mA yes protection IP54 dependend on probe°C display 4 digits		

accessories for	378169			
	GEV No.	379053	Ref. No.	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			
	GEV No.	379062	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x50mm cable length 3m without screw connection 2-wire			
	GEV No.	379064	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
	GEV No.	379131	Ref. No.	—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x85mm cable length 3m without screw connection 3-wire resistance at 0°C 100Ohm			
	GEV No.	379161	Ref. No.	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			

1

GEV No.	378151	**Ref. No.**	809889 8C0258
description	electronic controller EVERY CONTROL EVK412 mounting measurements 71x29mm built-in depth 59mm 12/24V voltage AC/DC NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA relay outputs 2 CO-16A(8) CO-8A(3) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP54 dependend on probe°C display 4 digits		

timers

1

GEV No.	379522	**Ref. No.**	809892
description	electronic timer EVERY CONTROL type EVK702D2VXS mounting measurements 71x29mm 12V voltage AC/DC time setting range 0.1s.-99h:59min display 4 digits relay outputs 2 8A 8A front measurements 75x33mm		

SHANGFANG

accessories

1

GEV No.	379054	**Ref. No.**	22192006
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

probes

universal probes

temperature probes

1

GEV No.	378699	**Ref. No.**	22192003
description	temperature probe PTC 1kOhm cable PVC probe -30 up to +80°C cable -30 jusqu'à +110°C probe ø6x40mm cable length 1.5m 2-wire		

Find the complete and up-to-date range of products in our GEV Webshop

GEV No.	379142	**Ref. No.**	E25110070
description	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire		

GEV No.	379051	**Ref. No.**	8C0221
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire		
accessories for	379051		

GEV No.	379877	Ref. No.	—
electronic controller HONEYWELL type DC10N-400 mounting measurements 92x92mm 24/230V voltage AC TC (J) relay outputs 1 CO-10A(6) TC (J) universal built-in depth 55mm protection IP54 accuracy 1% built-in version defr. funct. no 0 up to +400°C display 3 digits			

producer-specific probes

probes

GEV No.	381430	**Ref. No.**	809525
description	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø2x100mm cable length 0.25m		

GEV No.	379124	**Ref. No.**	809564
description	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø2x100mm cable length 2.2m		

core probes

GEV No.	379946	**Ref. No.**	8C1187
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 0.7m handle ø 10mm handle length 80mm		

GEV No.	381426	**Ref. No.**	809658
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø3.2x100mm thread M12 cable length 1.9m handle ø 10mm handle length 100mm		

electronics

PCBs

GEV No.	400098	**Ref. No.**	809736
description	control PCB combi-steamer CD 101/CM 101 without EPROM		

solenoid valves

solenoid valves (water)

ELBI

straight

GEV No.	373021	**Ref. No.**	23120001 808922
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm output 1x 4.7l/min DN10 ELBI		
spare parts for	373021		

GEV No.	370467	Ref. No.	—
solenoid valve filter suitable for ELBI			

GEV No.	371263	Ref. No.	—
reducer ELBI flow rate 4.7l/min pressure range 0 up to 10bar tolerance ±15/25% grey			

GEV No.	373017	**Ref. No.**	23120021 809335 902390
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
spare parts for	373017		

GEV No.	370467	Ref. No.	—
solenoid valve filter suitable for ELBI			

1

GEV No.	373018	**Ref. No.**	809566
description	solenoid valve single straight 230VAC inlet 3/4" outlet 14mm DN10 ELBI		
spare parts for	373018		
	GEV No. 370467	Ref. No. —	
	solenoid valve filter suitable for ELBI		

angled

1

GEV No.	373015	**Ref. No.**	8C0206
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
spare parts for	373015		
	GEV No. 370467	Ref. No. —	
	solenoid valve filter suitable for ELBI		

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%

with coded terminal

1

GEV No.	370269	**Ref. No.**	809565
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS)		

RPE

reducers

outlet side

1

GEV No.	371269	**Ref. No.**	8C0117
description	reducer flow rate 0.07-0.14l/min brown		

TP

1

GEV No.	370017	**Ref. No.**	809327
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
spare parts for	370017		
	GEV No. 371013	Ref. No. —	
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370017		
	GEV No. 371220	Ref. No. —	
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No. 371221	Ref. No. —	
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No. 371222	Ref. No. —	
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No. 371223	Ref. No. —	
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No. 371224	Ref. No. —	
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No. 371225	Ref. No. —	
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No. 371226	Ref. No. —	
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No. 371230	Ref. No. —	
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No. 371231	Ref. No. —	
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No. 371232	Ref. No. —	
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No. 371233	Ref. No. —	
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	GEV No. 371234	Ref. No. —	
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	GEV No. 371235	Ref. No. —	
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	GEV No. 371236	Ref. No. —	
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	370017			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370025	Ref. No.	23120003
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP		
spare parts for	370025		
	GEV No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370025		
	GEV No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		

accessories for	370025			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370026	Ref. No.	E00010011
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 14mm DN10 TP		
spare parts for	370026		
	GEV No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370026		
	GEV No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		

Table continues overleaf

accessories for	370026		
	GEV No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	GEV No.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	GEV No.	371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	GEV No.	371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
	GEV No.	371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
	GEV No.	371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
	GEV No.	371239	Ref. No. —
	reducer TP flow rate 5l/min black tolerance ±25%		
	GEV No.	371240	Ref. No. —
	reducer TP flow rate 8l/min blue tolerance ±20%		

1

GEV No.	370015	Ref. No.	051J00002
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP		

accessories for	370015		
	GEV No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		

accessories for	370015		
	GEV No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	GEV No.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	GEV No.	371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	GEV No.	371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
	GEV No.	371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
	GEV No.	371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
	GEV No.	371239	Ref. No. —
	reducer TP flow rate 5l/min black tolerance ±25%		
	GEV No.	371240	Ref. No. —
	reducer TP flow rate 8l/min blue tolerance ±20%		

solenoid valves with reducers

1

GEV No.	370628	Ref. No.	8C0145
description	solenoid valve double straight 230VAC inlet 3/4" input 16l/min DN10 TP plastic outlet 11.5mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	370250	**Ref. No.**	902410
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP 22507P plastic output B 0.25l/min flow regulating valve outlet B red		

pressure switches

for steam control

1

GEV No.	541074	**Ref. No.**	03-PRS-001 8C0444
description	pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51bar connection 1/8" pressure connection 1/8"		

for combi-steamers

1

GEV No.	345218	**Ref. No.**	809509
description	pressure control pressure range 0-3mbar connection 6mm pressure connection 6mm		

1

GEV No.	541329	**Ref. No.**	809754
description	pressure control pressure range 350/150mbar connection 8mm pressure connection 8mm		

electrodes

1

GEV No.	400021	**Ref. No.**	809561
description	level electrode PG9 total length 110mm probe L 70/47/24mm insulated probe length 62/38/16mm with 3 probes connection grip connection		

1

GEV No.	400022	**Ref. No.**	809569
description	level electrode PG9 total length 135mm probe L 89/59/28mm insulated probe length 80mm with 3 probes connection grip connection		
accessories for	400022		

GEV No.	379729	Ref. No.	—

connection cable L 1230mm 4-pole for level electrode plug type coded

GEV No.	550574	Ref. No.	—

nut thread PG9 H 3mm WS 28 nickel-plated brass Qty 1 pcs mounting ømm cable ømm

fans

axial fans

ebm-papst

1

GEV No.	601030[1]	**Ref. No.**	809503 831100001
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
accessories for	601030		

GEV No.	550898	Ref. No.	—

connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan

GEV No.	692497	Ref. No.	—

guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm

[1]with ball bearings

import

1

GEV No.	601080[1]	**Ref. No.**	827851
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
accessories for	601080		
	GEV No. 550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	GEV No. 692519	Ref. No.	—
	guard L 120mm W 120mm plastic		

[1]with ball bearings

1

GEV No.	601081[1]	**Ref. No.**	827852
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 14/13.5W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C		
accessories for	601081		
	GEV No. 691102	Ref. No.	—
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

[1]with ball bearings

hot air motors

1

GEV No.	550859	**Ref. No.**	809828
description	counterflange for fan motor ED ø 60mm int. ø 1 34mm int. ø 2 25mm thickness 6mm brass		



1

GEV No.	601046	**Ref. No.**	807314 809406
description	fan motor 220/380V 3 phase 50/60Hz 0.75kW 1350/1650rpm speeds 1 L1 185mm L2 42mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.9/3.3A Cos(fi) 0.83 at 50Hz 200-240/346-415V at 60Hz 200-277/346-480V at 50Hz 1350rpm at 60Hz 1650rpm type ST80/4 no. 661512		



1

GEV No.	601354	**Ref. No.**	131110021
description	fan motor 220-240V 1 phase 50Hz 0.11kW 2760rpm speeds 1 L1 130mm L2 32mm L3 30mm L4 18mm D1 ø 7/8mm D2 ø 9mm M4R IT 0.9A at 50Hz 230V at 50Hz 2760rpm suitable capacitor 4µF type LM63 shaft flat length 17mm		
accessories for	601354		
	GEV No. 365031	Ref. No.	—
	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection		
	GEV No. 601061	Ref. No.	—
	fan wheel D1 ø 160mm H1 60mm blades 15 D2 ø 18mm D3 ø 18mm H2 35mm		



1

GEV No.	601043	**Ref. No.**	808973
description	fan motor 220-240V 1 phase 50Hz 0.37/0.07kW 0.1/0.5HP 1400/2700rpm speeds 2 L1 123mm L2 107mm L3 15mm D1 ø 15mm D2 ø 12mm M10L ET 2/0.7A suitable capacitor 20µF/250V at 50Hz 1400/2700rpm type 1057		
accessories for	601043		
	GEV No. 365019	Ref. No.	—
	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	601166	**Ref. No.**	131110010
description	fan motor 220-240V 1 phase 50Hz 0.37kW 2700rpm speeds 1 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 2A suitable capacitor 12.5µF/450V at 50Hz 2700rpm type 1057.2157		
spare parts for	601166		
	GEV No.	365014	Ref. No.	901740
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
accessories for	601166		
	GEV No.	601165	Ref. No.	—
	fan wheel D1 ø 160mm H1 60mm blades 15 D2 ø 16mm D3 ø 16mm H2 29mm		



1

GEV No.	500642	**Ref. No.**	813154
description	fan motor 380-415V 3 phase 50Hz 0.22/0.75kW 700/1400rpm speeds 2 L1 166mm L2 45mm L3 67mm D1 ø 24mm D2 ø 20mm M6R ITA at 50Hz 380-415V at 50Hz 700/1400rpm type FB80 4/8 no. 629764		

1

GEV No.	601060	**Ref. No.**	807604 808961
description	fan wheel D1 ø 180mm H1 60mm blades 16 D2 ø 11mm D3 ø 16mm H2 30mm		

1

GEV No.	601224	**Ref. No.**	809407
description	fan wheel D1 ø 300mm H1 100mm blades 24 D2 ø 19.5mm D3 ø 23mm H2 46mm		

1

GEV No.	601063	**Ref. No.**	8C0003
description	fan wheel D1 ø 350mm H1 100mm blades 24 D2 ø 19.5mm D3 ø 23mm H2 46mm		

1

GEV No.	511171	**Ref. No.**	809829
description	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		

hot air fans

miscellaneous



1

GEV No.	601273	**Ref. No.**	8C0432
description	hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 155mm FIME type C20X0E01/15CLH		

1



GEV No.	601011	**Ref. No.**	8C0758
description	hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH		
accessories for	601011		

GEV No.	550879	Ref. No.	—

insulation ø 130mm thickness 3mm hole ø 18mm for hot air fan

GEV No.	601260	Ref. No.	—

nut thread M6L IT for hot air fan

1



GEV No.	601339	**Ref. No.**	807206 8C2135
description	hot air fan 230V 45W L1 78mm L2 13mm L3 25mm L4 87mm fan wheel ø 150mm Medys type 30.200.CLH		

motors

gear motors

for ovens

for flues

1

GEV No.	601138	**Ref. No.**	809507
description	gear motor CROUZET type G70C10AFTEG 12V voltage DCHz shaft ø 4mm L 66mm W 50mm H 61mm		

pumps

drain pumps

ASKOLL

1

GEV No.	500565	**Ref. No.**	808670
description	drain pump 30W		

HANNING

1

GEV No.	500042	**Ref. No.**	809563 809735
description	drain pump 80W 230V inlet ø 24mm outlet ø 24mm 50Hz type KD22B3-679 HANNING		
spare parts for	500042		

GEV No.	510168	Ref. No.	—

fan wheel shaft intake ø 5mm ø 62mm H 14mm

Find the complete and up-to-date range of products in our GEV Webshop

condensators & interference suppression filters

operating capacitors

plastic

1

GEV No.	365014	Ref. No.	901740
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		

1

GEV No.	365021	Ref. No.	24100004
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

1

GEV No.	365224	Ref. No.	24100003
description	operating capacitor capacity 25µF 420V tolerance 5% 50/60Hz ø 45mm L 75mm M8 plastic connection male faston 6.3mm		

1

GEV No.	365012	Ref. No.	24100001 8C1588
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

1

GEV No.	365013	Ref. No.	132110008
description	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		

filters

interference suppression filters

1

GEV No.	365044	Ref. No.	24100100
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs		

electric accessories

cables

accessories

cable glands

threaded cable glands

screw connections

1

GEV No.	550971	Ref. No.	809010
description	cable gland thread PG16 cable ø 14mm mounting ø 22.5mm Qty 1 pcs plastic WS 27		

terminals

connection terminals with screw/faston connections

1

GEV No.	550411	Ref. No.	C00395
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		

1

GEV No.	550977[1]	**Ref. No.**	904150
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² with ground lug		

[1]with ground lug

gas valves and ignition boxes

gas control valves

HONEYWELL

1

GEV No.	101186	**Ref. No.**	809510
description	gas valve type VK4105C 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type pressure controller type V5360E 1226 1 HONEYWELL hole distance 24mm flange 32x32mm		
accessories for	101186		

GEV No.	102845	Ref. No.	—

gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem

GEV No.	102846	Ref. No.	—

gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem

SIT

ELETTROSIT

1

GEV No.	101126	**Ref. No.**	C00302
description	gas valve SIT type ELETTROSIT 230V gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.136		
spare parts for	101126		

GEV No.	101312	Ref. No.	C00309

microswitch

spare parts for	101126		

GEV No.	101352	Ref. No.	—

solenoid coil 230V 50Hz suitable for ELETTROSIT

accessories for	101126		

GEV No.	100006	Ref. No.	—

piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm

GEV No.	100904	Ref. No.	—

locking screw M10x1 for pipe ø 4mm Qty 1 pcs

GEV No.	100905	Ref. No.	8C0070

locking screw M10x1 for pipe ø 6mm Qty 1 pcs

GEV No.	101301	Ref. No.	—

gas connection thread 1/2" straight ELETTROSIT screw with O-ring

GEV No.	101303	Ref. No.	—

gas connection straight thread 3/4" ELETTROSIT

GEV No.	101309	Ref. No.	—

extension

1

GEV No.	101127	**Ref. No.**	813416
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
spare parts for	101127		

GEV No.	101312	Ref. No.	C00309

microswitch

GEV No.	101352	Ref. No.	—

solenoid coil 230V 50Hz suitable for ELETTROSIT

accessories for	101127		

GEV No.	100006	Ref. No.	—

piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm

GEV No.	100904	Ref. No.	—

locking screw M10x1 for pipe ø 4mm Qty 1 pcs

GEV No.	100905	Ref. No.	8C0070

locking screw M10x1 for pipe ø 6mm Qty 1 pcs

GEV No.	101301	Ref. No.	—

gas connection thread 1/2" straight ELETTROSIT screw with O-ring

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101127			
	GEV No.	101303	Ref. No.	—
	gas connection straight thread 3/4" ELETTROSIT			
	GEV No.	101309	Ref. No.	—
	extension			

NOVASIT



1

GEV No.	101162	Ref. No.	813436
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010		
spare parts for	101162		
	GEV No.	101065	Ref. No. —
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT		
	GEV No.	101313	Ref. No. —
	solenoid coil 230V 50Hz		
accessories for	101162		
	GEV No.	100006	Ref. No. —
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	GEV No.	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/ V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	GEV No.	101306	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL		
	GEV No.	101307	Ref. No. —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL		
	GEV No.	101308	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL		
	GEV No.	101312	Ref. No.	C00309
	microswitch			
	GEV No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			
	GEV No.	101317	Ref. No.	245120705 C00974
	plug with cable L 1000mm suitable for NOVASIT			
	GEV No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			

1

GEV No.	101956	Ref. No.	C00946
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurembar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.031		
spare parts for	101956		
	GEV No.	101065	Ref. No. —
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT		
	GEV No.	101313	Ref. No. —
	solenoid coil 230V 50Hz		
accessories for	101956		
	GEV No.	100006	Ref. No. —
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	GEV No.	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/ V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	GEV No.	101306	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL		
	GEV No.	101307	Ref. No. —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL		
	GEV No.	101308	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL		
	GEV No.	101312	Ref. No.	C00309
	microswitch			
	GEV No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			
	GEV No.	101317	Ref. No.	245120705 C00974
	plug with cable L 1000mm suitable for NOVASIT			
	GEV No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			

1

GEV No.	101914	**Ref. No.**	808578
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection closed ignition pressurembar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.822.144		
spare parts for	101914		

GEV No.	101313	Ref. No.	—
solenoid coil 230V 50Hz			

GEV No.	101542	Ref. No.	—
solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V			
accessories for	101914		

GEV No.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			

GEV No.	101306	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			

GEV No.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			

GEV No.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			

GEV No.	101503	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs			

GEV No.	101924	Ref. No.	—
plug with cable L 1090mm suitable for NOVA 822/826/827			

accessories

1

GEV No.	100905	**Ref. No.**	8C0070
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

1

GEV No.	101312	**Ref. No.**	C00309
description	microswitch		

1

GEV No.	101317	**Ref. No.**	245120705 C00974
description	plug with cable L 1000mm suitable for NOVASIT		

TANDEM



1

GEV No.	101984	**Ref. No.**	809326
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 2-50mbar power supply for modulator 230VAC rectified Tandem equiv. no. 0.836.010		
spare parts for	101984		

GEV No.	101379	Ref. No.	—
solenoid coil 230V 50Hz suitable for Tandem			
accessories for	101984		

GEV No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs			

GEV No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			

GEV No.	101925	Ref. No.	—
plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT			

GEV No.	102845	Ref. No.	—
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			

GEV No.	102846	Ref. No.	—
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			

GEV No.	102847	Ref. No.	—
O-ring			

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	101684	**Ref. No.**	809595 8C0068
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition standard ignition time 3-7s pressure range 3-50mbar power supply for modulator type SIT equiv. no. 0.830.034		
spare parts for	101684		

GEV No.	101379	Ref. No.	—
solenoid coil 230V 50Hz suitable for Tandem			
accessories for	101684		

GEV No.	101274	Ref. No.	—
olive for pipe ø 16mm Qty 1 pcs			

GEV No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			

GEV No.	102845	Ref. No.	—
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			

GEV No.	102846	Ref. No.	—
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			

GEV No.	102847	Ref. No.	—
O-ring			

ignition boxes

BRAHMA

1

GEV No.	107471	**Ref. No.**	02-CNT-001 809878
description	ignition box BRAHMA type CM11 electrodes 2 waiting time 1.5s safety time 10s 230V 7VA 50-60Hz		

HONEYWELL

1

GEV No.	101165	**Ref. No.**	809751
description	ignition box HONEYWELL type S4560A 1008 equiv. no. S4560A 1008 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		
spare parts for	101165		

GEV No.	358696	Ref. No.	—
fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs			

1

GEV No.	101166	**Ref. No.**	808611
description	ignition box HONEYWELL type S4560B 1006 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		

SIT

1

GEV No.	101685	**Ref. No.**	809602 8C0069
description	ignition box SIT type 503EFD electrodes 2 waiting time 1.5s safety time 10s 220/240V 7VA 50-60Hz protection IP40		

1

GEV No.	102309	**Ref. No.**	809752
description	ignition box SIT type 537ABC electrodes 3 waiting time 1.5s safety time 10s 230V 10VA 50-60Hz protection IP44		

miscellaneous

1

GEV No.	401171	Ref. No.	809099
description	ignition box		

ignition parts

pilot burners

SIT

100 series

1

GEV No.	107139	Ref. No.	C00391
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.24mm gas connectionmm		
spare parts for	107139		
	GEV No. 100854	Ref. No.	—
	pilot burner bracket double		
	GEV No. 100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs		
	GEV No. 107160	Ref. No.	—
	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs		
accessories for	107139		
	GEV No. 100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100905	Ref. No.	8C0070
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 100998	Ref. No.	—
	pilot burner bottom part nozzle ø 0.21mm suitable for 100 series		
	GEV No. 102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No. 102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

1

GEV No.	106906	Ref. No.	051E10007 808180 C00070 C00711
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	GEV No. 100245	Ref. No.	8C0030
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No. 100855	Ref. No.	—
	pilot burner bracket triple		
	GEV No. 100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs		
	GEV No. 100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs		
	GEV No. 100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm		
	GEV No. 100918	Ref. No.	—
	screw for pilot burner		
	GEV No. 107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	GEV No. 107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106906		
	GEV No. 100245	Ref. No.	8C0030
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No. 100246	Ref. No.	8C0031
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No. 100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100905	Ref. No.	8C0070
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No. 102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No. 107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	106906			
	GEV No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107702	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

1

GEV No.	107140	Ref. No.	C00392
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connec-tionmm		
spare parts for	107140		
	GEV No.	100855	Ref. No.	—
	pilot burner bracket triple			
	GEV No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			
	GEV No.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
accessories for	107140			
	GEV No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	8C0070
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			

1

GEV No.	106907	Ref. No.	8C0638 C00166
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
spare parts for	106907		
	GEV No.	100246	Ref. No.	8C0031
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100855	Ref. No.	—
	pilot burner bracket triple			
	GEV No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			

spare parts for	106907			
	GEV No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm			
	GEV No.	100918	Ref. No.	—
	screw for pilot burner			
	GEV No.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107702	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			
accessories for	106907			
	GEV No.	100245	Ref. No.	8C0030
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	8C0070
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

accessories

pilot burner nozzles

1

GEV No.	100245	Ref. No.	8C0030
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

1

GEV No.	100246	Ref. No.	8C0031
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		

ignition electrodes



1

GEV No.	100706	**Ref. No.**	051H10002 808177 8C0637
description	ignition electrode connection M4 Qty 1 pcs		

1

GEV No.	100707	**Ref. No.**	807741
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

140 - 145 -150 series

1

GEV No.	107133	**Ref. No.**	808353
description	pilot burner SIT type 140 series 1 flame nozzle ømm gas connecti-onmm		
accessories for	107133		
	GEV No. 100204	Ref. No.	8C0955
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
	GEV No. 100205	Ref. No.	809996
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100206	Ref. No.	809994
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100207	Ref. No.	8C1497
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
	GEV No. 100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100701	Ref. No.	807905 809475 8C1498 C00173
	ignition electrode connection M4 Qty 1 pcs		

accessories for	107133		
	GEV No. 100897	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	GEV No. 100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
	GEV No. 100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No. 100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
	GEV No. 100908	Ref. No.	806019
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No. 102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

1

GEV No.	107114[1]	**Ref. No.**	809474 8C1496
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connecti-onmm		
spare parts for	107114		
	GEV No. 100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	107114		
	GEV No. 100204	Ref. No.	8C0955
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
	GEV No. 100205	Ref. No.	809996
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100206	Ref. No.	809994
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100207	Ref. No.	8C1497
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
	GEV No. 100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100701	Ref. No.	807905 809475 8C1498 C00173
	ignition electrode connection M4 Qty 1 pcs		

[1]incl. thermocouple fitting

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	107114			
	GEV No.	100801	Ref. No.	—
	gasket for pilot burner Qty 1 pcs			
	GEV No.	100897	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	GEV No.	100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	GEV No.	100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100908	Ref. No.	806019
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

160 series

1

GEV No.	100052	Ref. No.	806153
description	pilot burner SIT type 160 series 2 flames nozzle ømm gas connecti-onmm		
spare parts for	100052		
	GEV No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	100052			
	GEV No.	100202	Ref. No.	—
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	GEV No.	100203	Ref. No.	—
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	GEV No.	100701	Ref. No.	807905 809475 8C1498 C00173
	ignition electrode connection M4 Qty 1 pcs			
	GEV No.	100801	Ref. No.	—
	gasket for pilot burner Qty 1 pcs			
	GEV No.	100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100908	Ref. No.	806019
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

accessories for	100052			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101282	Ref. No.	—
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	GEV No.	101287	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107650	Ref. No.	808365
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs			

POLIDORO

pilot burners

1

GEV No.	100051	Ref. No.	808039 808197 809197
description	pilot burner POLIDORO 3 flames code gas connectionmm		
spare parts for	100051		
	GEV No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	100051			
	GEV No.	100000	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs			
	GEV No.	100208	Ref. No.	512120005 512120010 C00170
	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs			
	GEV No.	100209	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs			
	GEV No.	100701	Ref. No.	807905 809475 8C1498 C00173
	ignition electrode connection M4 Qty 1 pcs			
	GEV No.	100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	GEV No.	100908	Ref. No.	806019
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

Table continues overleaf

accessories for	100051			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	102508	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs			
	GEV No.	102509	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs			
	GEV No.	102699	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores			
	GEV No.	102795	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	102797	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	106703	Ref. No.	512120007 808033
	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs			
	GEV No.	106704	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs			
	GEV No.	106763	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs			
	GEV No.	106859	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs			

1

GEV No.	100162	**Ref. No.**	809195
description	pilot burner POLIDORO 3 flames code gas connectionmm		
spare parts for	100162		
	GEV No. 100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100162		
	GEV No. 100000	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs		
	GEV No. 100208	Ref. No.	512120005 512120010 C00170
	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs		
	GEV No. 100209	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs		

accessories for	100162			
	GEV No.	100701	Ref. No.	807905 809475 8C1498 C00173
	ignition electrode connection M4 Qty 1 pcs			
	GEV No.	100906	Ref. No.	—
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100907	Ref. No.	—
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	GEV No.	100908	Ref. No.	806019
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	102508	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs			
	GEV No.	102509	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs			
	GEV No.	102699	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores			
	GEV No.	102795	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	102797	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	106703	Ref. No.	512120007 808033
	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs			
	GEV No.	106704	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs			
	GEV No.	106763	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs			
	GEV No.	106859	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs			

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	100076	**Ref. No.**	806154 807835
description	pilot burner POLIDORO 3 flames natural gas code 29.2 gas connection 6mm		
spare parts for	100076		

GEV No.	100907	Ref. No.	—

screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple

accessories for 100076

GEV No.	100000	Ref. No.	—

pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs

GEV No.	100208	Ref. No.	512120005 512120010 C00170

pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs

GEV No.	100209	Ref. No.	—

pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs

GEV No.	100701	Ref. No.	807905 809475 8C1498 C00173

ignition electrode connection M4 Qty 1 pcs

GEV No.	100906	Ref. No.	—

screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10

GEV No.	100907	Ref. No.	—

screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple

GEV No.	100908	Ref. No.	806019

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

GEV No.	100909	Ref. No.	—

union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

GEV No.	102110	Ref. No.	—

pilot tube copper pipe ø 4mm thickness 1mm L 3000mm

GEV No.	102111	Ref. No.	—

pilot tube copper pipe ø 6mm thickness 1mm L 3000mm

GEV No.	102508	Ref. No.	—

union screw thread M10x1 for pipe ø 4mm Qty 5 pcs

GEV No.	102509	Ref. No.	—

union screw thread M10x1 for pipe ø 6mm Qty 5 pcs

GEV No.	102699	Ref. No.	—

pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores

GEV No.	102795	Ref. No.	—

olive for pipe ø 4mm Qty 1 pcs

GEV No.	102797	Ref. No.	—

olive for pipe ø 6mm Qty 1 pcs

accessories for 100076

GEV No.	106703	Ref. No.	512120007 808033

pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs

GEV No.	106704	Ref. No.	—

pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs

GEV No.	106763	Ref. No.	—

pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs

GEV No.	106859	Ref. No.	—

pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs

electrodes

1

GEV No.	100701	**Ref. No.**	807905 809475 8C1498 C00173
description	ignition electrode connection M4 Qty 1 pcs		
accessories for	100701		

GEV No.	100906	Ref. No.	—

screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10



1

GEV No.	100706	**Ref. No.**	051H10002 808177 8C0637
description	ignition electrode connection M4 Qty 1 pcs		

1

GEV No.	100707	**Ref. No.**	807741
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		



1

GEV No.	102342	**Ref. No.**	809281
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 48mm L2 13mm L3 15mm BL1 24mm BL2 35mm fixing dimensions ø4.5mm with flange connection ø 4mm		

ignition cables

pre-assembled cables

1

GEV No.	100026	**Ref. No.**	809430
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		

1

GEV No.	100164	**Ref. No.**	C10259
description	ignition cable cable length 1200mm connection ø4mm / F2.8mm		

1

GEV No.	102163	**Ref. No.**	808276
description	ignition cable cable length 1500mm connection F2.8mm / ø2.4mm		

1

GEV No.	100014	**Ref. No.**	C00808
description	ignition cable cable length 300mm connection ø2.4mm / ø2.4mm		

1

GEV No.	100197	**Ref. No.**	051E10008
description	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		

1

GEV No.	100018	**Ref. No.**	808230 C00171
description	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		

1

GEV No.	100025	**Ref. No.**	809439 LF-3001017
description	ignition cable cable length 600mm connection ø4mm / F6.3mm		

1

GEV No.	100019	**Ref. No.**	809389
description	ignition cable cable length 900mm connection ø2.4mm / ø4mm		

ignition units

1

GEV No.	101030	**Ref. No.**	C10167
description	ignition unit outputs 2 1.5 V/DC		

1

GEV No.	101002	**Ref. No.**	813434 8C1700 C00507
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		

1

GEV No.	101031	**Ref. No.**	C10168
description	ignition unit outputs 4 1.5 V/DC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 mounting ø 100mm		

Find the complete and up-to-date range of products in our GEV Webshop



GEV No.	102389	Ref. No.	LF-3181004
description	ignition unit outputs 6 230VAC dimensions 135x23x34mm mounting distance 123mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		

thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6(6.5)mm

thermocouples SIT



GEV No.	107621	Ref. No.	808521
description	thermocouple SIT M10x1 L 1500mm plug connection ø6.0(6.5)mm		



GEV No.	107612	Ref. No.	806185
description	thermocouple SIT M9x1 L 1000mm plug connection ø6.0(6.5)mm		



GEV No.	107613	Ref. No.	806186 8C0639
description	thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm		



GEV No.	107614	Ref. No.	814980 C10201
description	thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm		



GEV No.	107606	Ref. No.	C00072
description	thermocouple SIT M9x1 L 320mm plug connection ø6.0(6.5)mm		



GEV No.	107609	Ref. No.	806271 808178
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		



GEV No.	107611	Ref. No.	806184 808138 C00377
description	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		

thermocouples with aluminised tip



GEV No.	102034	Ref. No.	808151
description	thermocouple M8x1 L 600mm plug connection ø6.0(6.5)mm		



GEV No.	102041	**Ref. No.**	806183
description	thermocouple M9x1 L 600mm plug connection ø6.0(6.5)mm		

plug-in thermocouples with interruption



GEV No.	107164	**Ref. No.**	513120001
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm soldering connection		

accessories

interrupters

GEV No.	101264	**Ref. No.**	8C1701
description	interrupter thread M8x1		

GEV No.	101265	**Ref. No.**	807350 807842 C00169
description	interrupter thread M9x1		

gas burners

bar burners

bar burners

GEV No.	105788	**Ref. No.**	809328
description	bar burner 1-row ø 50mm Wmm Hmm L 483mm flange width 71mm convection oven flange ø 75mm		

gas nozzles

main nozzles

gas nozzles M10x1

GEV No.	100625	**Ref. No.**	809960
description	gas injector thread M10x1 WS 12 bore ø 1.15mm		

pilot burner nozzles

pilot burner nozzles POLIDORO

GEV No.	100208	**Ref. No.**	512120005 512120010 C00170
description	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs		

GEV No.	106703	**Ref. No.**	512120007 808033
description	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs		

pilot burner nozzles SIT

100 series

GEV No.	100245	**Ref. No.**	8C0030
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

GEV No.	100246	**Ref. No.**	8C0031
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		

140/150 series

GEV No.	100204	**Ref. No.**	8C0955
description	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		

Find the complete and up-to-date range of products in our GEV Webshop

GEV No.	100205	**Ref. No.**	809996
description	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		

GEV No.	100207	**Ref. No.**	8C1497
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		

GEV No.	100206	**Ref. No.**	809994
description	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		

160 series

GEV No.	107650	**Ref. No.**	808365
description	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

GEV No.	107175	**Ref. No.**	808364
description	pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series		

screw connections

olives

GEV No.	101248	**Ref. No.**	8C0412
description	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for PEL		
accessories for	101248		

GEV No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm			

GEV No.	100870	**Ref. No.**	830885
description	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		

union screws

GEV No.	100905	**Ref. No.**	8C0070
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

GEV No.	100908	**Ref. No.**	806019
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
accessories for	100908		

GEV No.	100897	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs for pilot burner			

GEV No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs			

GEV No.	101280	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs			

GEV No.	101282	Ref. No.	—
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			

equipmentspecific units

for convection ovens/combi-steamers

glass panels

GEV No.	694847	**Ref. No.**	00-AVP-002 8C1724
description	glass panel L 673mm W 510mm H 5mm		

air filters

1

GEV No.	692695	**Ref. No.**	809502
description	filter insert L 213mm W 60mm ømm H 90mm		

miscellaneous

1

GEV No.	512184	**Ref. No.**	809567
description	hose connector plastic thread 3/4" Qty 1 pcs connection distance 60mm T-shape		

knobs

accessories

button springs

1

GEV No.	550132	**Ref. No.**	C00196
description	knob spring ø 6x4.6mm Qty 10 pcs		

locks

edgemount latches

handle latches

CAFF/FERMOD



1

GEV No.	700060	**Ref. No.**	9629921
description	handle latch L 150mm mounting distance 133mm non lockable heated units G 791		
accessories for	700060		

GEV No.	700061	Ref. No.	8C0315
door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units			

accessories for	700060		

GEV No.	700062	Ref. No.	—
handle protection heated units			

door catches

1

GEV No.	700061	**Ref. No.**	8C0315
description	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
accessories for	700061		

GEV Image not available

GEV No.	690414	Ref. No.	—
handle latch L 150mm mounting distance 133mm non lockable refrigeration units G 791			

1

GEV No.	700435	**Ref. No.**	809875
description	door catch L 58mm W 20mm H 35mm mounting distance 42mm zamak for refrigeration units		

snap locks

universal

1

GEV No.	690596	**Ref. No.**	131110006 131110007 808747
description	snap lock L 60mm W 15mm H 36mm mounting distance 48/28mm spring thickness 1.5mm complete with door catch zamak		

miscellaneous

1

GEV No.	511482	**Ref. No.**	809708
description	pressure pin L 52mm thread M10x1.5		

hinges

oven hinges

1

GEV No.	700434	Ref. No.	LF-5037262
description	opposite support oven hinge		



1

GEV No.	700433	Ref. No.	132110006
description	oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever length 100mm groove distance 14mm spring thickness 4mm mounting ear position spring length 55mm L 155mm mounting pos. left/right		
accessories for	700433		

GEV No.	700434	Ref. No.	LF-5037262

opposite support oven hinge

1

GEV No.	700006	Ref. No.	C00130
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm		
accessories for	700006		

GEV No.	700001	Ref. No.	—

opposite support L 118mm W 17mm mounting distance 94mm

GEV No.	700007	Ref. No.	—

oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm

gaskets

gaskets for heated units

window seals



1

GEV No.	900058	Ref. No.	807587-25MT 807587-6MT 808665 808666
description	window gasket profile 1620 Qty supplied by meter		



1

GEV No.	900472	Ref. No.	807587
description	window gasket profile 1650 L 1700mm Qty 1		



1

GEV No.	900881	Ref. No.	809024
description	window gasket profile 1650 Qty supplied by meter		



1

GEV No.	900782	Ref. No.	9629920
description	window gasket profile 1889 Qty supplied by meter		

door seals



1

GEV No.	900348	**Ref. No.**	807581 807581-15MT 807581-6MT 807582-15MT 807582-6MT 807583-25MT 807583-6MT 808226-15MT 808226-6MT 808668 808668-15MT 808668-6MT 809283 809283-15MT 809283-6MT 8C1193 8C1193-15MT 8C1193-6MT
description	door seal profile 2402 Qty supplied by meter		



1

GEV No.	901351	**Ref. No.**	809796
description	door seal profile 2402 W 490mm L 635mm external size		



1

GEV No.	901158	**Ref. No.**	8C0029
description	door seal profile 2402 W 640mm L 740mm		



1

GEV No.	900778	**Ref. No.**	9629918-15MT
description	door seal profile 2403 L 470mm Qty 1 mounting pos. vertical		



1

GEV No.	900781	**Ref. No.**	9629918 9629918-3MT
description	door seal profile 2403 Qty supplied by meter		



1

GEV No.	900059	**Ref. No.**	807582 807583 808226
description	door seal profile 2410 Qty supplied by meter		



1

GEV No.	900602	**Ref. No.**	809881
description	door seal profile 2430 Qty supplied by meter		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	900290	**Ref. No.**	809657
description	door seal profile 2730 W 465mm L 520mm external size Qty 1		



1

GEV No.	902219	**Ref. No.**	902219
description	door seal profile 2730 W 465mm L 520mm external size Qty 1		



1

GEV No.	902247	**Ref. No.**	809562
description	door seal profile 2730 W 470mm L 785mm suitable for RATIONAL for model CPC 101 outer plug size Qty 1		



1

GEV No.	901331	**Ref. No.**	8C0917
description	door seal profile 2756 Qty supplied by meter		

door seals with fixing hook

1

GEV No.	900394	**Ref. No.**	132110003
description	door seal L 370mm W 640mm 6 hooks external size		

gaskets for tray rack trolleys



1

GEV No.	901330	**Ref. No.**	141110016 J04GRN005
description	tray rack trolley gasket profile 4065 silicone Qty supplied by meter		

O-rings

Viton

ø2.62mm



1

GEV No.	532649	**Ref. No.**	808710
description	O-ring Viton ID ø 63.17mm thickness 2.62mm Qty 1 pcs		

ø3.53mm



1

GEV No.	525313	**Ref. No.**	808709
description	O-ring Viton ID ø 60.33mm thickness 3.53mm Qty 1 pcs		

1

GEV No.	510245	**Ref. No.**	808054
description	O-ring Viton thickness 3.53mm ID ø 50.8mm Qty 1 pcs		

1

GEV No.	510243	**Ref. No.**	808055
description	O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs		

sealing washers

fibre gaskets

1

GEV No.	510405	**Ref. No.**	903300
description	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		

shaft gaskets

shaft gaskets

1

GEV No.	511171	**Ref. No.**	809829
description	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS

1

GEV No.	523510	**Ref. No.**	EC1110002
description	deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		

1

GEV No.	523511	**Ref. No.**	809855
description	deep-groove ball bearing type 6203-2RS shaft ø 17mm ED ø 40mm W 12mm with sealing discs deep-groove ball bearing DIN 625-1		

manometers

1

GEV No.	541062	**Ref. No.**	808347
description	manometer ø 63mm pressure range 0 up to 1bar connection marking adjustable kettle thread 1/4"		
spare parts for	541062		

GEV No.	541130	Ref. No.	—
glass panel ø 58mm thickness 2mm			

hose reels and spray guns

cleaning guns

1

GEV No.	541473	**Ref. No.**	8C2178
description	cleaning spray gun connection with snap-on connection DN13 brass		
spare parts for	541473		

GEV No.	540516	Ref. No.	—
coupling bush type DN13 chrome-plated brass connection 1/2" IT			

GEV No.	540535	Ref. No.	—
nozzle connection snap-on connection short SS			
accessories for	541473		

GEV No.	540536	Ref. No.	—
foam lance connection snap-on connection plastic total length 182mm			

GEV No.	541870	Ref. No.	—
foam lance connection snap-on connection aluminium L 450mm			

Find the complete and up-to-date range of products in our GEV Webshop

hoses

supply hoses

stainless steel flexi hoses

universal hoses



GEV No.	521292	Ref. No.	00053060 00053120 00053130
description	flex hose SS braid straight-curved DN12 connection 1: 3/4" connection 2: 3/4" L 1500mm approval WRAS operating p. 10bar test pressure 32bar burst p. 95bar		
accessories for	521292		
	GEV No. 520054	Ref. No. —	
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		



GEV No.	521294	Ref. No.	12160007
description	supply hose SS braid straight-curved DN8 connection 1: 3/8" connection 2: 1/2" L 660mm incl. gasket approval operating p. 20bar t.max. 90°C		

PVC supply hoses



GEV No.	520016	Ref. No.	907295-40MT
description	supply hose ID ø 13mm ED ø 20mm L 40m operating p. 20bar burst p. 60bar t.max. 95°C grey Qty 40m		



GEV No.	520017	Ref. No.	907295-5MT
description	supply hose ID ø 13mm ED ø 20mm L 5m operating p. 20bar burst p. 60bar t.max. 95°C grey Qty 5m		

for dishwashers

miscellaneous

GEV No.	511467	Ref. No.	907295
description	pressure hose L 1000mm		

valves and tank inlets

ball valves

universal

ball valves with lever handle

GEV No.	520280	Ref. No.	827969
description	ball valve connection 1/2" IT - 1/2" IT DN15 total length 50mm with lever handle handle length 85mm		

ancillary products

clamps

hose clamps

DIN 3017 - W2

1

GEV No.	520112	**Ref. No.**	902440
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		

1

GEV No.	520119	**Ref. No.**	902490
description	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520454	**Ref. No.**	05100008 E23110007
description	hose clamp ø 70-90mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520117	**Ref. No.**	05100003
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		

DIN 3017 - W4

1

GEV No.	520120	**Ref. No.**	05100007
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		

measuring equipment

thermometers

built-in thermometers

ø52mm

1

GEV No.	541077	**Ref. No.**	808667
description	thermometer mounting ø 52mm t.max. 350°C +50 up to +350°C probe ø 6mm probe L 30mm capillary pipe 1000mm built-in depth 28mm		

fastening material

screws

countersunk screws

1

GEV No.	560425	**Ref. No.**	01190002
description	countersunk screw thread M4 L 13mm stainless steel DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm		

nuts

cap nuts

1

GEV No.	560137	**Ref. No.**	808998
description	cap nuts thread M6 WS 10 SS Qty 20 pcs DIN/ISO DIN 1587		

hexagonal nuts

DIN 934 / ISO 4032/8673

1

GEV No.	511212	**Ref. No.**	03100006
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

washers

washers

DIN 125A

1

GEV No.	560312	**Ref. No.**	02120010 8C0631
description	plain washer ID ø 10.5mm ED ø 20mm thickness 2mm SS Qty 1 pcs DIN 125A for thread M10		

miscellaneous

1

GEV No.	524117	**Ref. No.**	02120006 8C1731 E25110025
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 1 pcs		

fasteners

clamps

hose clamps

DIN 3017 - W2

1

GEV No.	520112	**Ref. No.**	902440
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		

1

GEV No.	520119	**Ref. No.**	902490
description	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520454	**Ref. No.**	05100008 E23110007
description	hose clamp ø 70-90mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520117	**Ref. No.**	05100003
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		

DIN 3017 - W4

1

GEV No.	520120	**Ref. No.**	05100007
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		

roll pins

1

GEV No.	516242	**Ref. No.**	809053
description	roll pin ø 3mm L 26mm		

A

alarm devices 18
axial fans 27

B

ball valves 51
bar burners 44
bi-metal thermostats 5, 5

C

cable glands 31
cables 31
cam switches 10
cap nuts 52
clamps 52, 53
cleaning guns 50, 50
condensators & interference suppression filters 31
contactors 18
control equipment 13
control thermostats 5
countersunk screws 52

D

door catches 46
door seals 48
door seals with fixing hook 49
drain pumps 30

E

edgemount latches 46
electric accessories 31
electric timers 17
electrodes 27
electronic controllers 21
energy regulators 5

F

fans 27
fasteners 53
fastening material 52
filters 31

G

gas burners 44
gas control valves 32
gas nozzles 44
gaskets for heated units 47
gaskets for tray rack trolleys 49
GEV 2

H

halogen lamp 14
handle latches 46
heating elements 2
heating elements for convection 2
hexagonal nuts 52
hose clamps 52, 53
hoses 51
hot air fans 29
hot air motors 28

I

ignition boxes 35
ignition cables 42
ignition units 42
immersion heating elements 2
indicator lights 13
indicator lights (complete) 13

L

lamps 13
light bulbs 14

M

magnetic switches 12
measuring equipment 52
mechanical timers 17
microswitches 9
motors 30

N

nuts 52

O

operating capacitors 31
O-rings 49
oven hinges 47
oven lamps 14

P

pilot burners 36
pressure switches 27
probes 22
pumps 30
push/momentary push switches 8
PVC supply hoses 51

R

relays 20
rocker/momentary rocker switches 8
roll pins 53

S

safety thermostats 6
screws 52

sealing washers 50
shaft gaskets 50
snap locks 46
solenoid valves 23
solid state relays 19
stainless steel flexi hoses 51
supply hoses 51
switches and momentary switches 8
system switches (ROLD) 10

T

temperature probes 22
terminals 31
thermocouples 43
thermostats 5
threaded cable glands 31
time relays 21
timers 17
transformers 21

U

universal hoses 51
universal probes 22

V

valves and tank inlets 51

W

washers 53
window seals 47