



Spare Parts for Ovens & Combi Ovens



Spare parts suitable for

PALUX


2018

Find the complete and up-to-date range of products in our GEV Webshop



heating elements

heating elements for ovens



GEV No.	415995	Ref. No.	150673
description	heating element 1500W 400V heating circuits 1 L 460mm W 484mm L1 107mm L2 360mm W1 211mm W2 62mm flange length 104mm flange width 32mm hole distance 96/39mm hole ø 4mm tube ø 6.4mm connection male faston 6.3mm connection length 51mm tilt flange dry heating element		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 003131, 00314x, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115		

pilot heating elements



GEV No.	415607	Ref. No.	702188
description	heating element 500W 230V heating circuits 1 thread 3/4" L 295mm W 20mm H 19mm length thermostat sleeves 235mm thermostat sleeves ø 6mm number of thermostat sleeves 1 thermostat sleeve clinging tube ø 6.5mm immersion heater flange with thread connection length 50mm pilot heating element		
For models:	00443x, 00457x, 136581, 690570		
spare parts for	415607		
	GEV No.	510403	Ref. No. —
	flat gasket fibre ED ø 36.5mm ID ø 27mm thickness 2mm Qty 1 pcs		
accessories for	415607		
	GEV No.	510421	Ref. No. —
	gasket copper ED ø 31.8mm ID ø 26.4mm thickness 2.2mm for thread 3/4"		
	GEV No.	520234	Ref. No. —
	nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs		


heating elements for convection



GEV No.	418739	Ref. No.	722414 742414
description	heating element 10500W 230V heating circuits 3 ID ø 411mm ED ø 428mm L 480mm H 110mm L1 52mm W1 99mm H1 18mm H2 92mm flange length 130mm flange width 54mm hole distance 55mm connection M5 connection length 96mm tube ø 8.5mm convection heating element mounting thread M6 rectangular flange with thread bolt		
For models:	754595, 754609, 754676, 754681, 754692, 754706, 754749, 757365, 757373, 757381, 757403, 758736, 759201, 759678, 759686, 759694		
accessories for	418739		
	GEV No.	551240	Ref. No. 749451
	gasket L 129mm W 87mm D1 ø 12mm D2 ø 7mm 12 holes graphite thickness 1mm		




GEV No.	418959	Ref. No.	742422
description	heating element 21600W 230V heating circuits 6 ID ø 414mm ED ø 466mm L 522mm H 121.5mm L1 88mm W1 97mm H1 30.5mm H2 91mm flange length 130mm flange width 88mm connection M5 connection length 70mm tube ø 6.5mm mounting thread M6 flange with bolt M6		
accessories for	418959		
	GEV No.	519647	Ref. No. —
	counterflange ø 8mm perforation ø 13mm L 130mm W 88mm suitable for convection heating element 12 holes		
	GEV No.	551240	Ref. No. 749451
	gasket L 129mm W 87mm D1 ø 12mm D2 ø 7mm 12 holes graphite thickness 1mm		

			
1			
GEV No.	418766	Ref. No.	101125
description	heating element 4500W 230V heating circuits 1 ID ø 380mm ED ø 405mm L 530mm L1 100mm H 17mm thread M14x1.5 connection M4 tube ø 8.5mm		
For models:	674524, 674532, 674559, 674605, 674680, 674699, 674710, Heissluft-daempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-6x1-1, Heissluftdaempfer-Varioplus-20x1-1, Heissluftgeraet-10x1-1, Heiss-luftgeraet-5x1-1		
spare parts for	418766		
	GEV No.	510417	Ref. No. —
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	418766		
	GEV No.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	GEV No.	520230	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	GEV No.	521101	Ref. No. —
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	GEV No.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

			
1			
GEV No.	415805	Ref. No.	693383
description	heating element 5700W 230V heating circuits 3 ID ø 206mm ED ø 245mm L 290mm H 42mm L1 45mm W1 97mm H1 2mm H2 40mm flange length 110mm flange width 20mm hole distance 35mm con-nection male faston 6.3mm connection length 58mm tube ø 6.3mm convection heating element hole ø 6.5mm rectangular flange		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		

			
1			
GEV No.	415133	Ref. No.	399329
description	heating element 1430W 230V heating circuits 1 L 85mm W 395mm connection male faston 6.3mm tube ø 6.5mm thread M10x1 2 hole fixing dry heating element mounting distance 389mm		
For models:	390003, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 399019, 399027, 399035, 399043, 399051, 399078, 399086, 399094, 399108, 399116, 609544, 609552, 609560, 645893, 645907, 645915, 645923, 645931, 645958, 645966, 645974, 645982, 645990, 646024, 646032, 674710, 674788, 674818, HLD-2011		
accessories for	415133		
	GEV No.	520231	Ref. No. —
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	GEV No.	521129	Ref. No. —
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			
	GEV No.	528433	Ref. No. 097071 217840
flat gasket copper ED ø 14mm ID ø 10mm thickness 1mm			

			
1			
GEV No.	415221	Ref. No.	332429
description	heating element 1430W 230V heating circuits 1 L 90mm W 390mm connection male faston 6.3mm tube ø 6.3mm thread M10x1 2 hole fixing dry heating element mounting distance 376mm		
For models:	674664, 674672, Heissluftdaempfer-10x1-1, Heissluftdaempfer-6x1-1		
spare parts for	415221		
	GEV No.	510416	Ref. No. —
flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs			
accessories for	415221		
	GEV No.	510893	Ref. No. —
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
	GEV No.	520231	Ref. No. —
nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs			
	GEV No.	521129	Ref. No. —
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			
	GEV No.	528433	Ref. No. 097071 217840
flat gasket copper ED ø 14mm ID ø 10mm thickness 1mm			



GEV No.	418970	Ref. No.	585726
description	heating element 1450W 230V heating circuits 1 L 90mm W 315mm		
For models:	390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 606316, 606324, 606332, 606340, 606359, 606367, 645893, 645907, 645915, 645923, 645931, 645958, 645966, 645974, 645982, 645990, 646024, 646032, 646040, 646059, 646067, 646768, 646776, 646784, 646792, 646806...(Other models you can see in the webshop)		



GEV No.	415222		Ref. No.	576581	
description	heating element 2300W 230V heating circuits 1 L 90mm W 395mm connection M4 tube ø 8.5mm thread M14x1.5 2 hole fixing dry heating element				
accessories for	415222				
	GEV No.	521103	Ref. No.	—	
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs				
	GEV No.	521104	Ref. No.	—	
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4				
	GEV No.	560111	Ref. No.	—	
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4				
	GEV No.	560131	Ref. No.	—	
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs				




GEV No.	415542	Ref. No.	370150	
description	heating element 2500W 230V heating circuits 1 L 131mm W 485mm connection length 20mm connection M4 tube ø 8.5mm thread M14x1.5 2 hole fixing convection heating element mounting distance 480mm			
accessories for	415542			
	GEV No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	GEV No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	GEV No.	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	GEV No.	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			
	GEV No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

accessories

sealing washers

O-rings



GEV No.	510408	Ref. No.	349232
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	665843, 665851, Glaeserspuelautomat-325, Glaeserspuelautomat-328		

flange gaskets



GEV No.	551240	Ref. No.	749451	
description	gasket L 129mm W 87mm D1 ø 12mm D2 ø 7mm 12 holes graphite thickness 1mm			
accessories for	551240			
	GEV No.	519647	Ref. No.	—
	counterflange ø 8mm perforation ø 13mm L 130mm W 88mm suitable for convection heating element 12 holes			

energy regulators

EGO


1-circuit



GEV No.	380015	Ref. No.	314544
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
For models:	503010, 503150, 517887, 574961, 610038, 61030x, 610402, 610429, 620203, 620300, 620408, 620424, 637564, 657735, 659002, 685003, 686018, 686026, 686034, 686298, 688428, 700673, 702560, 706000, FOEM-Kippbratpfanne-Elektro, ODWB-1040-Waermebruecken, ODWB-1240-Waermebruecken, ODWB-1440-Waermebruecken, ODWB-1640-Waermebruecken, ODWB-1840-Waermebruecken, ODWB-2040-Waermebruecken, OEWB-1040-Wand-Waermeborde, OEWB-1240-Wand-Waermeborde, OEWB-1440-Wand-Waermeborde, OEWB-1640-Wand-Waermeborde, OEWB-1840-Wand-Waermeborde, OEWB-2040-Wand-Waermeborde, steakgrill-61030, steakgrill-62030		

accessories

knobs



GEV No.	110235	Ref. No.	341894
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	610038, 610429, 620203, 620424		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_series



GEV No.	375070	Ref. No.	091634
description	thermostat t.max. 250°C temperature range 55-250°C 1-pole 1CO 16A probe ø 3.1mm probe L 226mm capillary pipe 1170mm capillary pipe isolated 1100mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		
For models:	140902, 367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977...(Other models you can see in the webshop)		

55.13_series



GEV No.	375505	Ref. No.	202029
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	750204, 750212, 750220, 750239, 750336, 750352, 750360		

55.34_series



GEV No.	375143	Ref. No.	290319
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	140902, 667412, 684848, 688436, 689335, 689343, 689351, 689378, 718793, Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850		



GEV No.	375026	Ref. No.	290300 291730
description	thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 2430mm capillary pipe isolated 1100mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850, Maxima-Elektro-Kippbratpfanne-700-850		



GEV No.	375101	Ref. No.	126543
description	thermostat t.max. 360°C temperature range 140-360°C 3-pole 3NO 16A probe ø 4mm probe L 292mm capillary pipe 990mm capillary pipe isolated 500mm gland nut shaft L 23mm shaft position upper rotation 318°		
For models:	Pizza-Ofen-ELP		

safety thermostats

55.11_ series




GEV No.	375093	Ref. No.	242746
description	safety thermostat switch-off temp. 318°C 1-pole 12A probe ø 4mm probe L 111mm capillary pipe 530mm capillary pipe isolated 450mm gland nut M9x1 probe SS		

55.32_ series



GEV No.	390921	Ref. No.	572705
description	safety thermostat switch-off temp. 305°C 3-pole 3NC 20A probe ø 4mm probe L 128mm capillary pipe 890mm capillary pipe isolated 800mm gland nut probe		



GEV No.	375627	Ref. No.	603589
description	safety thermostat switch-off temp. 480°C 3-pole 20A probe ø 4mm probe L 230mm capillary pipe 890mm capillary pipe isolatedmm gland nut probe probe material SS		
For models:	503010, 503150, 515892, 515906, 517887, 637564, 657735, 686298, 688428, 689696, 700673, 702560, 705993, Vario-Griller		

55.33_ series



GEV No.	375075	Ref. No.	384429
description	safety thermostat switch-off temp. 305°C 3-pole probe		



GEV No.	375118	Ref. No.	580457
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 15mm probe L 8mm capillary pipe 1150mm capillary pipe isolated 1100mm gland nut probe with knob probe		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894, 671908, 671916, 671975, 671983, 671991, 680583, 680591		

56_ series



GEV No.	375889	Ref. No.	504602
description	safety thermostat switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758752, 758760, 758833, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198, 759201...(Other models you can see in the webshop)		
accessories for	375889		
	GEV No.	518669	Ref. No. 373079
gasket PTFE ED ø 21mm ID ø 15mm thickness 3.5mm			

accessories



1

GEV No.	518669	Ref. No.	373079
description	gasket PTFE ED ø 21mm ID ø 15mm thickness 3.5mm		
accessories for	518669		
	GEV No.	375889	Ref. No. 504602
	safety thermostat switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe		

control thermostats with operation switch

55.34_ series



1

GEV No.	375140	Ref. No.	661635
description	thermostat t.max. 650°C temperature range 50°C/50-600°C/70-650°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position left rotation 318° outer switch 2NO		
For models:	663263, 663395, 670618, 670626, 688096, 688118, 703117, 703125, 709832, 709840, 733105, 733113, 736422, 736430		

IMIT / TEMPOMATIC / ARTERMO

control thermostats



1

GEV No.	390186	Ref. No.	208442
description	thermostat t.max. 52°C temperature range fixed 52°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft Lmm contacts 1CO		
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321		



1

GEV No.	390006	Ref. No.	208418
description	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°		
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321		
accessories for	390006		
	GEV No.	110100	Ref. No. —
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		
	GEV No.	110105	Ref. No. —
	rosette knob ø 42mm ø 56mm zero mark		

control thermostats with actual value



1

GEV No.	379034	Ref. No.	368814
description	thermostat t.max. 450°C temperature range 50-450°C 1-pole 1CO 5A probe ø 6mm probe L 30mm capillary pipe 1150mm capillary pipe isolatedmm gland nut mounting ø 80mm mounting measurements 96x96mm		
For models:	Pizza-Ofen-P501, Pizza-Ofen-P502		

accessories

connecting bows



1

GEV No.	550059	Ref. No.	086223
description	connecting bow short for switch Qty 1 pcs		



switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

GEV No.	301003	Ref. No.	053295	
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65			
For models:	271500, 643807, 707007, 805556, 825263, Geschirrspuelautomat-330, GsP-350, GsP-500, schokomat-C			
accessories for	301003			
	GEV No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

push/momentary push switches

30x22mm



1

GEV No.	345863	Ref. No.	336912
description	momentary push switch mounting measurements 30x22mm clear 1NO/1NC 250V 16A illuminated connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP40		
For models:	361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 397210, 397431, 440078, 440086, 440094, 440140, 440655, 450111, 606294		



1

GEV No.	301044	Ref. No.	308064
description	momentary push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated		
For models:	680583, 680591, Glaeserspuelautomat-325		

SWITCHES AND MOMENTARY SWITCHES PALUX



1

GEV No.	301040 ¹	Ref. No.	266108 336904
description	push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 643807, 668001, 669008, 707007, 825263, Glaeserspuelauto- mat-325, Glaeserspuelautomat-328, ODWB-1040-Waermebruecken, ODWB-1240-Waermebruecken, ODWB-1440-Waermebruecken, ODWB-1640-Waermebruecken, ODWB-1840-Waermebruecken, ODWB-2040-Waermebruecken, OEWB-1040-Wand-Waermeborde, OEWB-1240-Wand-Waermeborde, OEWB-1440-Wand-Waermeborde, OEWB-1640-Wand-Waermeborde, OEWB-1840-Wand-Waermeborde, OEWB-2040-Wand-Waermeborde, OEWS1245-einseitig-400x1200mm, OEWS1246-einseitig-mit-Rueckwandverkleidung, UDWE1225L, UDWE1225L-doppelseitig-Eck-640x1200mm, UDWE1225R, UDWE1225R-doppelseitig-Eck-640x1200mm, UDWF0825, UD- WF0825D-doppelseitig-640x800mm, UDWs1225, UDWs1225-doppel- seitig-640x1200mm, UEWF0825, UEWF0825D-einseitig-640x800mm, UEWs06-schubladenblock-640x600mm, UEWs1225, UEWs1225-dop- pelseitig-640x1200mm....(Other models you can see in the webshop)		

¹illuminated

microswitches

universal



1

GEV No.	345042	Ref. No.	570540	
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black			
accessories for	345042			
	GEV No.	345043	Ref. No.	—
	lever set 5-piece			

lever actuated



GEV No.	345773	Ref. No.	144894 680907
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm		
For models:	144819, 502200, 502308, 503010, 503150, 515892, 515906, 516678, 517887, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 637564, 639087, 649554, 649562, 650943, 650951, 657735, 686298, 686336, 688339, 688347, 688355, 688428, 689696, 699047, 699055, 699063, 700673, 702560, 721468, 722588, 750255, Fritteuse-365, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, schokomat-C, Topline-Fritteuse, Vario-Braeter-plus, Vario-Griller		

pin-plunger actuated



GEV No.	345042	Ref. No.	570540
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type EF83161.3 actuating force: 75g blue/black		
accessories for	345042		
		GEV No.	345043
		Ref. No.	—
	lever set 5-piece		

M10



GEV No.	345032	Ref. No.	208477
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	Glaeserspuelautomat-310, Glaeserspuelautomat-311, Glaeserspuelautomat-320, Glaeserspuelautomat-321		

M16



GEV No.	345046	Ref. No.	092444
description	microswitch with plunger thread M16x1 thread L 25mm 250V 5A 1NC/1NO connection male faston 6.3mm stroke 6mm ambient temperature max. 85°C actuating force: 400g		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674524, 674532, 674605, 674648, 674656, 674664, 674672, 674680, 674699, 674885, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3		


accessories



GEV No.	347013	Ref. No.	587141
description	lever for microswitch		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		

cam switches

on/off



GEV No.	300020	Ref. No.	291757
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	Maxima-Elektro-Kippbratpfanne-700-850, Maxima-Gas-Kippbratpfanne-neue-Ausfuehrung-700-850		
accessories for	300020		
		GEV No.	110135
		Ref. No.	—
		GEV No.	110231
		Ref. No.	—

4-position



GEV No.	300016	Ref. No.	104248
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	685003, Grill-681		



1

GEV No.	300103	Ref. No.	226491
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	541869, 638625, 730416, FOEM-Elektro-Kochplatten		



1

GEV No.	300104	Ref. No.	126608
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	Grill-682, Grill-683		

7-position




1

GEV No.	300025	Ref. No.	290335
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
For models:	Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850		

accessories for	300025		
	GEV No.	112172	Ref. No. —
knob universal ø 70mm black without adaptor/dial plate			
	GEV No.	112213	Ref. No. —
knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm			
	GEV No.	112311	Ref. No. —
knob adapter shaft ø 6x4.6mm L 0mm with spring			


SWITCHES AND MOMENTARY SWITCHES PALUX

4 operating positions



1

GEV No.	300033	Ref. No.	103680 370983
description	cam switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	Heisse-Theke-HT-50-85-und-120-3		



1

GEV No.	300057	Ref. No.	292664
description	cam switch 4 operating positions 6NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 6CH/141 plastic		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		

5 operating positions



1

GEV No.	345199	Ref. No.	720534
description	cam switch 5 operating positions 2NO/1CO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		
For models:	354716, 354724		

magnetic switches

M12x1

			
1			
GEV No.	345135	Ref. No.	372986
description	magnetic switch thread M12x1 1NO 250V 3A P max. 100W connection cable length 2000mm L 72mm type 122		

control equipment

SCHLEGEL

push buttons

			
1			
GEV No.	359183	Ref. No.	323527 332712
description	momentary switch unit mounting measurements ø16/24x24mm type momentary anthracite/transparent square		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673		

			
1			
GEV No.	346188	Ref. No.	580341
description	momentary switch unit mounting measurements ø16/24x24mm type momentary black/white square		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851		

symbol plates

			
1			
GEV No.	359757	Ref. No.	580368
description	symbol plate octagonal white ON-OFF		

switch blocks

			
1			
GEV No.	359756	Ref. No.	580384
description	contact block latching 1NO/1NC connection male faston 2.8mm illuminable socket T5.5K type BFL5		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851		
accessories for	359756		
	GEV No.	359593	Ref. No. 323519
	 light bulb socket T5.5K 60V 0.02A		

			
1			
GEV No.	359184	Ref. No.	323535
description	contact block momentary 1NC/1NO connection male faston 2.8mm socket type AT		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674648, 674656, 674664, 674680, 674885, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftdaempfer-Varioplus-20x1-1, Heissluftdaempfer-Varioplus-20x2-1, Heissluftgeraet-672, Heissluftgeraet-673		

accessories

			
1			
GEV No.	359768	Ref. No.	580376
description	cap for momentary switch transparent/colourless octagonal L 19.4mm W 19.4mm		

lamps

			
1			
GEV No.	359606	Ref. No.	1G887026
description	neon light bulb socket Ba9s 230V 2W clear ø 10mm L 28mm		
accessories for	359606		
	GEV No.	359832	Ref. No. —
	 lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		
	GEV No.	359853	Ref. No. —
	 lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		



lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs



1

GEV No.	359606	Ref. No.	1G887026
description	neon light bulb socket Ba9s 230V 2W clear ø 10mm L 28mm		
accessories for	359606		
	GEV No.	359832	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		
	GEV No.	359853	Ref. No. —
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		



1

GEV No.	359600	Ref. No.	035378
description	neon light bulb socket E10 220V 0.35W clear ø 10mm L 28mm		
For models:	685003, 686018, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Wandkaffeemaschine-001		
accessories for	359600		
	GEV No.	359060	Ref. No. 101818
	lamp socket mounting measurements ø16.2mm socket E10 connection screw		
	GEV No.	359063	Ref. No. —
	lamp socket mounting measurements ø19.2mm socket E14 connection screw		
	GEV No.	359064	Ref. No. —
	lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C		
	GEV No.	359685	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket E10		
	GEV No.	359832	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm		
	GEV No.	359853	Ref. No. —
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm		
	GEV No.	359988	Ref. No. —
	lamp socket mounting measurements ø30.5mm 250V connection F6.3 temp.-resist. 55°C E14		



1

GEV No.	359602	Ref. No.	006718
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		
For models:	721468, 721476, 721484, 722588, 722596, 722618, Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850, Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850, Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850, Maxima-Elektro-Kippbratpfanne-700-850		

indicator lights (complete)

ø 6mm



1

GEV No.	359004	Ref. No.	332771
description	indicator light ø 6mm 230V green cable length 400mm temp.-resist. 106°C		



1

GEV No.	359005	Ref. No.	332798
description	indicator light ø 6mm 230V yellow cable length 400mm		

ø10mm

with plug-in socket



1

GEV No.	359230	Ref. No.	370991
description	indicator light ø 10mm green 230V connection male faston 2.8mm Qty 1 pcs		
For models:	Heisse-Theke-HT-50-85-und-120-3		



1

GEV No.	359140	Ref. No.	091462 091642
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

30x22mm



1

GEV No.	359156	Ref. No.	053317
description	indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2		
For models:	271500, 805556, Geschirrspuelautomat-330, GsP-350, GsP-500		

miscellaneous



GEV No.	359429	Ref. No.	395056
description	indicator light 230V connection male faston 6.3mm mounting ø 18mm		
For models:	140902, 354643, 354651, 354678, 354686, 354694, 354708, 502200, 502308, 502650, 502707, 503010, 503150, 505900, 505935, 515892, 515906, 517887, 541869, 627984, 628018, 628026, 637564, 638625, 649554, 649562, 650129, 650137, 650145, 650153, 650943, 650951, 657735, 659002, 663263, 663395, 667412, 670618, 670626, 684848, 686247, 686298, 686328, 686336, 686409, 687200, 687960, 688096, 688118, 688290...(Other models you can see in the webshop)		

screw-on/push-on fit

neon light bulbs



GEV No.	359606	Ref. No.	1G887026	
description	neon light bulb socket Ba9s 230V 2W clear ø 10mm L 28mm			
accessories for	359606			
	GEV No.	359832	Ref. No.	—
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm			
	GEV No.	359853	Ref. No.	—
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm			



GEV No.	359600	Ref. No.	035378	
description	neon light bulb socket E10 220V 0.35W clear ø 10mm L 28mm			
For models:	685003, 686018, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Wandkaffeemaschine-001			
accessories for	359600			
	GEV No.	359060	Ref. No.	101818
	lamp socket mounting measurements ø16.2mm socket E10 connection screw			
	GEV No.	359063	Ref. No.	—
	lamp socket mounting measurements ø19.2mm socket E14 connection screw			
	GEV No.	359064	Ref. No.	—
	lamp socket mounting measurements ø22.3mm socket E14 connection screw 250/380V ambient temperature at 1W 100°C ambient temperature at 2W 85°C			
	GEV No.	359685	Ref. No.	—
	lamp socket mounting measurements ø16.2mm socket E10			
	GEV No.	359832	Ref. No.	—
	lamp socket mounting measurements ø16.2mm socket Ba9s connection male faston 6.3mm			
	GEV No.	359853	Ref. No.	—
	lamp socket mounting measurements ø18.2mm socket Ba9s connection male faston 6.3mm			

accessories for		359600	
	GEV No.	359988	Ref. No.
	—		
lamp socket mounting measurements ø30.5mm 250V connection F6.3 temp.-resist. 55°C E14			



GEV No.	359602	Ref. No.	006718
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		
For models:	721468, 721476, 721484, 722588, 722596, 722618, Maxima-Elektro-Backofen-700-850, Maxima-Elektro-Backofen-850, Maxima-Elektro-Bain-Marie-700-850, Maxima-Elektro-Bain-Marie-850, Maxima-Elektro-Herd-700-850, Maxima-Elektro-Herd-850, Maxima-Elektro-Kippbratpfanne-700-850		

light bulbs

for ovens



GEV No.	359610	Ref. No.	047635
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	685003, 805xxx, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310		



GEV No.	359612	Ref. No.	354252
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)		

halogen lamp

for socket G4 / G6.35 / G9



GEV No.	359599	Ref. No.	570478
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000		

linear lamps

infrared lamps

with base type R7s



GEV No.	359628	Ref. No.	164941
description	infrared lamp socket R7s L 117.6mm 240V 300W IMPORT unjacketed		
For models:	Heisse-Theke-HT-50-85-und-120-3		

with base type X lug



GEV No.	359617	Ref. No.	104566 531332
description	infrared lamp 1000W 220V L 365mm lens L 340mm total length 480mm with mounting strap		
For models:	Grill-681, Grill-682, Grill-683		

sockets for linear lamps

X lug



GEV No.	359710	Ref. No.	104574
description	lamp socket L 70mm W 70mm H 49mm mounting distance 50mm bracket mounting		
For models:	Grill-681, Grill-682, Grill-683		

oven lamps

universal oven lamps

mounting diameter 35.5mm



GEV No.	359701	Ref. No.	100838
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
For models:	398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 609501, 609528, 609536, 674559, 674648, 674656, 674664, 674672, 674680, 674699, 674834, 674893, 685003, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310		
accessories for	359701		
	GEV No.	Ref. No.	092339
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		

accessories for	359701		
	GEV No.	Ref. No.	—
	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
	GEV No.	Ref. No.	316296 693421
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
	GEV No.	Ref. No.	—
	oven lamp glass thr.ø 33.5mm H 39mm ø 40mm hard glas temp.-resist. 350°C		

	GEV No.	Ref. No.	092339
description	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		
accessories for	359705		
	GEV No.	Ref. No.	047635
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
	GEV No.	Ref. No.	—
	gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm		
	GEV No.	Ref. No.	316296 693421
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
	GEV No.	Ref. No.	—
	gasket ID ø 33mm ED ø 46mm thickness 1mm graphite		
	GEV No.	Ref. No.	—
	gasket ID ø 33mm ED ø 45mm		

	GEV No.	Ref. No.	316296 693421
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		

producer-specific oven lamps

PALUX



GEV No.	359068	Ref. No.	314019
description	lamp socket with 2 hole fixing socket E14 ø 25mm		

lamps

light bulbs



GEV No.	359610	Ref. No.	047635
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
For models:	685003, 805xxx, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310		



GEV No.	359612	Ref. No.	354252
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)		

halogen lamps

for socket G4 / G6.35 / G9



GEV No.	359599	Ref. No.	570478
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000		

sockets

G4 / G5,3 / G6,35



GEV No.	359646	Ref. No.	577294
description	lamp socket socket G4/G5.3/G6.35 24V ø 17mm H 15mm connection cable 130mm mounting distance 26mm for halogen lamp holder length 31mm cable length 130mm		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894, 671908, 671916, 671975, 671983, 671991, 680583, 680591, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		

residual heat indicators



GEV No.	359429	Ref. No.	395056
description	indicator light 230V connection male faston 6.3mm mounting ø 18mm		
For models:	140902, 354643, 354651, 354678, 354686, 354694, 354708, 502200, 502308, 502650, 502707, 503010, 503150, 505900, 505935, 515892, 515906, 517887, 541869, 627984, 628018, 628026, 637564, 638625, 649554, 649562, 650129, 650137, 650145, 650153, 650943, 650951, 657735, 659002, 663263, 663395, 667412, 670618, 670626, 684848, 686247, 686298, 686328, 686336, 686409, 687200, 687960, 688096, 688118, 688290...(Other models you can see in the webshop)		

timers

electric timers



GEV No.	350001	Ref. No.	157988
description	timer 2CO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection rear 2-pole operation time 120min		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674524, 674532, 674605, 674648, 674656, 674664, 674680, 674885, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftdaempfer-Varioplus-20x1-1, Heissluftdaempfer-Varioplus-20x2-1, Heissluftgeraet-10x1-1, Heissluftgeraet-5x1-1, Heissluftgeraet-5x2-3		



1

GEV No.	350059	Ref. No.	871400
description	timer MS65 operation time 120min time spreadmin 2CO/1NO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 20mm mounting distance 28mm mounting thread M4 connection lateral 3-pole		
accessories for	350059		
	GEV No.	110366	Ref. No. —
	GEV No.	110381	Ref. No. —

audible timers



1

GEV No.	350014	Ref. No.	018511 720585 836117
description	audible timer operation time 15min ø 56mm shaft ø 6x4.6mm shaft L 24mm mounting distance 28mm		
For models:	354716, 354724, 502200, 502308, 600008, 600067, 601004, 601209, 601403, 602000, 602205, 602280, 603007, 603023, 603201, 649554, 649562, 650943, 650951, 686336, 688339, 688347, 688355, Fritteuse-365, Fritteuse-600, Fritteuse-601, Fritteuse-602, Fritteuse-603, Topline-Fritteuse		

alarm devices

buzzers



1

GEV No.	350051	Ref. No.	091472
description	buzzer 230VAC connection male faston 6.3mm screw thread M4 buzzer 62dB		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 397210, 397431, 398950, 398969, 398977, 505900, 505935, 606294, 606308, 609188, 609196, 637599, 663263, 663395, 670618, 670626, 674648, 674656, 674664, 674680, 674885, 680583, 680591, 686409, 687200, 688096, 688118, 688363, 690570, 690600, 703095, 703109, 703117, 703125, 709816, 709824, 709832, 709840, 733105, 733113...(Other models you can see in the webshop)		

TIMERS/ALARM DEVICES/CONTACTORS PALUX

loudspeakers



1

GEV No.	350226	Ref. No.	749877
description	loudspeaker ø 64mm built-in depth 20mm 50Ohm 0.3W connection male faston 2.8mm		

contactors

ABB

power contactors



1

GEV No.	381011	Ref. No.	EL0502757
description	power contactor resistive load 16A 230VAC (AC3/400V) 9A/4kW main contacts 2NO/2NC auxiliary contacts connection screw connection type B6-22-00		



1

GEV No.	380104	Ref. No.	324001 523909
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A9-30-10		
For models:	754730, 754749, 757292, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198, 759678, 759686, 759694, 759708, 759716		

GENERAL ELECTRIC (AEG)

power contactors



1

GEV No.	380239	Ref. No.	307491
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 610038, 610429, 620203, 620424, 668001, 669008, 805556, 810002, 813303, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, OEM-Kippbratpfanne-Elektro, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		

ISKRA (FANAL)

power contactors



1

GEV No.	380214	Ref. No.	332682
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 00 type ISKRA K07M 00		



1

GEV No.	380423	Ref. No.	181498
description	power contactor resistive load 35A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type Fanal DSL22 type ISKRA KNL22		
For models:	340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 690570, 810002, 813303, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Geschirrspuelautomat-700, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1		

auxiliary contacts



1

GEV No.	380225	Ref. No.	332690
description	auxiliary contact contacts 3NO/1NC AC15 6A for contactors K03C/ K07C connection screw connection type Fanal SC4 31 type ISKRA ND4C 31		

TELEMECANIQUE (Schneider Electric)

power contactors



1

GEV No.	381010	Ref. No.	381010
description	power contactor resistive load 20A 230VAC (AC3/400V) 6A/2.2kW main contacts 2x3NO auxiliary contacts 2x1NO connection screw connection type LC2K0610P7		

auxiliary contacts



1

GEV No.	380987	Ref. No.	751790
description	auxiliary contact contacts 3NO/1NC AC15 10A for contactors LC1K connection screw type LA1KN31		

SOLID STATE RELAYS

CELDUC



1

GEV No.	402049	Ref. No.	752401
description	solid state relay CELDUC 1 phase 60A 24-600V 3-32VDC L 58mm W 45mm screw type SO965460		
accessories for	402049		
	GEV No.	401564	Ref. No. —
	heat-conducting foil L 62mm W 45mm for solid state relay		



CRYDOM



1

GEV No.	402052	Ref. No.	752665
description	solid state relay CRYDOM 1 phase 90A 600V 4-32VDC L 58.6mm W 45mm screw type H12WD4890PG		

relays

power relays

with flange mounting



1

GEV No.	380131	Ref. No.	359289
description	power relays Italiana Relè 230VAC 16A 3CO connection male faston 6.3mm screw mounting manuf. no. B2-3-230AC		
For models:	Glaeserspuelautomat-325		

with bracket mounting



1

GEV No.	380687	Ref. No.	849618
description	power relays FINDER 230VAC 30A 2NO connection F6.3 bracket mounting manuf. no. 66.82.8.230.0300		

time relays

time relays



1

GEV No.	381009	Ref. No.	780421
description	time relay ABB CT-AHE time range 3-300s 220-240VAC 4A		



1

GEV No.	380288	Ref. No.	332615
description	time relay ELEKTRON VZE 806 time range 60s 24-250 AC/DC 5A connection cable mounting measurements DIN railmm		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674648, 674656, 674664, 674885, 680583, 680591, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1		

transformers

encapsulated transformers

multiple connections



1

GEV No.	400252	Ref. No.	570443
description	transformer		



1

GEV No.	400251	Ref. No.	572217
description	transformer 44VA		

			
1			
GEV No.	402051	Ref. No.	742775
description	transformer primary 230VAC secondary 16.5VAC 2x15VA connection male faston 50/60Hz		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		

PMA			
			
1			
GEV No.	379054	Ref. No.	368849
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	Pizza-Ofen-P501, Pizza-Ofen-P502		

electronic controllers

SHANGFANG

accessories			
			
1			
GEV No.	379054	Ref. No.	368849
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
For models:	Pizza-Ofen-P501, Pizza-Ofen-P502		

miscellaneous

universal controllers			
			
1			
GEV No.	400206	Ref. No.	332143 595047
description	electronic controller 230V TempIn1 thermocouple K (NiCr-Ni) temperature controller		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674648, 674656, 674664, 674680, 674885, Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x2-3, Heissluftdaempfer-6x1-1, Heissluftdaempfer-Varioplus-20x1-1, Heissluftdaempfer-Varioplus-20x2-1		

probes

producer-specific probes

probes			
			
1			
GEV No.	379117	Ref. No.	873241
description	core temperature probe Pt100 cable PVC probe -100 up to 450°C cable -10 up to 100°C connection male faston 6.3mm thread 1/4" probe ø4x82mm cable length 1.4m		

			
1			
GEV No.	379087	Ref. No.	570621
description	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection male faston 2.8mm thread probe ø1x30mm cable length 1.6m		

core probes			
			
1			
GEV No.	378358	Ref. No.	747017
description	core temperature probe		

			
1			
GEV No.	379592 ¹	Ref. No.	752363
description	core temperature probe 3 point probe cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 5-wire probe ø4x100mm thread cable length 4.5m handle ø 12mm handle length 85mm		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		

¹ multipoint probe

			
1			
GEV No.	379692	Ref. No.	783668
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x82mm thread 1/4" cable length 1.8m handle ø 12mm handle length 90mm		



GEV No.	379116	Ref. No.	32664
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x82mm thread 1/4" cable length 3m handle ø 12mm handle length 90mm		

electronics

rectifiers



GEV No.	400253	Ref. No.	570532
description	rectifier		

PCBs



GEV No.	402619	Ref. No.	742465
description	keypad PCB combi-steamer 1121/2021 L 350mm W 121mm with display		



GEV No.	401000	Ref. No.	580740
description	keypad PCB suitable for ELOMA with display		



GEV No.	400013	Ref. No.	214582
description	PCB combi-steamer 6x1/1 5x2/3 level control		
For models:	674524, 674532, 674605, 805556, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		



GEV No.	400015	Ref. No.	332704
description	PCB combi-steamer MD 1011 without mounting angle pulse timer for steaming		

solenoid valves

solenoid valves (water)

ELBI

straight



GEV No.	373017	Ref. No.	883091
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
spare parts for	373017		
	GEV No.	370467	Ref. No. —
solenoid valve filter suitable for ELBI			

MÜLLER

medium temperature: 90°C
duty cycle: 100%



GEV No.	370004	Ref. No.	173266 297313
description	solenoid valve double straight 230VAC inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER		
For models:	144819, 271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 516678, 639087, 699063, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600, Vario-Braeter-plus		
spare parts for	370004		
	GEV No.	370129	Ref. No. —
solenoid valve body double straight inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER 230V			
	GEV No.	371002	Ref. No. —
solenoid valve holder MÜLLER flange support			
	GEV No.	371009	Ref. No. —
compression spring for solenoid coil			

Table continues overleaf

spare parts for 370004				
	GEV No.	371011	Ref. No.	—
spare parts kit membrane with long star star hight 8mm MÜLLER				
	GEV No.	371017	Ref. No.	—
solenoid coil MÜLLER 220-240VAC 50-60Hz connection male faston 6.3mm				
	GEV No.	371122	Ref. No.	—
solenoid valve filter ø 19mm H 10mm suitable for MÜLLER				
	GEV No.	501161	Ref. No.	—
tap head for solenoid valve holder for solenoid coils				
accessories for 370004				
	GEV No.	371010	Ref. No.	—
solenoid coil 230VAC connection with cable cable length 2000mm				
	GEV No.	371037	Ref. No.	—
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm				
	GEV No.	371038	Ref. No.	—
solenoid coil 230VAC connection appliance plug				



1

GEV No.	370002	Ref. No.	334944
description	solenoid valve single straight 230VAC inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER		
For models:	144819, 340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111		
spare parts for	370002		
	GEV No.	370127	Ref. No. —
	solenoid valve body single straight inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER 230V		
	GEV No.	371002	Ref. No. —
	solenoid valve holder MÜLLER flange support		
	GEV No.	371009	Ref. No. —
	compression spring for solenoid coil		
	GEV No.	371011	Ref. No. —
	spare parts kit membrane with long star star hight 8mm MÜLLER		
	GEV No.	371017	Ref. No. —
	solenoid coil MÜLLER 220-240VAC 50-60Hz connection male faston 6.3mm		
	GEV No.	371122	Ref. No. —
	solenoid valve filter ø 19mm H 10mm suitable for MÜLLER		
	GEV No.	501161	Ref. No. —
	tap head for solenoid valve holder for solenoid coils		
accessories for	370002		
	GEV No.	371010	Ref. No. —
	solenoid coil 230VAC connection with cable cable length 2000mm		

accessories for 370002				
	GEV No.	371037	Ref. No.	—
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm				
	GEV No.	371038	Ref. No.	—
solenoid coil 230VAC connection appliance plug				

TP


componenti per elettrodomestici



1

GEV No.	370017	Ref. No.	987017	
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar			
spare parts for	370017			
	GEV No.	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for 370017				
	GEV No.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	GEV No.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	GEV No.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	GEV No.	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	GEV No.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	GEV No.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	GEV No.	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	GEV No.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				

Table continues overleaf

accessories for 370017				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

metal

MÜLLER

2-way



1

GEV No.	370069 ¹	Ref. No.	374806 586935 754471
description	solenoid valve 2-ways 230VAC inlet 1/8" IT outlet 1/8" IT L 30mm water MÜLLER DN10		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)		

¹with adjusting screw

1

GEV No.	370037 ¹	Ref. No.	079561
description	solenoid valve 2-ways 230VAC inlet 1/8" IT outlet M16x1 outer steam MÜLLER		
For models:	805149, 805300, 805408, 805459, 805xxx, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-5x2-3		

¹with adjusting screw

Solenoid valve - accessories



1

GEV No.	370863	Ref. No.	889555
description	bracket thread 3/4" for solenoid valve L 100mm brass		

pressure switches
for coffee machines

ø 45mm



1

GEV No.	541015	Ref. No.	030422 301523
description	pressure control ø 45mm pressure range 400/360mbar pressure range 0.4/0.36bar p max 1.02bar pressure connection vertical coffee machine parts connection 1/4" 1CO suitable for Palux, Bremer pressure connection 1/4"		
For models:	674524, 674532, 674605, 805149, 805300, 805408, 805459, 805556, 805xxx, 810002, 813303, 890502, 890510, 890529, 890553, 890561, 890588, 890596, 890618, 890626, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, standkaffeemaschine-solomatic-2, standkaffeemaschine-solomatic-4, Wandkaffeemaschine-800		

for steam control



1

GEV No.	541016	Ref. No.	702129
description	pressure control ø 45mm pressure range 480/430mbar pressure connection vertical steam control pressure range 0.48/0.43bar connection 1/4" pressure connection 1/4"		
For models:	00443x, 00457x, 136581, 690570		



1

GEV No.	541342	Ref. No.	702153
description	pressure control ø 45mm reset pressure reclosing lockbar pressure connection vertical steam control pressure range 0.6/0.54bar connection 1/4" pressure connection 1/4"		
For models:	690570		

for combi-steamers

			
1			
GEV No.	541526	Ref. No.	784028
description	pressure control p max 0.5bar pressure connection 1/8"		

fans

axial fans


import


			
1			
GEV No.	601080 ¹	Ref. No.	693456
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		
accessories for	601080		
	GEV No.	Ref. No.	
	550898	—	
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	GEV No.	Ref. No.	
	692519	—	
	guard L 120mm W 120mm plastic		

¹with ball bearings

hot air motors

			
1			
GEV No.	510675	Ref. No.	373621
description	counterflange for fan motor ED ø 60mm int. ø 2 30mm thickness 5mm stainless steel		

 			
1			
GEV No.	500102	Ref. No.	332410
description	fan motor 230-240V 1 phase 50Hz 0.09kW 1390rpm speeds 1 L1 150mm L2 32mm L3 27mm ø 125mm M10R IT 1.1A suitable capacitor 4µF/400V power input 200W at 50Hz 1390rpm type L7yzw4B-207 no. X5 D1 ø 17mm D2 ø 14mm		
For models:	385018, 385026, 385034, 385042, 385050, 385514, 390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 399019, 399027, 399035, 399043, 399051, 399078, 399086, 399094, 399108, 399116, 606294, 606316, 606324, 606332, 606340, 606359, 606367, 609544, 609552, 609560...(Other models you can see in the webshop)		

 			
1			
GEV No.	601474	Ref. No.	693286
description	fan motor 230V 1 phase 50/60Hz 0.03kW 3600rpm speeds 1 L1 115mm L2 20mm L3 32mm ø 12mm shaft flat length 23mm 7.5/8 0.35/0.56A suitable capacitor 3µF400V power input 75/125W at 50Hz 3600rpm type L5ow2B-317 no. W9		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		
spare parts for	601474		
	GEV No.	Ref. No.	
	365191	—	
	operating capacitor capacity 3µF 400V tolerance 5% 60Hz ambient temperature max. -40 up to +85°C ø 30mm L 85mm M8 aluminium connection cable 400mm MLR25L40303063		
accessories for	601474		
	GEV No.	Ref. No.	
	602166	693375	
	fan wheel blades 9 D1 ø 175mm D2 ø 8mm D3 ø 8mm H1 30mm H2 28mm ED 6-23		




1

GEV No.	601871	Ref. No.	302821
description	fan motor 230V 1 phase 50Hz 85kW 2400rpm speeds 1 L1 85mm L2 40mm L3 33mm L4 133.5mm fan wheel ø 180mm at 50Hz 230V at 60Hz 230V at 50Hz 2600rpm at 60Hz 2850rpm type R2E180-AU01-09		
For models:	389595, 389609, 398950, 398969, 398977, 609188, 609196, 637599, 674648, 674656, 674885, Heissluftdaempfer-5x2-3, Heissluftgeraet-5x2-3		




2



GEV No.	500170	Ref. No.	580287
description	fan motor 3 phase		
For models:	671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894, 671908, 671916, 671975, 671983, 671991, 680583, 680591		



1



GEV No.	601864	Ref. No.	742740
description	fan motor 380-415V 3 phase 50Hz 0.21kW 700/1400rpm speeds 2 L1 160mm L2 25mm L3 40mm D1 ø 17mm D2 ø 13mm M10R IT at 50Hz 700/1400rpm type 3081DH4052		



1

GEV No.	514535	Ref. No.	743372
description	fan wheel blades 12 D1 ø 350mm D2 ø 13mm D3 ø 16.2mm H1 110mm H2 16mm seat ø 40mm		



1

GEV No.	602166	Ref. No.	693375
description	fan wheel blades 9 D1 ø 175mm D2 ø 8mm D3 ø 8mm H1 30mm H2 28mm ED 6-23		
accessories for	602166		



GEV No.	601474	Ref. No.	693286
description	fan motor 230V 1 phase 50/60Hz 0.03kW 3600rpm speeds 1 L1 115mm L2 20mm L3 32mm ø 12mm shaft flat length 23mm 7.5/8 0.35/0.56A suitable capacitor 3µF400V power input 75/125W at 50Hz 3600rpm type L5ow2B-317 no. W9		



1

GEV No.	510673	Ref. No.	580600
description	flange for fan motor ED ø 60mm int. ø 143mm int. ø 229mm thickness 6mm stainless steel		



1

GEV No.	694997	Ref. No.	782939
description	speed sensor for hot air motors cable length 450mm		

radial fans

miscellaneous



1

GEV No.	601475	Ref. No.	752525
description	radial fan 230V voltage AC 50/60Hz 20W H1 180mm L1 180mm D1 ø 86mm W1 40mm W2 34mm H2 122mm W3 40mm H3 172mm		
For models:	754668, 757314, 757462, 757470		

pumps

vibration pumps



1

GEV No.	499010	Ref. No.	772550
description	vibration pump type E512/B46 230V 60W 50/60Hz inlet ø 7 outlet ø 1/8" IT CEME L 125mm		

condensators & interference suppression filters

operating capacitors

metal



1

GEV No.	365002	Ref. No.	292753
description	operating capacitor capacity 4µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 30mm L 75mm with cable M8 aluminium connection cable 300mm MKP protection IP65		

fuses

fine fuses



1

GEV No.	358532	Ref. No.	190756
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		



1

GEV No.	358608	Ref. No.	578975
description	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		

fine fuse holders



1

GEV No.	358049	Ref. No.	751847
description	fuse holder		



1

GEV No.	550105	Ref. No.	326941
description	rail-mounted terminal WIELAND type WK10/SIU 5X20 /V0 suitable fuse ø5x20mm 1.0-16mm² 10A rated 250V		

screw locks

D0-system (NEOZED)



1

GEV No.	358043	Ref. No.	658294
description	fuse size D01 16A rated 250/400V E14 ø 11mm L 36mm Qty 10 pcs		



1

GEV No.	358045	Ref. No.	751863
description	fuse size D02 35A rated 250/400V E18 ø 15mm L 36mm Qty 10 pcs		



1

GEV No.	358046	Ref. No.	658286
description	fuse size D02 50A rated 250/400V E18 ø 15mm L 36mm Qty 10 pcs		

gauge pieces (NEOZED)



1

GEV No.	358067	Ref. No.	751855
description	gauge piece size D02 suitable for 35A		



1

GEV No.	358068	Ref. No.	658278
description	gauge piece size D02 suitable for 50A		

electric accessories

terminals

connection terminals with screw/faston connections



1

GEV No.	550762	Ref. No.	070858
description	connection terminal 2-pole max. 16A max 400V connection ø2.5mm ² / F6.3 temp.-resist. 150°C		
For models:	140902, 144819, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 502200, 502308, 502650, 502707, 503010, 503150, 505900, 505935, 515892, 515906, 516678, 517887, 541869, 626104, 626112, 626201, 626228, 626309, 626317, 637564, 638625, 639087, 649554, 649562, 650943, 650951, 657735, 663263, 663395, 667412, 670618, 670626, 684848, 686298, 686328, 686336, 686409, 687200, 688096, 688118...(Other models you can see in the webshop)		

rail-mounted terminals

WIELAND

fuse terminal blocks



1

GEV No.	550105	Ref. No.	326941
description	rail-mounted terminal WIELAND type WK10/SIU 5X20 /V0 suitable fuse ø5x20mm 1.0-16mm ² 10A rated 250V		

accessories



1

GEV No.	550337	Ref. No.	327514
description	end barrier for fuse terminal clampsmm ²		

gas valves and ignition boxes

gas control valves

HONEYWELL



1

GEV No.	106206	Ref. No.	744050
description	gas valve type VK4115V 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL suitable for hole distance 24mm flange 32x32mm		
accessories for	106206		
	GEV No.	102845	Ref. No. —
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	GEV No.	102846	Ref. No. —
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			



SIT

ELETTROSIT



1

GEV No.	101127	Ref. No.	321907
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
spare parts for	101127		
	GEV No.	101312	Ref. No. —
microswitch			
	GEV No.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
accessories for	101127		
	GEV No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	GEV No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	GEV No.	101303	Ref. No. —
gas connection straight thread 3/4" ELETTROSIT			
	GEV No.	101309	Ref. No. —
extension			

ignition boxes

HONEYWELL



1

GEV No.	101166	Ref. No.	371416
description	ignition box HONEYWELL type S4560B 1006 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		

ignition parts

pilot burners

SIT

100 series



1

GEV No.	106907	Ref. No.	321400 321699
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
For models:	710024, 710040, 710059, 710067, 910023, 910047, 910058, 910066, 910082, 910090, 910104, 910112, 910139, 910147, 910155, 910163, 910457, 910473, FOEM-Gas-Backofen		
spare parts for	106907		
	GEV No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100855	Ref. No. —
pilot burner bracket triple			
	GEV No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm			
	GEV No.	100918	Ref. No. —
screw for pilot burner			
	GEV No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			


Table continues overleaf



accessories for 106907				
	GEV No.	100245	Ref. No.	—
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	GEV No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	GEV No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	GEV No.	107171	Ref. No.	—
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs				
	GEV No.	107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm				
	GEV No.	107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm				

accessories

ignition electrodes



GEV No.	100706	Ref. No.	321419
description	ignition electrode connection M4 Qty 1 pcs		
For models:	710059, 710067, 710083, 910023, 910047, 910058, 910066, 910082, 910090, 910104, 910112, 910139, 910147, 910155, 910163, 910457, 910473		

electrodes



GEV No.	699472	Ref. No.	874833
description	gasket ignition electrode ID ø 13mm hole ø 6mm L 60mm W 22mm suitable for ELOMA graphite		

	GEV No.	100706	Ref. No.	321419
description	ignition electrode connection M4 Qty 1 pcs			
For models:	710059, 710067, 710083, 910023, 910047, 910058, 910066, 910082, 910090, 910104, 910112, 910139, 910147, 910155, 910163, 910457, 910473			

	GEV No.	106996	Ref. No.	874787
description	ignition electrode flange length 60mm flange width 22mm D1 ø 9mm L1 17mm L2 45mm L3 6mm L4 34/10mm BL1 37mm BL2 32mm cable length 350mm connection ø ø4mm			
accessories for	106996			
	GEV No.	699472	Ref. No.	874833
description	gasket ignition electrode ID ø 13mm hole ø 6mm L 60mm W 22mm suitable for ELOMA graphite			

	GEV No.	106997	Ref. No.	874906
description	monitoring electrode connection ø F6.3mm flange length 23mm flange width 16mm D1 ø 7mm L1 60mm L2 44mm L4 12mm L3 60mm BL1 35mm BL2 25mm connection F6.3x0.8 cable length 450mm fixing dimensions ø5mm			

GEV No.	109120	Ref. No.	373834
description	monitoring electrode flange length 48mm D1 ø8mm flange width 22.5mm L1 62mm BL1 11mm BL2 8mm connection male faston 6.3mm		


GEV No.	100906	Ref. No.	835803
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø5mm - type Junkers with aluminised tip

			
GEV No.	102205	Ref. No.	697443
description	thermocouple M8x1 L 750mm plug connection ø5.0mm		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295		
accessories for	102205		
	GEV No.	101260	Ref. No. —
thermocouple fitting thread M8x1 Qty 1 pcs			

with barrel socket ø6mm

type Junkers with aluminised tip

GEV No.	102218	Ref. No.	384267
description	thermocouple M8x1 L 320mm plug connection ø6.0mm		
For models:	750123, 750131, 750158, 750166, 750174, 750182, 750190, 750379, 750387		

GEV No.	102220	Ref. No.	384275
description	thermocouple M8x1 L 600mm plug connection ø6.0mm		
For models:	750123, 750131, 750158, 750166, 750174, 750182, 750190		

with barrel socket ø6(6.5)mm

thermocouples SIT

GEV No.	107609	Ref. No.	321702
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	710059, 710067, 910104, 910112, 910139		

plug-in thermocouples with cable link

GEV No.	102131	Ref. No.	384968
description	thermocouple with two-conductors L 1000mm plug connection ø5.0mm M8x1		
For models:	750301, 750328		




threaded thermocouples


threaded thermocouples standard

with socket with thread M8x1

SIT




GEV No.	107632	Ref. No.	001198
description	thermocouple SIT M8x1 L 1000mm M8x1		
For models:	Gasherd-64502		
accessories for	107632		
	GEV No.	102067	Ref. No. 054240
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



GEV No.	107633	Ref. No.	229644
description	thermocouple SIT M8x1 L 1200mm M8x1		
For models:	Gasherd-64502, Maxima-Gasherd-700, Maxima-Gasherd-850		
accessories for	107633		
	GEV No.	102067	Ref. No. 054240
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

type Junkers with aluminised tip



GEV No.	102233	Ref. No.	001201
description	thermocouple M8x1 L 750mm M8x1		
For models:	399701, 399728, 541419, 541427, 640018, 642053, 645005, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Gas-Brater-641, Gas-Griddleplatte-642, Gasherd-645, Gasherd-646, Gas-Wurstgrill-640, Maxima-Gas-Bain-Marie-700-850, Maxima-Gas-Bain-Marie-850, Maxima-Gasherd-700, Maxima-Gasherd-700-850, Maxima-Gasherd-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		
accessories for	102233		
	GEV No.	102067	Ref. No. 054240
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

accessories

nuts



GEV No.	102067	Ref. No.	054240
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	399701, 399728, 541419, 541427, 640018, 642053, 645005, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Gas-Brater-641, Gas-Griddleplatte-642, Gasherd-645, Gasherd-64502, Gasherd-646, Gas-sudpfanne-643, Gas-Wurstgrill-640, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		

gas nozzles

main nozzles

gas nozzles M13x1



GEV No.	102471	Ref. No.	881715
description	gas injector thread M13x1 bore ø 2.3mm WS 13		

pilot burner nozzles

pilot burner nozzles POLIDORO



GEV No.	100208	Ref. No.	835757
description	pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs		



GEV No.	102699	Ref. No.	835765
description	pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores		



screw connections

olives



1

GEV No.	101273	Ref. No.	959715
description	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
accessories for	101273		
	GEV No.	100944	Ref. No. —
union nut thread M18x1.5 for pipe ø 12mm			
	GEV No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			

union screws



1

GEV No.	100906	Ref. No.	835803
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

consumables

thread sealants



1

GEV No.	890058	Ref. No.	593567
description	thread sealing LOCTITE 511 liquid bottle 50ml		
description	LOCTITE® 511™ - bottle 50ml It is designed for the locking and sealing of metal threaded pipes and fittings. The product cures rapidly when confined in the absence of air between close fitting metal surfaces.		

equipmentspecific units

for convection ovens/combi-steamers

bushes



1

GEV No.	692909	Ref. No.	782432
description	bushing for door hinge H 7mm plastic D1 ø 18mm D2 ø 12mm ID ø 10mm		

injection pipes



1

GEV No.	692838	Ref. No.	753793
description	injection pipe for combi-steamer straight ED ø 12mm ID ø 8mm L 180mm -		



1

GEV No.	692839	Ref. No.	743267
description	injection pipe for combi-steamer U-shape ED ø 12mm ID ø 10mm L 265mm		

cleaning system

coupling bushings



1

GEV No.	501591	Ref. No.	753890
description	hose connector stainless steel hose ø 10/13mm M9 for cleaning system combi-steamer		

cleaning arms



1

GEV No.	542416	Ref. No.	775177
description	mounting flange ø 55mm hub with gasket for wash arm suitable for ELOMA combi-steamer		

drip water trays



1

GEV No.	699837	Ref. No.	699837
description	drip tray with grip fixing L 530mm W 52mm H 25mm		



GEV No.	699269	Ref. No.	699269
description	plug H 10mm ø 20mm		



GEV No.	699270	Ref. No.	781185
description	spring L 65mm W 32.5mm H 28mm		

door mechanics

miscellaneous



GEV No.	692909	Ref. No.	782432
description	bushing for door hinge H 7mm plastic D1 ø 18mm D2 ø 12mm ID ø 10mm		

door bumpers



GEV No.	694922	Ref. No.	886726
description	rubber pad ø 11.5mm H 19mm rubber		

locking mechanism



GEV No.	692714	Ref. No.	791652EL
description	disc for catch ø 44mm hole ø 6x8mm		



GEV No.	692716	Ref. No.	501239EL
description	door catch with switch L 140mm W 25mm H 63mm hole distance 120mm ID ø 12mm		



GEV No.	692715	Ref. No.	775061 888575
description	sleeve ø 50mm L 72mm W 59mm H 31mm hole distance 60mm ID ø 37mm		

accessories



GEV No.	699836	Ref. No.	569593
description	plug for door W 32mm plastic L 50mm		

vibration pumps



GEV No.	499010	Ref. No.	772550
description	vibration pump type E512/B46 230V 60W 50/60Hz inlet ø 7 outlet ø 1/8" IT CEME L 125mm		

miscellaneous



GEV No.	696857	Ref. No.	566594
description	boot L 42mm D1 ø 12mm D2 ø 36mm		



GEV No.	692306	Ref. No.	213519
description	pipe long D1 ø 10mm D2 ø 6mm L 134mm WS 19 thread 3/8"		
For models:	389595, 389609, 390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019, 399027, 399035, 399043, 399051, 399078, 399086, 399094, 399108, 399116, 606316...(Other models you can see in the webshop)		

knoobs

universal knobs

			
1			
GEV No.	110235	Ref. No.	341894
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	610038, 610429, 620203, 620424		

			
1			
GEV No.	110244	Ref. No.	649058
description	knob thermostat t.max. 250°C ø 50mm shaft ø 6x4.6mm shaft flat upper/lower black temperature range 30-250°C rotation 270°		
For models:	626104, 626112, 626201, 626228, 626309, 626317		

			
1			
GEV No.	110245	Ref. No.	087432 279862
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		
For models:	610003, 610038, 610402, 611018, 611050, 611220, 612006, 612057, 620009, 621005, 621056, 621110, 622001, 622052, 62510, 62520, 62530, 626104, 626112, 626201, 626228, 626309, 626317, 629006, 629022, Backofen-629, Brater-611, Brater-621, Griddle-Platte-612, Griddleplatte-622, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Wurstgrill-610, Wurstgrill-620		

producer-specific knobs

PALUX

			
1			
GEV No.	110235	Ref. No.	341894
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	610038, 610429, 620203, 620424		

			
1			
GEV No.	110244	Ref. No.	649058
description	knob thermostat t.max. 250°C ø 50mm shaft ø 6x4.6mm shaft flat upper/lower black temperature range 30-250°C rotation 270°		
For models:	626104, 626112, 626201, 626228, 626309, 626317		

			
1			
GEV No.	110245	Ref. No.	087432 279862
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		
For models:	610003, 610038, 610402, 611018, 611050, 611220, 612006, 612057, 620009, 621005, 621056, 621110, 622001, 622052, 62510, 62520, 62530, 626104, 626112, 626201, 626228, 626309, 626317, 629006, 629022, Backofen-629, Brater-611, Brater-621, Griddle-Platte-612, Griddleplatte-622, Grill-680, Grill-681, Grill-682, Grill-683, Heissluftgeraet-672, Heissluftgeraet-673, Heissluftgeraet-67310, Wurstgrill-610, Wurstgrill-620		

accessories

covers

			
1			
GEV No.	111510	Ref. No.	748781 883136
description	lid t.max.°C ø 37mm shaft ømm shaft flat silver for knob ELOMA		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		
accessories for	111510		
	GEV No.	111498	Ref. No. 743690
knob t.max.°C ø 48mm shaft ø 6.5mm shaft flat blue			



locks

handle latches

producer-specific

PALUX



1

GEV No.	694067	Ref. No.	747998
description	door catch with spigot 1-stage L 26mm total length 51mm thread M8		



1

GEV No.	694254	Ref. No.	758272
description	door catch with spigot 2-stage L 36mm total length 60mm thread M8 thread L 25mm mounting pos. hinged at left		



1

GEV No.	694253	Ref. No.	758264
description	door catch with spigot 2-stage L 36mm total length 60mm thread M8 thread L 25mm mounting pos. hinged at right		



1

GEV No.	692744	Ref. No.	758388
description	door handle hinged at left blue		
For models:	754595, 754609, 754617, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		



1

GEV No.	691990	Ref. No.	748765
description	door handle hinged at right L 155mm W 60mm H 58mm spring length 53mm blue mounting distance 40mm mounting thread M4		
For models:	754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773, 754781, 757292, 757314, 757365, 757373, 757381, 757403, 757411, 757438, 757446, 757454, 757462, 757470, 758736, 758833, 759201, 759651, 759678, 759686, 759694, 759708, 759716		
spare parts for	691990		
	GEV No.	514450	Ref. No. —
spring for door handle ø 6mm L 61mm W 27.5mm			
accessories for	691990		
	GEV No.	111510	Ref. No. 748781 883136
lid t.max.°C° 37mm shaft ømm shaft flat silver for knob ELOMA			



1


GEV No.	691988	Ref. No.	749532
description	door handle L 155mm W 60mm H 58mm spring length 53mm blue mounting distance 40mm spring thickness 3mm		
accessories for	691988		
	GEV No.	111510	Ref. No. 748781 883136
lid t.max.°C° 37mm shaft ømm shaft flat silver for knob ELOMA			

edgmount latches

handle latches

RAHRBACH

6188 ERGO series



GEV No.	690808	Ref. No.	565458
description	handle latch L 185mm mounting distance 150mm chrome-plated non lockable for headed units 6188 type ERGO		
accessories for	690808		
	GEV No.	690110	Ref. No. —
	base plate H 1mm L 38mm W 11mm mounting distance 26mm plastic		
	GEV No.	690111	Ref. No. —
	base plate H 2mm L 38mm W 11mm mounting distance 26mm plastic		
	GEV No.	690114	Ref. No. —
	base plate H 3.5mm L 185mm W 30mm mounting distance 150mm with inclination thread M5		
	GEV No.	700082	Ref. No. —
	door catch L 38mm W 18mm mounting distance 26mm		

door catches




GEV No.	700061	Ref. No.	382833
description	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
accessories for	700061		
	GEV No.	690414	Ref. No. —
	handle latch L 150mm mounting distance 133mm non lockable refrigeration units G 791		

hinges

edgmount hinges

STUV



GEV No.	700073	Ref. No.	000051
description	edgmount hinge L 145mm W 45mm mounting distance 125mm hinging left/right without lift centre of rotation 37mm zinc die cast, chrome-plated refrigeration units		
accessories for	700073		
	GEV No.	690310	Ref. No. —
	base plate for 4000/4001 series thickness 5mm		

door bearing



GEV No.	692688	Ref. No.	569178
description	hinge L 78mm W 40mm H 5mm mounting distance 21mm mounting pos. lower bolt 12mm bolt ø 6mm		

accessories

bushes



GEV No.	692909	Ref. No.	782432
description	bushing for door hinge H 7mm plastic D1 ø 18mm D2 ø 12mm ID ø 10mm		

miscellaneous



GEV No.	694994	Ref. No.	875023
description	locking disc for hinge ID ø 12mm ED ø 30mm plastic		



pullouts

rollers

rollers

accessories



1

GEV No.	560133	Ref. No.	251887
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	140902, 144819, 271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 354643, 354651, 354678, 354686, 354694, 354708, 361429, 361437, 361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784...(Other models you can see in the webshop)		

DERBY RUOTE

spare parts and accessories

miscellaneous




1

GEV No.	560193	Ref. No.	349771
description	tooth lock washer ID ø 10.4mm ED ø 18mm zinc-coated steel DIN/ISO DIN 6798A Qty 1 pcs for thread M10		

gaskets

gaskets for heated units


window seals



1


GEV No.	900110	Ref. No.	215961
description	window gasket profile 1590 Qty supplied by meter		

door seals




1

GEV No.	900100	Ref. No.	384410
description	door seal profile 2070 W 460mm L 645mm external size Qty 1 6 x 1/1		




1

GEV No.	900101	Ref. No.	382310
description	door seal profile 2070 W 645mm L 700mm external size Qty 1 10 x 1/1		
For models:	367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 606294, 606308, 646768, 646776, 646784, 646792, 646806, 646814, 646822, 646830, 646849, 646857, 646865, 646873, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 680583, 680591		



1

GEV No.	900203	Ref. No.	425090
description	door seal profile 2448 W 730mm L 980mm external size Qty 1		



1

GEV No.	900865	Ref. No.	742368
description	door seal profile 2449 W 490mm L 520mm Qty 1		
For models:	754595, 754609, 754676, 754681, 754692, 754706, 754749, 757365, 757373, 757381, 757403, 758736, 759201, 759678, 759686, 759694		

GEV No.	901483	Ref. No.	742384
description door seal profile 2449 W 520mm L 1505mm Qty 1			

GEV No.	900497	Ref. No.	742376
description door seal profile 2449 W 520mm L 775mm Qty 1			
For models: 754617, 754714, 754722, 754730, 754757, 754773, 754781, 757292, 757411, 757438, 757446, 757454, 758833, 759651, 759708, 759716			

GEV No.	901490	Ref. No.	742406
description door seal profile 2449 W 690mm L 1550mm Qty 1			

GEV No.	901277	Ref. No.	E425207
description door seal profile 2690 L 2275mm			


GEV No.	902491	Ref. No.	501645
description door seal profile 2710 L 1555mm suitable for ELOMA closed			

GEV No.	900050	Ref. No.	131385
description door seal profile 2710 Qty supplied by meter			


GEV No.	902492	Ref. No.	742392
description door seal profile 2736 W 695mm L 1000mm outer plug size Qty 1 suitable for ELOMA 12-21 silicone			

GEV No.	901298	Ref. No.	693200
description door seal profile 2775 Qty supplied by meter			

door seals with fixing hook




GEV No.	900390	Ref. No.	202223
description	door seal L 380mm Wmm with 5 mounting clips		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 003131, 00314x, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, 750166, 750190		



GEV No.	900391	Ref. No.	202290
description	door seal L 585mm Wmm with 9 mounting clips		
For models:	00068x, 00099x, 00121x, 00149x, 00183x, 001864, 002046, 002682, 003131, 00314x, 750026, 750034, 750042, 750050, 750069, 750077, 750085, 750093, 750107, 750115, 750166, 750190		

gaskets for tray rack trolleys



GEV No.	900199	Ref. No.	549207
description	tray rack trolley gasket profile 4070 L 1000mm Qty 1		

gaskets for control panels



GEV No.	902493	Ref. No.	742309
description	gasket for control panel W 220mm L 890mm suitable for ELOMA for combi-steamer with 8 mounting clips		


O-rings

EPDM

ø1.78mm




GEV No.	504512	Ref. No.	378674
description	O-ring EPDM thickness 1.78mm ID ø 14mm Qty 1 pcs		
For models:	340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, 671894, 671908, 671916, 671975, 671983, 671991, 674524, 674532, 674605, 805149, 805300, 805408, 805459, 805556, 805xxx, 810002, 813303, 890529, 890561, 890588, Aromacarina, Aromacarina-Dampf, Aromacarina-EsA, Aromacarina-ETA, Aromacarina-ETA-EsA, Geschirrspuelautomat-700, GsP-350, Heissluftdaempfer-10x1-1, Heissluftdaempfer-20x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3, schokomat-C, Wandkaffeemaschine-800		




GEV No.	528485	Ref. No.	255823
description	O-ring EPDM thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600		





GEV No.	510177	Ref. No.	131946
description	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		
For models:	337xxx, 340xxx, 665843, 665851, Geschirrspuelautomat-700, Glaeserspielautomat-325, Glaeserspielautomat-328, GsP-350, GsP-600		





GEV No.	504574	Ref. No.	013471
description	O-ring EPDM thickness 1.78mm ID ø 9.25mm Qty 1 pcs		
For models:	140902, 367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977...(Other models you can see in the webshop)		


ø2.62mm			
			
GEV No.	504561	Ref. No.	399434
description	O-ring EPDM thickness 2.62mm ID ø 29.82mm Qty 1 pcs		
For models:	144819, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019, 399027, 399035, 399043...(Other models you can see in the webshop)		

ø5.34mm			
			
GEV No.	510408	Ref. No.	349232
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	665843, 665851, Glaeserspuelautomat-325, Glaeserspuelautomat-328		

ø7,00mm			
			
GEV No.	532601	Ref. No.	335770
description	O-ring EPDM thickness 7mm ID ø 135.89mm Qty 1 pcs		
For models:	353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, GsP-350		

silicone			
ø1.50mm			
			
GEV No.	532726	Ref. No.	577642
description	O-ring silicone thickness 1.5mm ID ø 17mm Qty 10 pcs		

Viton			
ø2.62mm			
			
GEV No.	510579	Ref. No.	581410
description	O-ring Viton thickness 2.62mm ID ø 34.6mm Qty 1 pcs		

ø3.00mm			
			
GEV No.	104212	Ref. No.	081612
description	O-ring Viton thickness 3mm ID ø 32.5mm Qty 1 pcs		
For models:	399701, 399728, 541419, 541427, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		

ø3.53mm			
			
GEV No.	529357	Ref. No.	753742
description	O-ring Viton thickness 3.53mm ID ø 23.4mm Qty 1 pcs		

NBR			
			
GEV No.	532735	Ref. No.	503932
description	O-ring NBR 70 thickness 1mm ID ø 6mm		



sealing washers

copper gaskets

DIN-7603-A



1

GEV No.	528433	Ref. No.	097071 217840
description	flat gasket copper ED ø 14mm ID ø 10mm thickness 1mm		
For models:	390003, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 399019, 399027, 399035, 399043, 399051, 399078, 399086, 399094, 399108, 399116, 606316, 606324, 606332, 606340, 606359, 606367...(Other models you can see in the webshop)		

DIN-7603-C



1

GEV No.	510420	Ref. No.	002909
description	gasket copper ED ø 19.9mm ID ø 14.3mm thickness 2mm Qty 1 pcs		

PTFE gaskets



1

GEV No.	518669	Ref. No.	373079
description	gasket PTFE ED ø 21mm ID ø 15mm thickness 3.5mm		
accessories for	518669		
	GEV No.	375889	Ref. No. 504602
	safety thermostat switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe		

silicone gaskets



1

GEV No.	359721	Ref. No.	316296 693421
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
For models:	Heissluftdaempfer-10x1-1, Heissluftdaempfer-5x1-1, Heissluftdaempfer-5x2-3		

special gaskets

for combi-steamers



1

GEV No.	699472	Ref. No.	874833
description	gasket ignition electrode ID ø 13mm hole ø 6mm L 60mm W 22mm suitable for ELOMA graphite		




1

GEV No.	699471	Ref. No.	874876
description	gasket suitable for ELOMA for model Genius T 6-11 10-11 for burner chamber L 108mm W 100mm graphite combi-steamer		



1

GEV No.	699470	Ref. No.	874841
description	gasket suitable for ELOMA for model Genius T 6-11 10-11 for radial fan L 65mm W 82mm for combi-steamer ID ø 25mm graphite thickness 1.7mm		



1

GEV No.	560648	Ref. No.	584096
description	gasket suitable for ELOMA L 1000mm Qty 1m for combi-steamer		

thermostat gaskets



1

GEV No.	518669	Ref. No.	373079
description	gasket PTFE ED ø 21mm ID ø 15mm thickness 3.5mm		
accessories for	518669		
	GEV No.	375889	Ref. No. 504602
	safety thermostat switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe		



springs

torsion springs

			
1			
GEV No.	692523	Ref. No.	897531
description	torsion spring ø 27.8mm ID ø 21.7mm L2 44mm wire gauge ø 3mm L1 13mm L3 44mm Qty 1 pcs		

hose reels and spray guns

spray guns

			
1			
GEV No.	548636	Ref. No.	393002
description	spray gun 1/2" ET L 250mm		
spare parts for	548636		
	GEV No.	540457	Ref. No. —
pressure pin ø 10mm D1 ø 18mm L 48.7mm with spring for spray gun edition from 03/2016			
	GEV No.	549970	Ref. No. —
pressure pin ø 10mm D1 ø 18mm L 50.2mm with spring for spray gun			

			
1			
GEV No.	540301	Ref. No.	587583
description	spray gun for appliances 1/2" ET L 128mm		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894, 671908, 671916, 671975, 671983, 671991, 680583, 680591, 754595, 754609, 754617, 754668, 754676, 754681, 754692, 754706, 754714, 754722, 754730, 754749, 754757, 754773...(Other models you can see in the webshop)		
accessories for	540301		
	GEV No.	530922	Ref. No. 504696
shower hose connections 1/2" L 800mm SS for combi-steamer			

			
1			
GEV No.	530922	Ref. No.	504696
description	shower hose connections 1/2" L 800mm SS for combi-steamer		
accessories for	530922		
	GEV No.	540301	Ref. No. 587583
spray gun for appliances 1/2" ET L 128mm			

hose reels

appliance hose reels

			
1			
GEV No.	545067	Ref. No.	753181
description	hose reel without spray gun hose length 1.55m		

			
1			
GEV No.	540480	Ref. No.	580953
description	hose reel without spray gun hose length 1.7m		



dosing pumps

peristaltic dosing pumps

ASF/THOMAS

built-in version

without control




1

GEV No.	361272	Ref. No.	384615
description	dosing pump ASF/THOMAS without control 12l/h 230VAC detergent hose ø 4x7mm hose silicone type SR25 dimensions 63x124x101mm		
For models:	337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440140, 440655, 450111, Geschirrspuelautomat-700, GsP-350, GsP-600		
spare parts for	361272		
	GEV No.	361333	Ref. No. —
pump hose SR25 detergent hose ø 4x1.5mm hose type silicone			
	GEV No.	361335	Ref. No. —
hose guide SR25 for detergent hose type hose ø 6mm plastic 1-wayl/h			
	GEV No.	361336	Ref. No. —
closing clamp type SR25			
	GEV No.	361470	Ref. No. —
roller assembly type SR25 12l/h			

hoses

supply hoses

PVC supply hoses



1

GEV No.	520017	Ref. No.	040088
description	supply hose ID ø 13mm ED ø 20mm L 5m operating p. 20bar burst p. 60bar t.max. 95°C grey Qty 5m		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 378933, 440078, 440086, 440094, 440655, 450111, Geschirrspuelautomat-330, Geschirrspuelautomat-335, Geschirrspuelautomat-336, Geschirrspuelautomat-700, GsP-350, GsP-500, GsP-600		

pre-rinse hoses

stainless steel spiral tubes



1

GEV No.	530922	Ref. No.	504696
description	shower hose connections 1/2" L 800mm SS for combi-steamer		
accessories for	530922		
	GEV No.	540301	Ref. No. 587583
spray gun for appliances 1/2" ET L 128mm			

industrial hoses

nylon hoses




1

GEV No.	520252	Ref. No.	785857
description	nylon hose ID ø 6mm ED ø 8mm L 5m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C white		

silicone hoses

with fabric

with glass fibre sleeving



1

GEV No.	520024	Ref. No.	253847 593303
description	silicone hose with glass fibre sleeving ID ø 9.5mm ED ø 17mm L 5m thickness 3.75mm operating p. 4bar burst pressure at 95°C 26bar burst pressure 130°C 14bar t.max. 200°C white		

ittings, hose and pipe connectors

hose connectors

miscellaneous



1

GEV No.	501591	Ref. No.	753890
description	hose connector stainless steel hose ø 10/13mm M9 for cleaning system combi-steamer		



fittings

double nipples



1

GEV No. 520160 **Ref. No.** 754447

description double nipple nickel-plated brass thread 1/8" - 1/8" Qty 1 pcs



1

GEV No. 521187 **Ref. No.** 570451

description double nipple nickel-plated brass thread 1/8" - 3/8" Qty 1 pcs int. ø 15mm int. ø 2 9.3mm

angle pieces



1

GEV No. 520824 **Ref. No.** 773719

description angle piece thread 1/8" ET - 1/8" IT nickel-plated brass

hose connectors

brass



1

GEV No. 513253 **Ref. No.** 607169

description hose connector brass angled thread 1/4" hose ø 12mm Qty 1 pcs

For models: 665843, 665851, Glaeserspuelautomat-328

valves and tank inlets

ball valves

universal

mini ball valves



1

GEV No. 520295 **Ref. No.** 884080

description ball valve connection 3/8" IT - 3/8" IT DN8 total length 41mm chrome-plated brass

water cycle components

pressure reduction valves

pressure reduction valves

producer-specific



1

GEV No. 520502 **Ref. No.** 384437
577316
598198
874419

description pressure reduction valve Norgren series R91 connection 1/8" default settingbar setting range 0.1-3bar p max 10bar t.max. 50°C brass

For models: 367788, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 398950, 398969, 398977, 399019...(Other models you can see in the webshop)

accessories for 520502



GEV No. 541979 **Ref. No.** —
description manometer ø 40mm pressure range 0-4bar connection at the rear in the centre thread 1/8"



GEV No. 542449 **Ref. No.** —
description manometer ø 40mm pressure range 0-6bar connection at the rear in the centre thread 1/8"



ancillary products

thread sealants



GEV No.	890058	Ref. No.	593567
description	thread sealing LOCTITE 511 liquid bottle 50ml		
description	LOCTITE® 511™ - bottle 50ml It is designed for the locking and sealing of metal threaded pipes and fittings. The product cures rapidly when confined in the absence of air between close fitting metal surfaces.		

clamps

security hose clamps

SS/brass



GEV No.	520069	Ref. No.	276634
description	hose clamp SS/brass ø 14-19mm width 11mm Qty 5 pcs		



GEV No.	520071	Ref. No.	276642 572160
description	hose clamp SS/brass ø 17-22mm width 11mm Qty 5 pcs		
For models:	340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 440078, 440086, 440094, 440140, 440655, 450111, 609501, 609528, 609536, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894...(Other models you can see in the webshop)		



GEV No.	520067	Ref. No.	277665
description	hose clamp SS/brass ø 9-14mm width 10mm Qty 5 pcs		

fastening material

screws

flat-headed bolts



GEV No.	560491	Ref. No.	162469
description	flat-headed bolt thread M3 thread L 16mm stainless steel DIN 7985 Qty 20 pcs intake Phillips head ø 6mm head thickness 2.5mm		

hexagonal screws



GEV No.	560086	Ref. No.	251836
description	hexagonal screw thread M6 thread L 10mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		

grub screws

DIN 913/ISO 4026



GEV No.	560497	Ref. No.	753785
description	grub screw thread M8 L 8mm A2-A2L DIN 913/ISO 4026 WS 4 Qty 20 pcs		

DIN 916/ISO 4029



GEV No.	560173	Ref. No.	588512 895415
description	grub screw thread M4 L 10mm SS DIN 916/ISO 4029 intake internal hexagon WS 2 Qty 20 pcs		
For models:	671568, 671576, 671584, 671592, 671606, 671614, 671622, 671630, 758752, 758760, 758981, 759007, 759015, 759023, 759031, 759058, 759066, 759074, 759171, 759198		

miscellaneous



GEV No.	560621	Ref. No.	399280
description	grub screw thread 1/8" L 5mm brass WS hexagonal 5mm Qty 1 pcs		



nuts

cap nuts



1

GEV No.	560137	Ref. No.	057355
description	cap nuts thread M6 WS 10 SS Qty 20 pcs DIN/ISO DIN 1587		

hexagonal nuts

DIN 934 / ISO 4032/8673



1

GEV No.	560340	Ref. No.	003905
description	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		



1

GEV No.	560133	Ref. No.	251887
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
For models:	140902, 144819, 271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 354643, 354651, 354678, 354686, 354694, 354708, 361429, 361437, 361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784...(Other models you can see in the webshop)		

DIN 985



1

GEV No.	560143	Ref. No.	587095
description	hexagonal nut thread M8 H 8.5mm SS WS 13 Qty 20 pcs DIN/ISO DIN 985 self-locking		

hexagonal nuts metric (without norm)



1

GEV No.	102067	Ref. No.	054240
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	399701, 399728, 541419, 541427, 640018, 642053, 645005, 800163, 800171, 800198, 800201, 800228, 800236, 800244, 800252, 800260, 800279, 800287, 800295, Gas-Brater-641, Gas-Griddleplatte-642, Gasherd-645, Gasherd-64502, Gasherd-646, Gas-sudpfanne-643, Gas-Wurstgrill-640, Maxima-Gasherd-700-850, Maxima-Gasherd-neue-Ausfuehrung-700-850		

washers

washers

DIN 9021



1

GEV No.	560117	Ref. No.	000582
description	plain washer ID ø 6.4mm ED ø 18mm thickness 1.5mm SS Qty 20 pcs DIN 9021 for thread M6		
For models:	271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865, 397873, 398047, 398055, 398063...(Other models you can see in the webshop)		

tooth lock washers

DIN 6798A



1

GEV No.	560193	Ref. No.	349771
description	tooth lock washer ID ø 10.4mm ED ø 18mm zinc-coated steel DIN/ISO DIN 6798A Qty 1 pcs for thread M10		



1

GEV No.	560127	Ref. No.	006777 892912
description	tooth lock washer ID ø 6.2mm ED ø 11mm SS DIN/ISO DIN 6798A Qty 20 pcs for thread M6		
For models:	140902, 144819, 271500, 337xxx, 340022, 340030, 340049, 340057, 340073, 340xxx, 353167, 354392, 354457, 361763, 367788, 378933, 382191, 385018, 385026, 385034, 385042, 385050, 385514, 389595, 389609, 390003, 397210, 397229, 397237, 397245, 397253, 397261, 397288, 397296, 397318, 397326, 397334, 397342, 397350, 397431, 397776, 397784, 397792, 397806, 397814, 397822, 397830, 397849, 397857, 397865...(Other models you can see in the webshop)		

fasteners

slot nuts



1

GEV No.	694995	Ref. No.	760978
description	slot nut W 4mm H 5mm L 12mm half-round for door latch DIN 6888		



clamps

security hose clamps

SS/brass



1

GEV No.	520069	Ref. No.	276634
description	hose clamp SS/brass ø 14-19mm width 11mm Qty 5 pcs		



1

GEV No.	520071	Ref. No.	276642 572160
description	hose clamp SS/brass ø 17-22mm width 11mm Qty 5 pcs		

For models: 340022, 340030, 340049, 340057, 340073, 353167, 354392, 354457, 361763, 378933, 398047, 398055, 398063, 398071, 398098, 398101, 398128, 398136, 398144, 398152, 440078, 440086, 440094, 440140, 440655, 450111, 609501, 609528, 609536, 671649, 671657, 671665, 671673, 671681, 671711, 671746, 671754, 671762, 671770, 671789, 671797, 671800, 671819, 671827, 671835, 671843, 671851, 671878, 671886, 671894...(Other models you can see in the webshop)



1

GEV No.	520067	Ref. No.	277665
description	hose clamp SS/brass ø 9-14mm width 10mm Qty 5 pcs		

consumables

sealants and adhesives

thread sealants



1

GEV No.	890058	Ref. No.	593567
description	thread sealing LOCTITE 511 liquid bottle 50ml		
description	LOCTITE® 511™ - bottle 50ml It is designed for the locking and sealing of metal threaded pipes and fittings. The product cures rapidly when confined in the absence of air between close fitting metal surfaces.		

FASTENING MATERIAL/CONSUMABLES PALUX

fuses

fine fuses



1

GEV No.	358532	Ref. No.	190756
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		



1

GEV No.	358608	Ref. No.	578975
description	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		

fine fuse holders



1

GEV No.	358049	Ref. No.	751847
description	fuse holder		

screw locks

D0-system (NEOZED)



1

GEV No.	358043	Ref. No.	658294
description	fuse size D01 16A rated 250/400V E14 ø 11mm L 36mm Qty 10 pcs		



1

GEV No.	358045	Ref. No.	751863
description	fuse size D02 35A rated 250/400V E18 ø 15mm L 36mm Qty 10 pcs		



1

GEV No.	358046	Ref. No.	658286
description	fuse size D02 50A rated 250/400V E18 ø 15mm L 36mm Qty 10 pcs		

gauge pieces (NEOZED)



1

GEV No.	358067	Ref. No.	751855
description	gauge piece size D02 suitable for 35A		



1

GEV No.	358068	Ref. No.	658278
description	gauge piece size D02 suitable for 50A		

A

alarm devices	16
appliance hose reels	41
audible timers	16
axial fans	23

B

ball valves	43
-------------	----

C

cam switches	9
cap nuts	45
castors and bumper angles	36
clamps	44, 46
condensators & interference suppression filters	25
consumables	46
contactors	16
control equipment	11
control thermostats	5, 7

D

door catches	35
door seals	36
door seals with fixing hook	38
dosing pumps	42
double nipples	43

E

edgemount hinges	35
edgemount latches	35
electric accessories	26
electric timers	15
electronic controllers	19
energy regulators	4

F

fans	23
fasteners	45
fastening material	44
fine fuses	46
fittings	43
flat-headed bolts	44
fuses	25, 46

G

gas control valves	26
gas nozzles	30
gaskets for control panels	38
gaskets for heated units	36
gaskets for tray rack trolleys	38
GEV	2
grub screws	44

H

halogen lamp	13
handle latches	35
heating elements	2
heating elements for convection	2
heating elements for ovens	2
hexagonal nuts	45
hexagonal screws	44
hose connectors	42, 43
hose reels	41
hoses	42
hot air motors	23

I

ignition boxes	27
indicator lights	12
indicator lights (complete)	12
industrial hoses	42
infrared lamps	14

L

lamps	12
light bulbs	13
linear lamps	14

M

magnetic switches	11
microswitches	8

N

neon light bulbs	12, 13
nuts	45
nylon hoses	42

O

operating capacitors	25
O-rings	38
oven lamps	14

P

pilot burners	27
pilot heating elements	2
pre-rinse hoses	42
pressure reduction valves	43, 43
pressure switches	22
probes	19
pumps	25
push/momentary push switches	8
PVC supply hoses	42

R

radial fans	25
-------------	----

relays	18
residual heat indicators	15
rocker/momentary rocker switches	8

S

safety thermostats	6
screw locks	46
screws	44
sealants and adhesives	46
sealing washers	40
security hose clamps	44, 46
silicone hoses	42
slot nuts	45
solenoid valves	20
solid state relays	17
spray guns	41
spray guns with external thread	41
stainless steel spiral tubes	42
supply hoses	42
switches and momentary switches	8

T

terminals	26
thermocouples	29
thermostat gaskets	40
thermostats	5
thread sealants	31, 44, 46
time relays	18
timers	15
tooth lock washers	45
transformers	18

V

valves and tank inlets	43
vibration pumps	25

W

washers	45
water cycle components	43
window seals	36