



# Spare Parts for Ovens & Combi Ovens



Spare parts suitable for

# PARRY

# 2018

Find the complete and up-to-date range of products in our GEV Webshop



## energy regulators

EGO

1-circuit



|             |                                                                                                                                                     |          |           |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| GEV No.     | 380019                                                                                                                                              | Ref. No. | SATT37071 |
| description | energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010 |          |           |

## thermostats

control and safety thermostats

EGO

control thermostats

55.13\_ series



|             |                                                                                                                                                                                                                      |          |     |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----|
| GEV No.     | 375484                                                                                                                                                                                                               | Ref. No. | N/A |
| description | thermostat t.max. 260°C temperature range 48-260°C 1-pole NO 16A probe ø 3mm probe L 160mm capillary pipe 1580mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |     |



|             |                                                                                                                                                                                                                      |          |           |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| GEV No.     | 375505                                                                                                                                                                                                               | Ref. No. | TMST13062 |
| description | thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |           |


55.18\_ series



|             |                                                                                                                                                                                                                     |          |     |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----|
| GEV No.     | 375483                                                                                                                                                                                                              | Ref. No. | N/A |
| description | thermostat t.max. 320°C temperature range 50-320°C 1-pole NO 16A probe ø 3mm probe L 158mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |     |


safety thermostats

55.10/19\_ series



|             |                                                                                                                                                       |          |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| GEV No.     | 375857                                                                                                                                                | Ref. No. | EMTSS350 |
| description | safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 3.1mm probe L 201mm capillary pipe 870mm capillary pipe isolated 870mm gland nut probe SS |          |          |

## switches and momentary switches




|             |                                                                                                                         |          |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------|----------|----------|
| GEV No.     | 300129                                                                                                                  | Ref. No. | EMIG1600 |
| description | cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic |          |          |



1

| GEV No.     | 346078                                                                 | Ref. No. | EMMS1600 |
|-------------|------------------------------------------------------------------------|----------|----------|
| description | microswitch with plunger thread M10x0.75 250V 16A 1CO connection screw |          |          |



1

| GEV No.                                                                             | 301010                                                                                                                                                          | Ref. No. | SWRE06165  |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description                                                                         | rocker switch mounting measurements 30x11mm red 1NO/indicator light 250V 16A 0-1 connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 |          |            |
| accessories for                                                                     | 301010                                                                                                                                                          |          |            |
|  | GEV No.                                                                                                                                                         | 301035   | Ref. No. — |
| protective cover mounting measurements 30x11mm                                      |                                                                                                                                                                 |          |            |

## lamps

### indicator lights

#### indicator lights (complete)

ø10mm

with plug-in socket



1

| GEV No.     | 359139                                                                   | Ref. No. | LNGN2211P |
|-------------|--------------------------------------------------------------------------|----------|-----------|
| description | indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs |          |           |



1

| GEV No.     | 359138                                                                 | Ref. No. | LNRE2211P |
|-------------|------------------------------------------------------------------------|----------|-----------|
| description | indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs |          |           |

ø12mm

with screw socket



1

| GEV No.     | 359027                                                         | Ref. No. | EMLSAHRO |
|-------------|----------------------------------------------------------------|----------|----------|
| description | indicator light ø 12mm 250V green connection male faston 6.3mm |          |          |

### screw-on/push-on fit

#### light bulbs

for ovens



1

| GEV No.     | 359610                                                                                           | Ref. No. | EMPLLAHO |
|-------------|--------------------------------------------------------------------------------------------------|----------|----------|
| description | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips |          |          |



1

| GEV No.     | 359740                                                                                               | Ref. No. | EMPLLAHO |
|-------------|------------------------------------------------------------------------------------------------------|----------|----------|
| description | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT 70lm 1000 |          |          |

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

| GEV No.     | 359709                                                            | Ref. No. | EMPLG042 |
|-------------|-------------------------------------------------------------------|----------|----------|
| description | oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C |          |          |



1

| GEV No.     | 359705                                                            | Ref. No. | EMPLG800 |
|-------------|-------------------------------------------------------------------|----------|----------|
| description | oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C |          |          |

accessories for 359705

| PHILIPS | GEV No.                                                                                          | 359610 | Ref. No. | EMPLLAHO |
|---------|--------------------------------------------------------------------------------------------------|--------|----------|----------|
|         | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips |        |          |          |

|  | GEV No.                                                               | 359700 | Ref. No. | — |
|--|-----------------------------------------------------------------------|--------|----------|---|
|  | gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm |        |          |   |

|  | GEV No.                                                       | 359721 | Ref. No. | — |
|--|---------------------------------------------------------------|--------|----------|---|
|  | gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs |        |          |   |

|  | GEV No.                                           | 359837 | Ref. No. | — |
|--|---------------------------------------------------|--------|----------|---|
|  | gasket ID ø 33mm ED ø 46mm thickness 1mm graphite |        |          |   |

|  | GEV No.                    | 359838 | Ref. No. | — |
|--|----------------------------|--------|----------|---|
|  | gasket ID ø 33mm ED ø 45mm |        |          |   |

lamps

light bulbs



1

| GEV No.     | 359610                                                                                           | Ref. No. | EMPLLAHO |
|-------------|--------------------------------------------------------------------------------------------------|----------|----------|
| description | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips |          |          |



1

| GEV No.     | 359740                                                                                               | Ref. No. | EMPLLAHO |
|-------------|------------------------------------------------------------------------------------------------------|----------|----------|
| description | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT 70lm 1000 |          |          |

timers

mechanical timers



1

| GEV No.                                                                           | 350030                                                                                                                                                                              | Ref. No. | EMFTC120 |   |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|---|
| description                                                                       | timer M2 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral |          |          |   |
| accessories for                                                                   | 350030                                                                                                                                                                              |          |          |   |
|  | GEV No.                                                                                                                                                                             | 110366   | Ref. No. | — |
|                                                                                   | knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black                                                                                                      |          |          |   |
|  | GEV No.                                                                                                                                                                             | 111199   | Ref. No. | — |
|                                                                                   | dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm                                                                                        |          |          |   |

contactors

SIEMENS

power contactors



1

| GEV No.     | 380652                                                                                                                                               | Ref. No. | EMCNAHAU |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 3RT10-16-1AP02 |          |          |

auxiliary contacts



1

| GEV No.     | 380947                                                                                                                  | Ref. No. | EMCNAHAU |
|-------------|-------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT102 3 RT103 connection screw connection type 3RH1921-1FA11 |          |          |



## solenoid valves

### solenoid valves (water)

TP



1

| GEV No.                                                                             | 370015                                                               | Ref. No. | EMUASRPE |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------|----------|
| description                                                                         | solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP |          |          |
| accessories for                                                                     | 370015                                                               |          |          |
|    | GEV No. 371220                                                       | Ref. No. | —        |
| reducer TP flow rate 3l/min red tolerance $\pm 15\%$                                |                                                                      |          |          |
|    | GEV No. 371221                                                       | Ref. No. | —        |
| reducer TP flow rate 5.5l/min yellow tolerance $\pm 15\%$                           |                                                                      |          |          |
|    | GEV No. 371222                                                       | Ref. No. | —        |
| reducer TP flow rate 6l/min grey tolerance $\pm 15\%$                               |                                                                      |          |          |
|   | GEV No. 371223                                                       | Ref. No. | —        |
| reducer TP flow rate 10l/min white tolerance $\pm 15\%$                             |                                                                      |          |          |
|  | GEV No. 371224                                                       | Ref. No. | —        |
| reducer TP flow rate 12l/min bronze tolerance $\pm 15\%$                            |                                                                      |          |          |
|  | GEV No. 371225                                                       | Ref. No. | —        |
| reducer TP flow rate 16l/min light brown tolerance $\pm 15\%$                       |                                                                      |          |          |
|  | GEV No. 371226                                                       | Ref. No. | —        |
| reducer TP flow rate 20l/min red tolerance $\pm 15\%$                               |                                                                      |          |          |
|  | GEV No. 371230                                                       | Ref. No. | —        |
| reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$                             |                                                                      |          |          |
|  | GEV No. 371231                                                       | Ref. No. | —        |
| reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$                          |                                                                      |          |          |
|  | GEV No. 371232                                                       | Ref. No. | —        |
| reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$                           |                                                                      |          |          |
|  | GEV No. 371233                                                       | Ref. No. | —        |
| reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$                            |                                                                      |          |          |
|  | GEV No. 371234                                                       | Ref. No. | —        |
| reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$                         |                                                                      |          |          |
|  | GEV No. 371235                                                       | Ref. No. | —        |
| reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$                            |                                                                      |          |          |
|  | GEV No. 371236                                                       | Ref. No. | —        |
| reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$                      |                                                                      |          |          |
|  | GEV No. 371237                                                       | Ref. No. | —        |
| reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$                           |                                                                      |          |          |

|                                                                                   |                |          |   |
|-----------------------------------------------------------------------------------|----------------|----------|---|
| accessories for                                                                   | 370015         |          |   |
|  | GEV No. 371238 | Ref. No. | — |
| reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$                     |                |          |   |
|  | GEV No. 371239 | Ref. No. | — |
| reducer TP flow rate 5l/min black tolerance $\pm 25\%$                            |                |          |   |
|  | GEV No. 371240 | Ref. No. | — |
| reducer TP flow rate 8l/min blue tolerance $\pm 20\%$                             |                |          |   |

### solenoid valves with reducers



1

| GEV No.     | 370437                                                                                                                                                                                                                                                                           | Ref. No. | EMUA2RPE |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | solenoid valve double angled 230VAC inlet 3/4" input 10l/min output 1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve inlet white outlet 11.5mm output A 1.2l/min output B 1.2l/min flow regulating valve outlet A dark brown flow regulating valve outlet B dark brown |          |          |

## fans

### axial fans

#### import




1

| GEV No.                                                                             | 601081 <sup>1</sup>                                                                                                                                                 | Ref. No. | EMMOAS6 |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description                                                                         | axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 14/13.5W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel $\varnothing$ 75mm temp.-resist. 70°C |          |         |
| accessories for                                                                     | 601081                                                                                                                                                              |          |         |
|  | GEV No. 691102                                                                                                                                                      | Ref. No. | —       |
| guard $\varnothing$ 75mm mounting distance 71mm for axial fan 80mm                  |                                                                                                                                                                     |          |         |


<sup>1</sup>with ball bearings

## hot air fans

### miscellaneous




1



| GEV No.                                                                             | 601011                                                                                                   | Ref. No. | EMMVR150   |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b>                                                                  | hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH |          |            |
| <b>accessories for</b>                                                              | 601011                                                                                                   |          |            |
|  | GEV No.                                                                                                  | 550879   | Ref. No. — |
|                                                                                     | insulation ø 130mm thickness 3mm hole ø 18mm for hot air fan                                             |          |            |
|  | GEV No.                                                                                                  | 601260   | Ref. No. — |
|                                                                                     | nut thread M6L IT for hot air fan                                                                        |          |            |



1



| GEV No.            | 601339                                                                                       | Ref. No. | EMMVR150 |
|--------------------|----------------------------------------------------------------------------------------------|----------|----------|
| <b>description</b> | hot air fan 230V 45W L1 78mm L2 13mm L3 25mm L4 87mm fan wheel ø 150mm Medys type 30.200.CLH |          |          |

## electric accessories

### terminals

#### connection terminals with screw/faston connections



1

| GEV No.            | 550278                                                                                                                               | Ref. No. | EMMR1102 |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| <b>description</b> | power terminal block 3-pole max. 40A max 400V connection ø6mm <sup>2</sup> / F6.3 temp.-resist. 150°C cross section 6mm <sup>2</sup> |          |          |



1

| GEV No.            | 550411                                                                                                                               | Ref. No. | EMMR1224 |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| <b>description</b> | power terminal block 6-pole max. 40A max 450V connection ø6mm <sup>2</sup> / F6.3 temp.-resist. 150°C cross section 6mm <sup>2</sup> |          |          |



1

| GEV No.            | 550977 <sup>1</sup>                                                                                                                                  | Ref. No. | TB6POLETB |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| <b>description</b> | power terminal block 6-pole max. 40A max 450V connection ø6mm <sup>2</sup> / F6.3 temp.-resist. 150°C cross section 6mm <sup>2</sup> with ground lug |          |           |


<sup>1</sup>with ground lug

## ignition parts

### pilot burners

#### SIT

#### 100 series



1

| GEV No.                                                                             | 106906                                                                      | Ref. No. | EMSITBP0   |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|----------|------------|
| <b>description</b>                                                                  | pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm |          |            |
| <b>spare parts for</b>                                                              | 106906                                                                      |          |            |
|  | GEV No.                                                                     | 100245   | Ref. No. — |
|                                                                                     | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75       |          |            |
|  | GEV No.                                                                     | 100855   | Ref. No. — |
|                                                                                     | pilot burner bracket triple                                                 |          |            |


Table continues overleaf



|                                                                                     |         |        |          |   |
|-------------------------------------------------------------------------------------|---------|--------|----------|---|
| <b>spare parts for</b> 106906                                                       |         |        |          |   |
|    | GEV No. | 100885 | Ref. No. | — |
| air mixing sleeve for pilot burner Qty 1 pcs                                        |         |        |          |   |
|    | GEV No. | 100916 | Ref. No. | — |
| compression spring for pilot burner Qty 1 pcs                                       |         |        |          |   |
|    | GEV No. | 100917 | Ref. No. | — |
| gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm    |         |        |          |   |
|    | GEV No. | 100918 | Ref. No. | — |
| screw for pilot burner                                                              |         |        |          |   |
|    | GEV No. | 107162 | Ref. No. | — |
| pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs                                     |         |        |          |   |
|    | GEV No. | 107701 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.2mm                              |         |        |          |   |
| <b>accessories for</b> 106906                                                       |         |        |          |   |
|    | GEV No. | 100245 | Ref. No. | — |
| pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75               |         |        |          |   |
|    | GEV No. | 100246 | Ref. No. | — |
| pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75              |         |        |          |   |
|   | GEV No. | 100904 | Ref. No. | — |
| locking screw M10x1 for pipe ø 4mm Qty 1 pcs                                        |         |        |          |   |
|  | GEV No. | 100905 | Ref. No. | — |
| locking screw M10x1 for pipe ø 6mm Qty 1 pcs                                        |         |        |          |   |
|  | GEV No. | 102110 | Ref. No. | — |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                                 |         |        |          |   |
|  | GEV No. | 102111 | Ref. No. | — |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                                 |         |        |          |   |
|  | GEV No. | 107171 | Ref. No. | — |
| pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs                  |         |        |          |   |
|  | GEV No. | 107700 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.25mm                             |         |        |          |   |
|  | GEV No. | 107702 | Ref. No. | — |
| pilot burner bottom part SIT 100 series nozzle ø 0.35mm                             |         |        |          |   |

## accessories

### ignition electrodes



|                    |                                            |                 |          |
|--------------------|--------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 100706                                     | <b>Ref. No.</b> | EMSITCA0 |
| <b>description</b> | ignition electrode connection M4 Qty 1 pcs |                 |          |

## ROBERTSHAW

### pilot burners

#### universal series with electrodes



|                    |                                                                                       |                 |           |
|--------------------|---------------------------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 106097                                                                                | <b>Ref. No.</b> | PILOT3WAY |
| <b>description</b> | pilot burner ROBERTSHAW type 6SH24-6 3 flames natural gas code 26 for pipe ø 1/4" CCT |                 |           |

## electrodes



|                    |                                            |                 |          |
|--------------------|--------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 100706                                     | <b>Ref. No.</b> | EMSITCA0 |
| <b>description</b> | ignition electrode connection M4 Qty 1 pcs |                 |          |

## ignition units




|                    |                                                  |                 |          |
|--------------------|--------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 102485                                           | <b>Ref. No.</b> | EMACA000 |
| <b>description</b> | ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz |                 |          |



## thermocouples

### thermocouple sets universal




|                    |                                                                   |                 |           |
|--------------------|-------------------------------------------------------------------|-----------------|-----------|
| <b>GEV No.</b>     | 102001                                                            | <b>Ref. No.</b> | THCP900MM |
| <b>description</b> | thermocouple set 17-piece L 900mm ø 5mm point length 15mm BL 40mm |                 |           |

### plug-in thermocouples

### plug-in thermocouples standard

with barrel socket ø6(6.5)mm

### thermocouples SIT



|                    |                                                            |                 |          |
|--------------------|------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 107614                                                     | <b>Ref. No.</b> | EMSITT20 |
| <b>description</b> | thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm |                 |          |

## locks

### handle latches

### universal

### outside fixing

### locks



|                        |                                                                                   |                 |          |
|------------------------|-----------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>         | 694065                                                                            | <b>Ref. No.</b> | MCCHSAMX |
| <b>description</b>     | door handle for headed units L 145mm W 40mm H 62mm spring length 33mm outer black |                 |          |
| <b>spare parts for</b> | 694065                                                                            |                 |          |



|                    |                                              |                 |   |
|--------------------|----------------------------------------------|-----------------|---|
| <b>GEV No.</b>     | 514390                                       | <b>Ref. No.</b> | — |
| <b>description</b> | spring for door handle ø 6mm L 54mm W 27.5mm |                 |   |



|                    |                                         |                 |   |
|--------------------|-----------------------------------------|-----------------|---|
| <b>GEV No.</b>     | 694734                                  | <b>Ref. No.</b> | — |
| <b>description</b> | door handle L 165mm W 40mm H 25mm black |                 |   |




|                    |                  |                 |   |
|--------------------|------------------|-----------------|---|
| <b>GEV No.</b>     | 694735           | <b>Ref. No.</b> | — |
| <b>description</b> | cap ø 32mm black |                 |   |

|                        |                                                                                                                       |        |                          |
|------------------------|-----------------------------------------------------------------------------------------------------------------------|--------|--------------------------|
| <b>accessories for</b> | 694065                                                                                                                |        |                          |
|                        | <b>GEV No.</b>                                                                                                        | 694066 | <b>Ref. No.</b> —        |
|                        | door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel |        |                          |
|                        | <b>GEV No.</b>                                                                                                        | 694067 | <b>Ref. No.</b> MCCHAGMX |
|                        | door catch with spigot 1-stage L 26mm total length 51mm thread M8                                                     |        |                          |

## edgemoat latches

### handle latches

### CAFF/FERMOD



|                        |                                                                                             |                 |                          |
|------------------------|---------------------------------------------------------------------------------------------|-----------------|--------------------------|
| <b>GEV No.</b>         | 701024                                                                                      | <b>Ref. No.</b> | MCCHIN04                 |
| <b>description</b>     | handle latch L 150mm mounting distance 133mm heated units type 790                          |                 |                          |
| <b>spare parts for</b> | 701024                                                                                      |                 |                          |
|                        | <b>GEV No.</b>                                                                              | 700061          | <b>Ref. No.</b> MCCHNA04 |
|                        | door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units |                 |                          |
|                        | <b>GEV No.</b>                                                                              | 700062          | <b>Ref. No.</b> —        |
|                        | handle protection heated units                                                              |                 |                          |

### door catches



|                        |                                                                                             |                 |                   |
|------------------------|---------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>         | 700061                                                                                      | <b>Ref. No.</b> | MCCHNA04          |
| <b>description</b>     | door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units |                 |                   |
| <b>accessories for</b> | 700061                                                                                      |                 |                   |
|                        | <b>GEV No.</b>                                                                              | 690414          | <b>Ref. No.</b> — |
|                        | handle latch L 150mm mounting distance 133mm non lockable refrigeration units G 791         |                 |                   |



## espagnolette locks

### universal




1

|                    |                                    |                 |          |
|--------------------|------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 690041                             | <b>Ref. No.</b> | MCCHME10 |
| <b>description</b> | cam L 148mm mounting distance 32mm |                 |          |

## gaskets

### gaskets for heated units


#### window seals



1

|                    |                                                  |                 |          |
|--------------------|--------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 900782                                           | <b>Ref. No.</b> | MCGV0002 |
| <b>description</b> | window gasket profile 1889 Qty supplied by meter |                 |          |

#### door seals



1

|                    |                                              |                 |          |
|--------------------|----------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 900781                                       | <b>Ref. No.</b> | MCGPN004 |
| <b>description</b> | door seal profile 2403 Qty supplied by meter |                 |          |

## hoses

### supply hoses

#### PVC supply hoses



1

|                                                                                     |                                                                                                                                          |                 |                   |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                      | 520010                                                                                                                                   | <b>Ref. No.</b> | HOSE01500         |
| <b>description</b>                                                                  | supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal |                 |                   |
| <b>accessories for</b>                                                              | 520010                                                                                                                                   |                 |                   |
|  | <b>GEV No.</b>                                                                                                                           | 520053          | <b>Ref. No.</b> — |
| screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm          |                                                                                                                                          |                 |                   |

accessories for 520010



|                                                                     |        |                 |   |
|---------------------------------------------------------------------|--------|-----------------|---|
| <b>GEV No.</b>                                                      | 520054 | <b>Ref. No.</b> | — |
| flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs |        |                 |   |

## consumables

### sealants and adhesives

#### high temperature silicone



1

|                    |                                                                                                                                                                                                                                                                                    |                 |          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>GEV No.</b>     | 890266                                                                                                                                                                                                                                                                             | <b>Ref. No.</b> | CSR60902 |
| <b>description</b> | high temperature silicone COLLEX RED SILICONE t.max. -40 up to +250°C red tube 80ml                                                                                                                                                                                                |                 |          |
| <b>description</b> | COLLEX RED SILICONE - tube 80ml - red<br>In-situ flat gaskets for transmissions, compressors, pumps, manifolds, etc. Sealing joints for lighting devices and caulking for electric passages. Good resistance to motor oils, water and coolants. Temperature range -40°C to +250°C. |                 |          |



**A**

axial fans 5

**C**

consumables 9

contactors 4

control thermostats 2

**D**

door catches 8

door seals 9

**E**

edgemount latches 8

electric accessories 6

energy regulators 2

espagnolette locks 9

**F**

fans 5

**G**

gaskets for heated units 9

GEV 2

**H**

handle latches 8

high temperature silicone 9

hoses 9

hot air fans 6

**I**

ignition units 7

indicator lights 3

indicator lights (complete) 3

**L**

lamps 3

light bulbs 3

**M**

mechanical timers 4

**O**

oven lamps 4

**P**

pilot burners 6

PVC supply hoses 9

**S**

safety thermostats 2

sealants and adhesives 9

silicone 9

solenoid valves 5

supply hoses 9

switches and momentary switches 2

**T**

terminals 6

thermocouples 8

thermostats 2

timers 4

**W**

window seals 9