GEV

Spare Parts for

Ovens & Combi Ovens

Spare parts suitable for

TECNOINOX

2018

Find the complete and up-to-date range of products in our GEV Webshop

heating elements

heating elements for convection

1

GEV No.	418087	**Ref. No.**	RCK6002125
description	heating element 15000W 230/400V heating circuits 3 ID ø 398mm ED ø 415mm L 452mm H 121mm L1 32mm W1 105mm H1 80mm H2 25mm flange length 142mm flange width 25mm hole distance 126mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
accessories for	418087		
	GEV No. 550548	Ref. No.	RCK2005173
	gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173		

1

GEV No.	415251	**Ref. No.**	00568 RC00568000
description	heating element 2500W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 242mm H 35mm L1 46mm W1 31mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
spare parts for	415251		
	GEV No. 510368	Ref. No.	—
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

GEV No.	418086	**Ref. No.**	RCK6002001
description	heating element 8400W 230V heating circuits 3 ID ø 218mm ED ø 235mm L 275mm H 112mm L1 40mm W1 105mm H1 32mm H2 80mm flange length 142mm flange width 25mm hole distance 64mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
accessories for	418086		
	GEV No. 550548	Ref. No.	RCK2005173
	gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173		

accessories

flange gaskets

1

GEV No.	550548	**Ref. No.**	RCK2005173
description	gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173		

energy regulators

EGO

1-circuit

1

GEV No.	380015	**Ref. No.**	00012 00937 06501 RC00006501 RC00012000 RC00937000
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_ series

1

GEV No.	375002	**Ref. No.**	00569 RC00569000
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		

Find the complete and up-to-date range of products in our GEV Webshop

GEV No.	375437	**Ref. No.**	RC40100042
description	thermostat t.max. 324°C temperature range 66-324°C 1-pole 1NO 16A probe ø 4mm probe L 124mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.34_ series

GEV No.	375183	**Ref. No.**	00285 RC00285000
description	thermostat t.max. 298°C temperature range 50-298°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318°		

safety thermostats

55.10/19_ series

GEV No.	375250	**Ref. No.**	00427 RC00427000
description	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS		
spare parts for	375250		

	GEV No.	551083	Ref. No. —
	cap for safety thermostat thread M8x1		

55.32_ series

GEV No.	375220	**Ref. No.**	00238 RC00238000
description	safety thermostat switch-off temp. 330°C 3-pole 20A probe ø 11mm probe L 18.5mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		

GEV No.	375628	**Ref. No.**	RCK6010008
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		

GEV No.	390142	**Ref. No.**	00305 RC00305000
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

1

GEV No.	301003	**Ref. No.**	00021 04702 RC00004702 RC00021000
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301003		

GEV No.	301036	Ref. No.	—
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

push/momentary push switches

ø16mm

1

GEV No.	346346	**Ref. No.**	RCK6032038
description	momentary push switch mounting ø 16mm red 1NO/indicator light 250V 3A connection male faston 2.8mm ambient temperature max. 125/55°C protection IP40		

microswitches

lever actuated

1

GEV No.	345107	**Ref. No.**	00204 RC00204000
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 98mm ambient temperature max. 125°C mounting distance 22mm actuating force: 30g lever length 90mm		

pin-plunger actuated

M10

1

GEV No.	347216	**Ref. No.**	RC01853000
description	microswitch with plunger thread M10x0.75 thread L 14mm 250V 10A 1CO connection male faston 6.3mm stroke 7.5mm mounting distance 22mm L 28mm ambient temperature max. 125°C type NR6K5 actuating force: 260g		

1

GEV No.	346347	**Ref. No.**	RCK6043088
description	microswitch with plunger thread M10x0.75 thread L 14mm 250V 6A 2NO connection male faston 6.3mm stroke 4mm mounting distance 22mm ambient temperature max. 85°C actuating force: 100g		

cam switches

on/off

1

GEV No.	300129	**Ref. No.**	RCK6030007
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

7-position

1

GEV No.	300106	**Ref. No.**	RC01482000
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

operation switches

1

GEV No.	300002	**Ref. No.**	00070 RC00070000
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	300080	**Ref. No.**	RC40100006
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
accessories for	300080		
	GEV No.	551456	Ref. No. —
	gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white		

1

GEV No.	300200	**Ref. No.**	00037 RC00037000
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		

rotary switches

BREMAS

A1600 series

1

GEV No.	346341	**Ref. No.**	RCK6030030
description	rotary switch 8 1-2-3-4-5-6-7-8 sets of contacts 10 type CS0169134 400V 16A shaft ø 4x5mm shaft L 20mm shaft square connection screw		

encoders and potentiometers

1

GEV No.	300187	**Ref. No.**	RCK6010097
description	potentiometer 4.7kOhm rotation 310° shaft ø 0.6x4.5mm shaft L 20mm cable length 650mm		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø10mm (type SRZ-3)

1

GEV No.	359123	**Ref. No.**	00053 RC00053000
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
accessories for	359123		
	GEV No. 359132	Ref. No.	00052 RC01782000
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

1

GEV No.	359124	**Ref. No.**	00319 RC00319000
description	indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs		
accessories for	359124		
	GEV No. 359132	Ref. No.	00052 RC01782000
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lamps for socket type SRZ / SDK / SDY / SFK

1

GEV No.	359130	**Ref. No.**	RC00052000
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		

1

GEV No.	359132	**Ref. No.**	00052 RC01782000
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lights (complete)

ø 6mm

1

GEV No.	359031	**Ref. No.**	00011 RC00011000
description	indicator light ø 6mm 230V green		

ø12mm

with screw socket

1

GEV No.	359048	**Ref. No.**	RC40200150
description	indicator light ø 12mm 230V yellow connection male faston 6.3mm		

screw-on/push-on fit

light bulbs

for ovens

1

GEV No.	359610	**Ref. No.**	00566 RC00566000
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

halogen lamp

for socket G4 / G6.35 / G9

1

GEV No.	357191	**Ref. No.**	RCE00C4396
description	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

1

GEV No.	359599	**Ref. No.**	RCK6061054
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000		

1

GEV No.	359946	**Ref. No.**	RC01856000
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C 560 2000		

linear lamps

infrared lamps

with base type X lug

1

GEV No.	359617	**Ref. No.**	00217 RC00217000
description	infrared lamp 1000W 220V L 365mm lens L 340mm total length 480mm with mounting strap		

sockets for linear lamps

X lug

1

GEV No.	359710	**Ref. No.**	00218 RC00218000
description	lamp socket L 70mm W 70mm H 49mm mounting distance 50mm bracket mounting		

oven lamps

universal oven lamps

mounting diameter 35.5mm

1

GEV No.	359718	**Ref. No.**	00805 RC00805000
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
spare parts for	359718		
	GEV No. 359701	Ref. No. —	
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	GEV No. 359740	Ref. No. —	
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT 70 1000		

Find the complete and up-to-date range of products in our GEV Webshop

30x70mm

1

GEV No.	359338	**Ref. No.**	RCK6063077
description	lamp glass		

1

GEV No.	359337	**Ref. No.**	RCK6063075
description	oven lamp socket G4 cable length 800mm connection male faston 6.3mm L 70mm W 29mm		
accessories for	359337		
	GEV No. 359599	Ref. No.	RCK6061054
	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000		

55x70mm



1

GEV No.	359659	**Ref. No.**	00275 RC00275000
description	oven lamp complete 230V 25W socket E14 L 70mm W 55mm mounting measurements 55x70mm temp.-resist. 300°C connection male faston 6.3mm		

1

GEV No.	359299	**Ref. No.**	RC02027000
description	gasket L 91mm W 77mm hole ø 3mm for oven lamp		

lamps

light bulbs

1

GEV No.	359610	**Ref. No.**	00566 RC00566000
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

halogen lamps

for socket G4 / G6.35 / G9

1

GEV No.	357191	**Ref. No.**	RCE00C4396
description	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

1

GEV No.	359599	**Ref. No.**	RCK6061054
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000		

1

GEV No.	359946	**Ref. No.**	RC01856000
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C 560 2000		

timers

electric timers

with time spread

1

GEV No.	350074	**Ref. No.**	RCK6032047
description	timer MS65 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower°		

mechanical timers

1

GEV No.	350049	**Ref. No.**	RC01261000
description	timer M2 with bell 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350049		
	GEV No. 110366	Ref. No.	—
	knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	GEV No. 111205	Ref. No.	—
	dial plate graduation 30min permanent position yes rotation 30-300° ø 60mm		

1

GEV No.	350040	**Ref. No.**	RC00576000
description	timer M2 with bell 2-pole operation time 60min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350040		

GEV No.	110366	Ref. No.	—

knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black

GEV No.	111202	Ref. No.	—

dial plate graduation 60min permanent position yes rotation 0-300° ø 60mm timers knob ø 45mm with permanent position

audible timers

1

GEV No.	350036	**Ref. No.**	00570 RC00570000
description	audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm		

alarm devices

buzzers

1

GEV No.	350080	**Ref. No.**	RCK6010103
description	buzzer buzzer		

contactors

ISKRA (FANAL)

power contactors

1

GEV No.	380204	**Ref. No.**	06208 RC00006208
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10		

1

GEV No.	380424	**Ref. No.**	RCK6046041
description	power contactor resistive load 35A 230VAC (AC3/400V) 32A/15kW main contacts 3NO connection screw connection type Fanal DSL30 type ISKRA KNL30		
accessories for	380424		

GEV No.	381378	Ref. No.	—

overload switch connection screw setting range 24,5-30A for contactors KNL30 type BR30 24.5-30A

relays

power relays

with bracket mounting

1

GEV No.	380403	**Ref. No.**	00774 01213 RC00001213 RC00774000
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		

Find the complete and up-to-date range of products in our GEV Webshop

time relays

time relays

1

GEV No.	381119	Ref. No.	RCK6042049
description	time relay LOVATO TM D time range 0.06-180s		

1

GEV No.	380607	Ref. No.	RCK6042054
description	time relay LOVATO TM M1 time range 0s-10 days 12-24V AC/DC 8A 1CO connection grip connection		

1

GEV No.	380606	Ref. No.	RCK6042056
description	time relay LOVATO TM PL time range 2x 0.1s-100 days 12-240V AC/DC 8A 1CO connection grip connection		

probes

universal probes

temperature probes

1

GEV No.	379860	Ref. No.	RCK6000100
description	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		

1

GEV No.	379222[1]	Ref. No.	RCK6000083
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø4x110mm cable length 1.4m 3-wire		

[1] 3-wire

electronics

PCBs



1

GEV No.	401166	Ref. No.	RCK6010095
description	display		

1

GEV No.	401172	Ref. No.	RCK6010093
description	PCB combi-steamer VE 06/10		

1

GEV No.	401167	Ref. No.	RCK6010096
description	PCB combi-steamer VE 06/10 230V 50/60Hz		
accessories for	401167		
	GEV No. 401062	Ref. No. —	
	buzzer board 230VAC L 48mm W 45mm connection male faston 6.3mm		

solenoid valves

solenoid valves (water)

RPE

1

GEV No.	374017	Ref. No.	RCK6042070
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		

JOHN GUEST

1

GEV No.	370768[1]	**Ref. No.**	RC01964000
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm inputl/min outputl/min DN10 t.max. 90°C duty cycle 100% RPE		

[1]cylindrical outlet

pressure switches

for steam control

1

GEV No.	541074	**Ref. No.**	RC01842000
description	pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51bar connection 1/8" pressure connection 1/8"		

fans

axial fans

import

1

GEV No.	601604[1]	**Ref. No.**	RC01863000
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing slide bearing manuf. no. AA1282HS-AT connection cable 300mm fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m³/h 2600rpm		

[1]with slide bearings

hot air motors



1

GEV No.	500640	**Ref. No.**	RCK6032122
description	fan motor 220-240V 1 phase 50Hz 0.05/0.25HP 1400/2700rpm speeds 2 L1 145mm L2 65mm L3 35mm D1 ø 15mm D2 ø 12mm M10L ET 1.1/0.55A suitable capacitor 12.5µF/450V at 50Hz 1400/2700rpm type 2758D2253 no. 6032122		
spare parts for	500640		
	GEV No. 560280	Ref. No. —	
	nut thread M10L H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		



1

GEV No.	500642	**Ref. No.**	RCK6033145
description	fan motor 380-415V 3 phase 50Hz 0.22/0.75kW 700/1400rpm speeds 2 L1 166mm L2 45mm L3 67mm D1 ø 24mm D2 ø 20mm M6R ITA at 50Hz 380-415V at 50Hz 700/1400rpm type FB80 4/8 no. 629764		

1

GEV No.	601202	**Ref. No.**	RCK5901006
description	fan wheel D1 ø 180mm H1 100mm blades 16 D2 ø 11.5mm D3 ø 16mm H2 30mm		

1

GEV No.	601203	**Ref. No.**	RCK5901010
description	fan wheel D1 ø 310mm H1 100mm blades 30 D2 ø 19.5mm D3 ø 23mm H2 46mm		

hot air fans

miscellaneous

1



GEV No.	601011	**Ref. No.**	00565 RC00565000
description	hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH		
accessories for	601011		

GEV No.	550879	Ref. No.	—

insulation ø 130mm thickness 3mm hole ø 18mm for hot air fan

GEV No.	601260	Ref. No.	—

nut thread M6L IT for hot air fan

pumps

vibration pumps

1

GEV No.	500568	**Ref. No.**	RC01969000
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
spare parts for	500568		

GEV No.	390698	Ref. No.	—

thermal fuse switch-off temp. 110°C suitable for ULKA pump

GEV No.	520153	Ref. No.	—

bracket rubber dimensions 53x34x28mm

condensators & interference suppression filters

operating capacitors

plastic

1

GEV No.	365014	**Ref. No.**	LF3068081 RCK2013001
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		

filters

interference suppression filters

1

GEV No.	365044	**Ref. No.**	RCK6090050
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs		

fuses

fine fuses

1

GEV No.	358677	**Ref. No.**	RC01861000
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

electric accessories

cables

accessories

cable glands

threaded cable glands

screw connections

1

GEV No.	550571	**Ref. No.**	RC00241000
description	cable gland thread PG16 cable ø 12.0-14.0mm mounting ø 21.5mm nickel-plated brass Qty 1 pcs		

terminals

connection terminals with screw/faston connections

1

GEV No.	550977[1]	**Ref. No.**	RC00194000
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² with ground lug		

[1]with ground lug

gas valves and ignition boxes

gas control valves

SIT

TANDEM

1

GEV No.	101881	**Ref. No.**	RCK7020080	
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.041 suitable for Tandem			
spare parts for	101881			
	GEV No.	101379	Ref. No.	—
	solenoid coil 230V 50Hz suitable for Tandem			
accessories for	101881			
	GEV No.	101274	Ref. No.	RCK7070036
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101925	Ref. No.	—
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT			
	GEV No.	102845	Ref. No.	—
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	GEV No.	102846	Ref. No.	—
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			
	GEV No.	102847	Ref. No.	—
	O-ring			

ignition boxes

SIT

1

GEV No.	101685	**Ref. No.**	RCK7020085
description	ignition box SIT type 503EFD electrodes 2 waiting time 1.5s safety time 10s 220/240V 7VA 50-60Hz protection IP40		

miscellaneous

1

GEV No.	401171	**Ref. No.**	RCK6010084
description	ignition box		

ignition parts

pilot burners

SIT

100 series

1

GEV No.	106901	**Ref. No.**	01140 RC01140000
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm		
spare parts for	106901		

GEV No. 100854 Ref. No. —

pilot burner bracket double

GEV No. 100916 Ref. No. —

compression spring for pilot burner Qty 1 pcs

GEV No. 100917 Ref. No. —

gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm

GEV No. 100918 Ref. No. —

screw for pilot burner

accessories for	106901		

GEV No. 100904 Ref. No. —

locking screw M10x1 for pipe ø 4mm Qty 1 pcs

GEV No. 100905 Ref. No. —

locking screw M10x1 for pipe ø 6mm Qty 1 pcs

GEV No. 102110 Ref. No. —

pilot tube copper pipe ø 4mm thickness 1mm L 3000mm

GEV No. 102111 Ref. No. —

pilot tube copper pipe ø 6mm thickness 1mm L 3000mm

GEV No. 102742 Ref. No. —

pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs

1

GEV No.	106906	**Ref. No.**	00445 RC00445000
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		

GEV No. 100245 Ref. No. 00435 RC00435000

pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75

GEV No. 100855 Ref. No. 00411 RC00411000

pilot burner bracket triple

GEV No. 100885 Ref. No. —

air mixing sleeve for pilot burner Qty 1 pcs

GEV No. 100916 Ref. No. —

compression spring for pilot burner Qty 1 pcs

GEV No. 100917 Ref. No. —

gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm

GEV No. 100918 Ref. No. —

screw for pilot burner

GEV No. 107162 Ref. No. —

pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs

GEV No. 107701 Ref. No. —

pilot burner bottom part SIT 100 series nozzle ø 0.2mm

accessories for	106906		

GEV No. 100245 Ref. No. 00435 RC00435000

pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75

GEV No. 100246 Ref. No. 00436 RC00436000

pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75

Table continues overleaf

accessories for	106906			
	GEV No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107702	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

1

GEV No.	106907	Ref. No.	RC30100005
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
spare parts for	106907		
	GEV No.	100246	Ref. No.	00436 RC00436000
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100855	Ref. No.	00411 RC00411000
	pilot burner bracket triple			
	GEV No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm			
	GEV No.	100918	Ref. No.	—
	screw for pilot burner			
	GEV No.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107702	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories for	106907			
	GEV No.	100245	Ref. No.	00435 RC00435000
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

accessories

pilot burner brackets

universal

1

GEV No.	100855	Ref. No.	00411 RC00411000
description	pilot burner bracket triple		
accessories for	100855		
	GEV No.	100855	Ref. No.	00411 RC00411000
	pilot burner bracket triple			
	GEV No.	100886	Ref. No.	—
	pilot burner bracket suitable for 100 series 3-piece			
	GEV No.	100888	Ref. No.	—
	screw bolt for pilot burner			

pilot burner nozzles

1

GEV No.	100245	Ref. No.	00435 RC00435000
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

Find the complete and up-to-date range of products in our GEV Webshop

GEV No.	100246	**Ref. No.**	00436 RC00436000
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		

ignition electrodes

GEV No.	100706	**Ref. No.**	00120 RC00120000
description	ignition electrode connection M4 Qty 1 pcs		

140 - 145 -150 series

GEV No.	107114[1]	**Ref. No.**	RCK7090028
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm		
spare parts for	107114		

GEV No.	100907	Ref. No.	—

screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple

accessories for	107114

GEV No.	100204	Ref. No.	RC01219000

pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series

GEV No.	100205	Ref. No.	—

pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series

GEV No.	100206	Ref. No.	—

pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series

GEV No.	100207	Ref. No.	RCK7042013

pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series

GEV No.	100216	Ref. No.	—

pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series

GEV No.	100701	Ref. No.	01168 RC01168000

ignition electrode connection M4 Qty 1 pcs

GEV No.	100801	Ref. No.	—

gasket for pilot burner Qty 1 pcs

GEV No.	100897	Ref. No.	—

olive for pipe ø 4mm Qty 1 pcs for pilot burner

[1]incl. thermocouple fitting

accessories for	107114

GEV No.	100898	Ref. No.	—

olive for pipe ø 6mm Qty 1 pcs for pilot burner

GEV No.	100906	Ref. No.	RCK7050028

screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10

GEV No.	100908	Ref. No.	—

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

GEV No.	100909	Ref. No.	—

union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

GEV No.	102110	Ref. No.	—

pilot tube copper pipe ø 4mm thickness 1mm L 3000mm

GEV No.	102111	Ref. No.	—

pilot tube copper pipe ø 6mm thickness 1mm L 3000mm

POLIDORO

pilot burners

GEV No.	100051	**Ref. No.**	RCK7090026
description	pilot burner POLIDORO 3 flames code gas connectionmm		
spare parts for	100051		

GEV No.	100907	Ref. No.	—

screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple

accessories for	100051

GEV No.	100000	Ref. No.	—

pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs

GEV No.	100208	Ref. No.	—

pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs

GEV No.	100209	Ref. No.	—

pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs

GEV No.	100701	Ref. No.	01168 RC01168000

ignition electrode connection M4 Qty 1 pcs

GEV No.	100906	Ref. No.	RCK7050028

screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10

GEV No.	100907	Ref. No.	—

screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple

GEV No.	100908	Ref. No.	—

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

GEV No.	100909	Ref. No.	—

union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

Table continues overleaf

accessories for	100051			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	102508	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs			
	GEV No.	102509	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs			
	GEV No.	102699	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores			
	GEV No.	102795	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	102797	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	106703	Ref. No.	RCK7042008
	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs			
	GEV No.	106704	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs			
	GEV No.	106763	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs			
	GEV No.	106859	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs			

electrodes



GEV No.	100701	**Ref. No.**	01168 RC01168000
description	ignition electrode connection M4 Qty 1 pcs		
accessories for	100701		
	GEV No. 100906	Ref. No.	RCK7050028
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		



GEV No.	100706	**Ref. No.**	00120 RC00120000
description	ignition electrode connection M4 Qty 1 pcs		



GEV No.	102333	**Ref. No.**	RCK2012111
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 23mm L2 19mm BL1 18mm BL2 3mm BL3 23mm to clip		



GEV No.	102314	**Ref. No.**	RCK6010061
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 2mm BL1 28mm BL2 3mm BL3 23mm to clip		



GEV No.	102334	**Ref. No.**	RCK2012110
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 9mm L2 12mm L3 62mm BL1 18mm BL2 3mm BL3 23mm to clip		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	100818	**Ref. No.**	00861 RC00861000
description	ignition electrode flange length 23mm flange width 15mm D1 ø 7mm L1 18mm BL1 12mm BL2 41mm connection F 2.8x0.8mm fixing dimensions ø5x4mm with flange		

1

GEV No.	100906	**Ref. No.**	RCK7050028
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables

1

GEV No.	100176	**Ref. No.**	RCK6050610
description	ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C		

1

GEV No.	100174	**Ref. No.**	00867 RC00867000
description	ignition cable cable length 1500mm connection F2.8mm / F2.8mm		

1

GEV No.	100140	**Ref. No.**	RCK6050051
description	ignition cable cable length 400mm connection ø2.4mm / ø4mm		

1

GEV No.	100018	**Ref. No.**	00123 RC00123000
description	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		

ignition units

1

GEV No.	102485	**Ref. No.**	RC00862000 RCK6041059
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		

1

GEV No.	101002	**Ref. No.**	00862
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		

thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6(6.5)mm

thermocouples SIT



1

GEV No.	107605	**Ref. No.**	RC01483000
description	thermocouple SIT M8x1 L 1500mm plug connection ø6.0(6.5)mm		



1

GEV No.	107613	**Ref. No.**	RC40400100
description	thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm		



1

GEV No.	107609	**Ref. No.**	00118 RC00118000
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		



1

GEV No.	107611	**Ref. No.**	RC40400110 RCK6010057
description	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		

threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1

SIT



1

GEV No.	107634	**Ref. No.**	00864 RC00864000
description	thermocouple SIT M8x1 L 1500mm M8x1		
accessories for	107634		

GEV No.	102067	Ref. No.	00865 RC00865000
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

accessories

nuts

1

GEV No.	102067	**Ref. No.**	00865 RC00865000
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

interrupters

1

GEV No.	101265	**Ref. No.**	RC00460000
description	interrupter thread M9x1		

gas burners

bar burners

bar burners

1

GEV No.	105776	**Ref. No.**	RCK7090100
description	bar burner ø 50mm Wmm Hmm L 305mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm		

1

GEV No.	105775	**Ref. No.**	RCK7090101
description	bar burner ø 50mm Wmm Hmm L 425mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm		

gas nozzles

main nozzles

gas nozzles M10x1

1

GEV No.	100477	**Ref. No.**	01195
description	gas injector thread M10x1 WS 12 bore ø 1.65mm		

pilot burner nozzles

pilot burner nozzles POLIDORO

1

GEV No.	106703	**Ref. No.**	RCK7042008
description	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs		

pilot burner nozzles SIT

100 series

1

GEV No.	100245	**Ref. No.**	00435 RC00435000
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

1

GEV No.	100246	**Ref. No.**	00436 RC00436000
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		

140/150 series

1

GEV No.	100204	**Ref. No.**	RC01219000
description	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		

1

GEV No.	100207	**Ref. No.**	RCK7042013
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		

screw connections

olives

1

GEV No.	101274	**Ref. No.**	RCK7070036
description	olive for pipe ø 16mm Qty 1 pcs		
accessories for	101274		

GEV No.	101275	Ref. No.	—
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			

union screws

1

GEV No.	100906	**Ref. No.**	RCK7050028
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

equipmentspecific units

for convection ovens/combi-steamers

doors

1

GEV No.	690585	**Ref. No.**	RCK2011212
description	bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass		

door mechanics

miscellaneous

1

GEV No.	690585	**Ref. No.**	RCK2011212
description	bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass		

vibration pumps

1

GEV No.	500568	**Ref. No.**	RC01969000
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
spare parts for	500568		

GEV No.	390698	Ref. No.	—
thermal fuse switch-off temp. 110°C suitable for ULKA pump			

GEV No.	520153	Ref. No.	—
bracket rubber dimensions 53x34x28mm			

knobs

producer-specific knobs

TECNOINOX

1

GEV No.	110081	**Ref. No.**	RC05001300
description	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		

handles and hand wheels

cylindrical handles

fixed

1

GEV No.	110703	**Ref. No.**	4205 RC00004205
description	cylindrical handle thread M10 ø 28mm L 87mm		

cone handles

1

GEV No.	110704	**Ref. No.**	00329 RC00329000
description	cone handle thread M6 ø 16mm L 25mm plastic black		

bracket handles

1

GEV No.	700551	**Ref. No.**	3101 70501611 RC00003101
description	pull handle L 200mm H 62mm mounting distance 179mm handle M8		

locks

handle latches

producer-specific

TECNOINOX

1

GEV No.	694067	**Ref. No.**	RC01940000
description	door catch with spigot 1-stage L 26mm total length 51mm thread M8		

espagnolette locks

universal

1

GEV No.	690041	**Ref. No.**	RCK5900121
description	cam L 148mm mounting distance 32mm		

1

GEV No.	690040	**Ref. No.**	RCK5900122
description	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		

1

GEV No.	700771	**Ref. No.**	RCK5900123
description	latch gear opening to the left shaft intake ø 8x8mm L 170mm W 40mm H 40mm		

hinges

oven hinges



1

GEV No.	700003	**Ref. No.**	00804 RC00804000
description	opposite support L 110mm W 12mm mounting distance 94mm		

1

GEV No.	690498	**Ref. No.**	00802 RC00802000
description	oven hinge mounting distance 118mm lug mounting 13mm lever length 119mm groove distance 12mm spring thickness 4mm mounting ear position right spring length 59mm L 155mm W 21mm		
accessories for	690498		

GEV No.	700003	Ref. No.	00804 RC00804000
opposite support L 110mm W 12mm mounting distance 94mm			

1

GEV No.	694505	**Ref. No.**	00803 RC00803000
description	oven hinge mounting distance 118mm mounting distance 2mm lug mounting 13mm lever length 125mm groove distance 12mm spring thickness 4mm mounting ear position left spring length 59mm L 155mm W 21mm with hook		

1

GEV No.	700006	**Ref. No.**	01067 RC01067000
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm		
accessories for	700006		

GEV No.	700001	Ref. No.	—
opposite support L 118mm W 17mm mounting distance 94mm			

GEV No.	700007	Ref. No.	01068 RC01068000
oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm			



1

GEV No.	700007	**Ref. No.**	01068 RC01068000
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm		
accessories for	700007		

GEV No.	700001	Ref. No.	—
opposite support L 118mm W 17mm mounting distance 94mm			

GEV No.	700006	Ref. No.	01067 RC01067000
oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm			

gaskets

gaskets for heated units

door seals



1

GEV No.	902409	**Ref. No.**	RCK7070100
description	door seal profile 2714 Qty supplied by meter suitable for GIORIK		



1

GEV No.	900439	**Ref. No.**	RCK7070166
description	door seal profile 2750 Qty supplied by meter		

door seals with fixing hook

1

GEV No.	901371	**Ref. No.**	RC70044030
description	door seal L 540mm W 390mm with 6 mounting clips		



1

GEV No.	901434	**Ref. No.**	RC70044040
description	door seal W 600mm with 6 mounting clips H 400mm		

O-rings

EPDM

ø1.78mm

1

GEV No.	529545	**Ref. No.**	RC00002611
description	O-ring EPDM thickness 1.78mm ID ø 10.82mm Qty 1 pcs		
For models:	POLOBAR		



1

GEV No.	510824	**Ref. No.**	RC00007811
description	O-ring EPDM thickness 1.78mm ID ø 20.35mm Qty 1 pcs		

1

GEV No.	510177	**Ref. No.**	RC00008711
description	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		
For models:	POLOBAR		

shaft gaskets

shaft gaskets

1

GEV No.	550549	**Ref. No.**	RCK7070150
description	shaft sealing for fan motor		

1

GEV No.	550550	**Ref. No.**	RCK7070151
description	shaft sealing for fan motor		

Find the complete and up-to-date range of products in our GEV Webshop

hoses

industrial hoses

silicone hoses

with fabric

with monofilament braid



1

GEV No.	530693	**Ref. No.**	RCK7090112
description	silicone hose with monofilament braid ID ø 10mm ED ø 17mm L 1m thickness 3.5mm operating p. 4bar t.max. 200°C Qty 1m		

fittings, hose and pipe connectors

fittings

angle pieces

1

GEV No.	520824	**Ref. No.**	RCK7050374
description	angle piece thread 1/8" ET - 1/8" IT nickel-plated brass		

push-in fittings

JOHN GUEST

1

GEV No.	520494	**Ref. No.**	RC01922000
description	push-in fitting John Guest angled pipe connection ø10mm - ø10mm		
accessories for	520494		
	GEV No. 520973	Ref. No.	—
	hose 7mm ext. ø 10mm L 100m thickness 1.5mm LLDPE blue John Guest		

1

GEV No.	520495	**Ref. No.**	RC01927000
description	push-in fitting John Guest straight thread 1/8" BSP stub ø 8mm		
accessories for	520495		
	GEV No. 520971	Ref. No.	—
	hose 4mm ext. ø 6mm L 100m thickness 1mm LLDPE blue ID ø 4mm ED ø 6mm operating pressure at 20°C 16bar		

fastening material

nuts

hexagonal nuts

hexagonal nuts metric (without norm)

1

GEV No.	102067	**Ref. No.**	00865 RC00865000
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

consumables

fuses

fine fuses

1

GEV No.	358677	**Ref. No.**	RC01861000
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

A

alarm devices 8
audible timers 8
axial fans 10

B

bar burners 18

C

cable glands 12
cables 12
cam switches 4
condensators & interference suppression filters 11
consumables 23
contactors 8
control thermostats 2

D

door seals 22
door seals with fixing hook 22

E

electric accessories 12
electric timers 7
energy regulators 2
espagnolette locks 20

F

fans 10
fastening material 23
filters 11
fine fuses 23
fittings 23
fuses 12, 23

G

gas burners 18
gas control valves 12
gas nozzles 18
gaskets for heated units 22
GEV 2

H

halogen lamp 6
heating elements 2
heating elements for convection 2
hexagonal nuts 23
hoses 23
hot air fans 11
hot air motors 10

I

ignition boxes 13
ignition cables 17
ignition units 17
indicator lights 5
indicator lights (complete) 6
industrial hoses 23
infrared lamps 6

L

lamps 5
light bulbs 6
linear lamps 6

M

mechanical timers 7
microswitches 4

N

nuts 23

O

operating capacitors 11
O-rings 22
oven hinges 21
oven lamps 6

P

pilot burners 13
pressure switches 10
probes 9
pumps 11
push/momentary push switches 4
push-in fittings 23

R

relays 8
rocker/momentary rocker switches 4
rotary switches 5

S

safety thermostats 3
shaft gaskets 22
silicone hoses 23
solenoid valves 9
switches and momentary switches 4

T

temperature probes 9
terminals 12
thermocouples 17
thermostats 2

threaded cable glands 12
time relays 9
timers 7

U

universal probes 9

V

vibration pumps 11