



hose reels and spray guns

3

spray guns.....	112
hose reels.....	114
cleaning guns.....	117
water sockets.....	119



hose reels and spray guns

spray guns



fig.	GEV No.	connector	L (mm)	suitable for
1	540003	1/2" ET	105	—
2	542800	1/2" ET	120	MKN
3	540301	1/2" ET	128	Eloma Palux
4	542105	1/2" ET	130	—



fig.	GEV No.	connector	L (mm)	suitable for
5	540302	1/2" ET	135	Fagor Rational
6	540673	1/2" ET	135	Krefftt Rational
7	542964	1/2" ET	135	Convotherm Electrolux
8	540602	1/2" ET	168	—



fig.	GEV No.	connector	L (mm)	suitable for
9	691048	1/2" ET	225	Fagor Foinox
10	548304	1/2" ET	245	Mastro River
11	548630	1/2" ET	245	—
12	548636	1/2" ET	250	Echtermann



fig.	GEV No.	connector	L (mm)	suitable for
1	542098	3/8" IT	130	—
2	542038	3/8" IT	135	ATA Convotherm Electrolux Juno Klarco Retigo Zanussi
3	540664	1/2" IT	165	Fagor Rational
4	549332	1/2" IT	215	Electrolux Inoxtrend Zanussi



fig.	GEV No.	connector	L (mm)	suitable for
5	542062	1/2" IT	225	Lainox



fig.	GEV No.	description	suitable for
1	591356	cleaning set incl. water socket connection 1/2" hose length 1250m t.max. 50°C	—
2	542097	spray gun 1/2" ET L 245mm with hose (2m) and wall holder type Active	—
3	542954	spray gun for appliances 1/2" ET L 129mm with hose (2m) and wall holder type GASTROTOP	—



fig.	GEV No.	description	suitable for
4	691618	spray gun for appliances 1/2" ET L 225mm with hose (2m) and wall holder type STAR	Fagor



fig.	GEV No.	description	connections	L (mm)	suitable for	Ref. No.
1	520732	shower hose	1/4" - 1/2"	2080	Rational	2067.0604
1	530604	shower hose	1/2" - M12x1	1500	Krefft Rational	76-20670603 2067.0603



fig.	GEV No.	description	connections	L (mm)	suitable for	Ref. No.
2	520532	shower hose	3/8"	1600	Electrolux	003170
2	520892	shower hose	3/8"	1600	Retigo	ZA11-0902
2	520891	shower hose	3/8"	2100	Retigo	ZA11-0904



fig.	GEV No.	description	connections	L (mm)	suitable for	Ref. No.
3	520272	shower hose	1/2"	1000	—	—
3	520277	shower hose	1/2"	1500	Convotherm	7012071
3	520096	shower hose	1/2"	2000	Convotherm	7002070
3	520097	shower hose	1/2"	2200	Convotherm	7002071
3	520098	shower hose	1/2"	2600	Convotherm	7002072



fig.	GEV No.	description	connections	L (mm)	suitable for	Ref. No.
4	542018 ¹	shower hose	1/2"	1500	—	—
4	542019 ¹	shower hose	1/2"	2000	—	—

¹PVC coated



fig.	GEV No.	description	connections	L (mm)	suitable for	Ref. No.
5	540230	shower hose	1/2"	2000	—	—
5	540231	shower hose	1/2"	2500	—	—
5	540239	shower hose	1/2"	3000	—	—



fig.	GEV No.	description	connections	L (mm)	suitable for	Ref. No.
6	520730	shower hose	1/2"	2400	Krefft Rational	76-20670600 2067.0600
6	520729	shower hose	1/2"	2800	Krefft Rational Rosinox	76-20670601 2067.0601 RX25177072
6	520731	shower hose	1/2"	3200	Krefft Rational	76-20670602 2067.0602



fig.	GEV No.	description	connections	L (mm)	suitable for	Ref. No.
7	520094	shower hose	ø12mm - 1/2"	1500	Krefft Rational	76-20670610 2067.0610
7	520099	shower hose	ø12mm - 1/2"	1800	Krefft Rational	76-20670611 2067.0611
7	520108	shower hose	ø12mm - 1/2"	2080	Krefft Rational	76-20670609 2067.0609






fig.	GEV No.	description	suitable for
1	549299	angle piece T1: 1/2" for hand spray	Echtermann
2	693526	bush for spray gun	Krefft Rational
3	540674	coupling for spray gun rotary connections 1/2" IT - 1/2" ET	—
4	540008	shower head connection 1/2" metal	Convotherm Echtermann






fig.	GEV No.	description	suitable for
5	548353	swivel joint IT 1/2" ET 1/2" brass	Echtermann
6	540002	wall holder for hand spray	—
7	540961	wall holder for hand spray	Convotherm
8	542966	wall holder for hand spray	Electrolux Zanussi



hose reels

appliance hose reels



fig.	GEV No.	description	suitable for	Ref. No.
1	540662	hose reel complete with spray gun hose length 1,5m	Krefft Rational	76-84101013 8410.1013
2	545800	hose reel complete with spray gun hose length 1,6m	Electrolux Zanussi	0C1128 0C1128



fig.	GEV No.	description	suitable for	Ref. No.
3	542099	hose reel complete with spray gun hose length 1,6m connection John Guest 10mm hose ø 6x12mm	Lainox	LAR62200131
4	542093	hose reel complete with spray gun hose length 1,8m	Fagor	12040977



fig.	GEV No.	description	suitable for	Ref. No.
5	540663	hose reel complete with spray gun hose length 1,5mm	Krefft Rational	76-86552006 8655.2006
6	545067	hose reel without spray gun hose length 1,55m	Eloma	EL0753181



fig.	GEV No.	description	suitable for	Ref. No.
7	541444	hose reel without spray gun hose length 1,5m	Fagor Rational	12026185 50.00.176P
8	540480	hose reel without spray gun hose length 1,7m	Eloma	EL0580953



fig.	GEV No.	description	suitable for	Ref. No.
9	542804	hose reel without spray gun hose length 1,8m	MKN	204410
10	540661	hose reel without spray gun hose length 1m	Fagor Lincat Rational	12026734 OHA12 50.00.140P



fig.	GEV No.	description	suitable for	Ref. No.
11	540481	hose reel without spray gun hose length 2,1m	Eloma	ELE250070
12	540483	hose reel without spray gun hose length 2,1m	Fagor Rational	12026642 8655.2020P

under-counter and built-in hose reels




fig.	GEV No.	hose length (m)	connection	hose ø (mm)	material
1	542950	1,5	1/2"	7x13	SS








fig.	GEV No.	hose length (m)	connection	hose ø (mm)	material
2	542039	1,7	1/2"	7x13	SS


					
fig.	GEV No.	hose length (m)	connection	hose ø (mm)	material
3	542069	1,5	1/2"	7x13	SS


wall-mounted hose reels


					
fig.	GEV No.	hose length (m)	hose ø (mm)	connection	material
1	542028	3	10x15	3/8"	SS


					
fig.	GEV No.	hose length (m)	hose ø (mm)	connection	material
2	542070	9	13x17	3/8" IT	SS

					
fig.	GEV No.	hose length (m)	hose ø (mm)	connection	material
3	542025	10	13x20	3/4"	SS

					
fig.	GEV No.	hose length (m)	hose ø (mm)	connection	material
4	542029	12	10x14	1/2"	SS

					
fig.	GEV No.	hose length (m)	hose ø (mm)	connection	material
5	542026	10	13x17	3/4"	SS


					
fig.	GEV No.	hose length (m)	hose ø (mm)	connection	material
6	542951	15	13x17	3/4"	SS

					
fig.	GEV No.	hose length (m)	hose ø (mm)	connection	material
7	540400	20	13x20	3/4"	SS

spare parts and accessories


wall holders

	
fig.	GEV No.
1	542033




2

fig.	GEV No.	description
2	542030	wall holder for hose reel pivoting pivot range 140° hole distance 140x175mm



3

fig.	GEV No.	description
3	542071	wall holder for hose reel pivoting SS pivot range 160°



4

fig.	GEV No.	description
4	542034	wall holder for hose reel pivoting SS pivot range 180°

hose holders



1

fig.	GEV No.	description
1	540406	hose holder stainless steel
2	592172	hose holder stainless steel W 350mm H 250mm D 156mm hole distance 310mm

hoses



1

fig.	GEV No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
1	592173	12x21	1/2"	10m	-40 up to +90	LMBG
1	592174	12x21	1/2"	15m	-40 up to +90	LMBG
1	592175	12x21	1/2"	20m	-40 up to +90	LMBG
1	592176	12x21	1/2"	25m	-40 up to +90	LMBG



2

fig.	GEV No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
2	542088	13x17	3/8" - 1/2"	10m	-40 up to +90	DVGW, WRAS
2	542089	13x17	3/8" - 1/2"	15m	-40 up to +90	DVGW, WRAS



3

fig.	GEV No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
3	520476	13x19	-	2.5m	-20 up to +60	LMBG
3	520100	13x19	-	5m	-20 up to +60	LMBG
3	520101	13x19	-	20m	-20 up to +60	LMBG
3	520095	13x19	-	40m	-20 up to +60	LMBG
3	520254	19x27	-	5m	-20 up to +60	LMBG
3	520255	19x27	-	20m	-20 up to +60	LMBG
3	520109	19x27	-	40m	-20 up to +60	LMBG




4

fig.	GEV No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
4	542156	13x20	3/4"	10m	-40 up to +90	DVGW



5

fig.	GEV No.	ø (mm)	connections	length	Temp.Res. (°C)	approval
5	541858	13x23	1/2"	10m	-20 up to +90	-
5	540405	13x23	1/2"	15m	-20 up to +90	FDA
5	540402	13x23	1/2"	20m	-20 up to +90	FDA



1

fig.	GEV No.	connections	length	suitable for	Ref. No.
1	520915	ø14.6mm / 3/4"	0.7m	Rational	5001173



2

fig.	GEV No.	connections	length	suitable for	Ref. No.
2	540403	ø19mm - DN19	1.5m	—	—

cleaning guns



fig.	GEV No.	connection	material
1	540300	1/2" IT - tail ø13mm	brass
2	541882	1/2" IT - coupling DN13	brass



fig.	GEV No.	connection	material
3	540401	1/2" IT - tail ø13mm	SS
4	541883	1/2" IT - coupling DN13	SS



fig.	GEV No.	connection	material
5	591357	1/2" IT	plastic
6	540550	3/4" IT	plastic



fig.	GEV No.	connection	material
7	540553 ¹	1/2" IT - coupling DN13	brass
8	541473	1/2" IT - coupling bush DN13	brass

¹controllable

with foam lance connection



fig.	GEV No.	description
1	540372	cleaning spray gun connection 1/2" brass



fig.	GEV No.	description
2	540479	coupling bush type DN13 SS connection 1/2" IT
3	540516	coupling bush type DN13 chrome-plated brass connection 1/2" IT
4	540373	foam lance connection 1/2" complete SS L 300mm



fig.	GEV No.	description
1	540551	cleaning spray gun connection 3/4" plastic
2	540554	cleaning spray gun connection 1/2" with snap-on connection DN13 brass



fig.	GEV No.	description
3	540535	nozzle connection 3/4" short SS
4	540536	foam lance connection 3/4" plastic total length 182mm



fig.	GEV No.	description
5	541870	foam lance connection 1/2" aluminium L 450mm



fig.	GEV No.	description
6	540557	container connection ø10.5mm plastic 1,35l
6	540558	container connection ø10.5mm plastic 2,7l



spare parts and accessories

hose connectors



fig.	GEV No.	material	TS	HCø (mm)	Qty (pcs)
1	520677	brass	3/8"	13	1
1	540473	brass	1/2"	13	1
1	540474	brass	3/4"	19	1
2	541888	brass	1/2"	9	1
3	540475	SS	1/2"	13	1



fig.	GEV No.	material	TS	HCø (mm)	Qty (pcs)
4	540477 ¹	SS	1/2"	13	1
5	540512	SS	1/2"	13	1
6	540513 ¹	SS	1/2"	13	1

¹rotary

fig.	GEV No.	material	TS	HCø (mm)	Qty (pcs)
7	542956	stainless steel	1/2"	13	1
7	542957	stainless steel	1/2"	19	1

couplings

chrome-plated brass



fig.	GEV No.	description	type	connection
1	540515	coupling plug	DN13	1/2" (ø13mm)
1	541987	coupling plug	DN13	3/4" (ø19mm)
2	540484	coupling plug	DN13	1/2" ET
2	540514	coupling plug	DN13	3/4" ET
3	540486	coupling plug	DN13	1/2" IT
3	540487	coupling plug	DN13	3/4" IT



fig.	GEV No.	description	type	connection
1	540485	coupling bush	DN13	1/2" (ø13mm)
1	540643	coupling bush	DN13	3/4" (ø19mm)
2	540641	coupling bush	DN13	1/2" ET
2	540642	coupling bush	DN13	3/4" ET
3	540516	coupling bush	DN13	1/2" IT
3	540640	coupling bush	DN13	3/4" IT



fig.	GEV No.	description	type	connection
1	540488	coupling plug	DN19	1/2" ET
2	540518	coupling plug	DN19	3/4" (ø19mm)
3	541988	coupling plug	DN19	3/4" ET



fig.	GEV No.	description	type	connection
1	540489	coupling bush	DN19	3/4" (ø19mm)
2	541989	coupling bush	DN19	3/4" ET
3	540519	coupling bush	DN19	3/4" IT

stainless steel



fig.	GEV No.	description	type	connection
1	540520	coupling plug	DN13	3/8" ET
1	540521	coupling plug	DN13	1/2" ET
2	542140	coupling plug	DN13	1/2" (ø13mm)
3	540522	coupling plug	DN13	1/2" IT



fig.	GEV No.	description	type	connection
1	542139	coupling bush	DN13	1/2" (ø13mm)
2	540523	coupling bush	DN13	1/2" ET
3	540479	coupling bush	DN13	1/2" IT

hoses



fig.	GEV No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
1	520476	-	13x19	2.5m	-20 up to +60	LMBG
1	520100	-	13x19	5m	-20 up to +60	LMBG
1	520101	-	13x19	20m	-20 up to +60	LMBG
1	520095	-	13x19	40m	-20 up to +60	LMBG
1	520254	-	19x27	5m	-20 up to +60	LMBG
1	520255	-	19x27	20m	-20 up to +60	LMBG
1	520109	-	19x27	40m	-20 up to +60	LMBG



fig.	GEV No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
2	592173	1/2"	12x21	10m	-40 up to +90	LMBG
2	592174	1/2"	12x21	15m	-40 up to +90	LMBG
2	592175	1/2"	12x21	20m	-40 up to +90	LMBG
2	592176	1/2"	12x21	25m	-40 up to +90	LMBG



fig.	GEV No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
3	541858	1/2"	13x23	10m	-20 up to +90	-
3	540405	1/2"	13x23	15m	-20 up to +90	FDA
3	540402	1/2"	13x23	20m	-20 up to +90	FDA



fig.	GEV No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
4	542056	3/4"	13x21	1.5m	60-70	-



fig.	GEV No.	connections	ø (mm)	length	Temp.Res. (°C)	approval
5	542057	3/4" - DN13	13x21	10m	60-70	-
5	542058	3/4" - DN13	13x21	15m	60-70	-
5	542059	3/4" - DN13	13x21	20m	60-70	-

miscellaneous



fig.	GEV No.	description
1	541666	repair kit for cleaning gun for 540300 + 540401 nozzle, valve bolt, spring
2	542008	rubber protection for cleaning gun for 540300 + 540372
3	542009	rubber protection for cleaning gun for 540300 + 540372

water sockets



fig.	GEV No.	description
1	591454	coupling stainless steel thread 1/2" Qty 1 pcs
2	591453	nipple stainless steel thread 1/2" hose ø 13mm Qty 1 pcs



fig.	GEV No.	description
3	591452	water socket stainless steel complete thread 1/2" hose ø 13mm Qty 1 pcs

